



B.K. BIRLA GROUP OF COMPANIES

MANGALAM CEMENT LTD.



MANGALAM CEMENT LTD.

Regd. A/D

MCL/Env. Audit-117(II)/2023-2024/ 2400

14.09.2023

Sr. Environment Engineer (CPP)
Rajasthan Pollution Control Board,
4, Institutional Area,
Jhalana Doongari,
Jaipur, (Rajasthan)

Dear Sir,

Sub.: -Environmental Statement for the year 2022-2023

With reference to above subject, we are enclosing herewith an Environmental Statement Report of Unit-III of M/s Mangalam Cement Ltd., Morak for the period from April-2022 to March-2023.

This is for your kind reference please. Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully

For Mangalam Cement Ltd. (Unit-III)

P. R. Chaudhary
Sr. Joint President (O) & FM

Cc to: - The Regional Officer
Rajasthan Pollution Control Board
Plot No. Spl. 2A, ParyavaranMarg
Road No. 6, Indraprasthalndl. Area
Kota - 324005

Regd. Office & Works : P.O. Aditya Nagar-326520, Morak, Distt. Kota (Raj.) CIN : L26943RJ1976PLC001705, Telefax : 07459 - 232156
Website : www.mangalamcement.com, E-mail : email@mangalamcement.com

Kota Office : Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001(Rajasthan)
Mob : 9351468064, E-mail : mclkota@kappa.net.in

Delhi Office : 153, Leela Building (GF), Okhla Indl. Estate, Phase-III, New Delhi - 110020
Tel. No. : 011- 43539132, 43539133, 43539137 Fax : 011- 23421768
E-mail : delhi.purchase@mangalamcement.com, delhi.marketing@mangalamcement.com

Jaipur Office : 2nd Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)
Tel. : 0141 - 2218933, 2218931, E-mail : jaipur.marketing@mangalamcement.com

FORM-V
ENVIRONMENTAL STATEMENT
(See rule 14)

Environmental Statement for the financial year ending with 31stMarch 2023

PART-A

1.	Name & address of the owner/ occupier of the industry/ operation or process	Shri. P. R. Chaudhary Sr. Joint President (O) & FM Mangalam Cement Ltd. (Unit-III) Aditya Nagar, Village : Morak Distt: Kota (Raj.) Pin code : 326520
2.	Industry Category Primary – (STC Code) Secondary – (STC Code)	Red Category
3.	Production capacity	Cement : 6000 TPD
4.	Year of establishment	2013
5.	Date of last environmental statement submitted	10.09.2022

PART –B

Water and Raw Material Consumption:

i. Water consumption in m³/d

Process: NA (As plant is based on Dry process technology)

Cooling: 70.55 M3/day

Domestic: 190.15 M3/Day, which is common for Unit –I, II, III & CPP- I & II and colonies.

Name of Products	Process water consumption per unit of products	
	During the previous financial year (2021-2022)	During the current financial Year (2022-2023)
1. Cement	0.0162	0.0140

ii. Raw material consumption

Name of raw materials*	Name of product	Consumption of raw material per unit of output	
		During previous financial year (2021-2022)	During Current financial year (2022-2023)
1. Fly ash	PPC Cement	0.309	0.312
2. Gypsum	OPC & PPC Cement	0.072	0.068
3. Kota Stone Slurry	OPC Cement	0.048	0.049
4. Grinding Aid	PromaxX Cement	0.010	0.000348
5. CEMCO Aid	PPC Cement	0.0	0.0101

*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

iii) Power Consumption (KWH/T of Cement):-

During Previous Financial Year (2021-2022)	During Current Financial Year (2022-2023)
25.42 Unit / Tone of Cement	27.08 Unit / Tone of Cement

iv) Total Production (MT):-

Production	During Previous Financial Year (2021-2022)	During Current Financial Year (2022-2023)
Cement (OPC+PPC)	1256919.94	1176471.935

PART-C

Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged(mass/day)	Concentration of Pollutants in discharged(mass/volume)	Percentage of variation from prescribed standards with reasons.
a) Water	As the plant is being operated on dry process technology, total process water recycled, no liquid effluent is generated from the cement plant.		
b) Air	0.003 Ton / Day	14.88 mg/Nm ³	No any deviation

PART-D

HAZARDOUS WASTES

(As specified under Hazardous Wastes (Management, Handling & Transboundary Movement Rules, 2016).

Hazardous Wastes	Total Quantity (Kg)			
	During previous financial year (2021-2022)		During Current financial year (2022-2023)	
1. From Process (Cement Manufacturing is based on "Dry Process" no Hazardous waste is generated form the process except used oil which is drained from Machinery / Equipments)	We have Authorization for Hazardous waste Management & Handling for Unit – III,		We have Authorization for Hazardous waste Management & Handling for Unit – III,	
	Total Quantity Generated from April 2021 to March 2022 (Ltrs.)	400.0	Total Quantity Generated from April 2022 to March 2023 (Ltrs.)	0.0
	Old stock (Ltrs.)	NIL	Old stock (Ltrs.)	NIL
	Total Used Oil (Ltrs.)	400.0	Total Used Oil (Ltrs.)	0.0
	Sold-out to registered recycler (Ltrs.)	400.0	Sold-out to registered recycler (Ltrs.)	0.0
	Balance Quantity (Ltrs.)	NIL	Balance Quantity (Ltrs.)	NIL
Chemical Gypsum	NIL		NIL	
Waste Mix Liquid & Solid	NIL		NIL	
2. From pollution control facilities	NA		NA	

PART – E**SOLID WASTES:**

Solid Wastes	Total Quantity (Kg)	
	During previous financial year (2021-2022)	During Current financial year (2022-2023)
1. From Process	NIL	NIL
2. From pollution control facilities	Dust Collected in the ESP's, bag house and bag filters are recycled to the system	
2. i) Quantity recycled or reutilised within the unit.	100 %	100 %
ii) Solid	NIL	NIL
iii) Disposed	NIL	NIL

PART – F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Battery Wastes:-

As specified under Batteries (Management and Handling) Amendment Rules, 2010. We have purchased following new batteries of different categories is common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines-

Number of new batteries of categories purchased from the manufacturer / importer / dealer or any other agency.		During 1 st April 2022 to 31 st March 2023.
Common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines		
Category	i) No. Of Batteries	ii) Approximate weight (In metric Tonnes)
i) Automotive		
a) Four Wheeler	90	3.208
ii) Industrial		
a) UPS	221	1.72
Total	311	4.928

Number of used batteries of categories mentioned in Sl. No. 3 and Tonnage of scrap sent manufacturer / dealer / importer / registered recycler / or any other agency to whom the used batteries scrap was sent.		During 1 st April 2022 to 31 st March 2023.
Common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines		
Category	iii) No. Of Batteries	iv) Approximate weight (In metric Tonnes)
i) Automotive	0.0	
a) Four Wheeler		
ii) Industrial	150	1.050 MT
a) UPS		
Total	150	1.050 MT

Used battery scrap was sent to CPCB authorized recycler

Hazardous wastes

Cement manufacturing is based on "Dry Process". No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipments. The used oil & lead acid batteries are sold to CPCB authorized recyclers.

Bio-Medical Wastes:

Bio-Medical waste generated is common for Cement Plant, Power Plant and Mines during Period of January 2022 to December 2022 under the Bio-medical Waste Management Rules 2016 & its Amendments are as follows.

Year	Bio-Medical Waste Quantity (Kg) as per Colour Coding			
	Red	Blue	Yellow	White
1 st Jan. 2022 to 31 st Dec. 2022	2.058	0.974	3.125	0.446

E- Wastes:-

E- Waste disposal is common for Cement Plant, Power Plant and Mines during financial year 2021-2022 and 2022-2023 under the E-Waste (Management) Rules 2016 & its Amendments are as follows.

	Total Quantity Disposed	
	During Previous Financial Year (2021-2022)	During Previous Financial Year (2022-2023)
E-waste disposed	1240 kg	3220 kg

E-waste was sent to CPCB authorized recycler.

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

M/s Mangalam Cement Limited is being operated on dry process technology, which is cost effective and environmentally clean technology. The stack emissions from the plant are controlled by equipment like ESPs & Bag Houses. Bag filters installed at various material transfer points to clean the process and arrest the fugitive emissions.

The particulate matter collected in the pollution control equipment is recycled in process and neutralizing the cost of operation of pollution control equipment and hence no cost impact on the production cost.

PART – H

Additional measures/investment proposal for environmental protection including abatement of pollution.

Green belt development and tree plantation is our ongoing process. We have planted 296 No's of native species and up to March 2023, 132160 trees have been planted in premises of Unit – I, II, III, CPP – I, CPP – II and colonies.

PART –I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution.

1. We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
2. Monitoring of stack emission and ambient air and water quality is being done regularly.
3. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
4. Civil Department is taking care of Housekeeping, water supply & operation of STPs.
5. Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation.

We are enclosing herewith following documents:-

Annexure – 1:- Stack Emission Monitoring Test Reports

Annexure – 2:- Ambient Air Quality (PM10, PM2.5, NOx and SO2)

M/s Mangalam Cement Ltd.		
Unit-III		
Stack Monitoring Report		
<u>Period: 2022-2023</u>		
S.No.	Month	Cement Mill-III
Prescribed Standards (in mg/NM3)		30 Mg/Nm3
1	Apr-22	18.55
2	May-22	14.35
3	Jun-22	10.80
4	Jul-22	11.15
5	Aug-22	17.00
6	Sep-22	16.20
7	Oct-22	8.48
8	Nov-22	12.95
9	Dec-22	18.51
10	Jan-23	16.10
11	Feb-23	17.45
12	Mar-23	17.00
Average		14.88
Min		8.48
Max		18.55

MANGALAM CEMENT LIMITED, MORAK, DIST: KOTA

AMBIENT AIR QUALITY (All values in µg/m³)

(Year : 2021-22)

Location Month	Near Railway Gate				Near Work Shop				Near Rack Loading Area				Near Security gate							
	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO
Limits	100	60	80	80	4000	100	60	80	80	4000	100	60	80	80	4000	100	60	80	80	4000
Apr-22	69.4	32.0	3.8	11.8	375.1	68.1	35.4	4.0	13.6	414.2	62.6	34.6	4.3	11.9	351.7	74.9	42.3	8.1	17.7	406.4
May-22	73.2	34.0	3.6	11.5	389.0	75.7	38.1	3.7	13.0	396.0	67.6	39.7	3.8	12.2	402.9	81.2	49.2	6.8	16.4	409.9
Jun-22	68.3	30.1	3.9	11.3	351.7	70.3	32.9	3.8	13.6	361.2	62.9	30.4	4.0	11.6	375.1	76.9	42.6	7.1	16.4	375.1
Jul-22	53.0	26.6	3.5	10.6	359.5	56.9	30.9	3.0	12.0	382.9	44.4	25.8	3.3	10.5	429.8	55.3	32.1	5.8	14.3	398.6
Aug-22	46.5	27.3	3.4	11.3	416.8	54.1	32.6	3.4	13.2	396.0	41.4	27.9	3.7	10.9	368.2	47.4	35.0	5.9	15.5	409.9
Sep-22	45.6	28.3	3.3	10.7	396.0	50.7	32.6	3.7	12.9	409.9	35.9	26.5	3.9	11.1	430.7	43.8	34.3	7.6	17.1	486.3
Oct-22	48.0	31.3	3.8	11.0	409.9	53.9	38.6	3.9	13.6	422.0	40.1	30.1	3.8	11.6	458.5	49.0	38.6	6.2	16.6	500.2
Nov-22	49.7	34.7	3.4	10.9	423.8	58.2	33.9	3.7	14.6	396.0	39.4	27.8	3.9	11.1	416.8	50.5	30.5	6.7	16.2	423.8
Dec-22	53.2	32.6	3.2	11.2	437.7	58.8	34.9	3.2	15.4	423.8	40.2	30.2	3.7	11.5	451.6	49.1	33.7	5.0	16.8	437.7
Jan-23	59.8	32.0	3.1	10.8	444.6	64.6	34.5	3.1	15.5	444.6	44.3	30.4	3.4	12.1	402.9	56.5	33.0	4.3	16.7	430.7
Feb-23	62.3	32.3	3.3	11.0	320.4	67.1	34.4	3.4	14.6	336.1	45.8	30.3	3.3	11.6	382.9	62.7	33.2	4.8	16.1	429.8
Mar-23	64.1	32.9	3.4	10.7	326.5	70.4	35.0	3.6	15.7	340.4	43.8	32.5	3.2	11.3	402.9	66.2	35.3	4.0	16.6	396.0
Average	57.8	31.2	3.5	11.1	387.6	62.4	34.5	3.5	14.0	393.6	47.4	30.5	3.7	11.5	406.2	59.5	36.7	6.0	16.4	425.4
Minimum	45.6	26.6	3.1	10.6	320.4	50.7	30.9	3.0	12.0	336.1	35.9	25.8	3.2	10.5	351.7	43.8	30.5	4.0	14.3	375.1
Maximum	73.2	34.7	3.9	11.8	444.6	75.7	38.6	4.0	15.7	444.6	67.6	39.7	4.3	12.2	458.5	81.2	49.2	8.1	17.7	500.2

MANGALAM CEMENT LIMITED, MORAK, DIST: KOTA

AMBIENT NOISE MONITORING REPORT

Year, 2022-23

Date	Measured Noise Level (in dBA)							
	Near Railway Gate		Near Work shop		Near Rack Loading Area		Near Security gate	
	Day	Night	Day	Night	Day	Night	Day	Night
Limits	75.0	70.0	75.0	70.0	75.0	70.0	75.0	70.0
Apr-22	66.7	56.8	65.3	55.8	64.3	56.6	69.3	57.6
May-22	67.4	56.7	66.3	55.6	66.6	57.3	69.4	57.8
Jun-22	67.6	56.1	63.3	56.7	66.3	55.7	68.4	57.8
Jul-22	65.3	55.5	63.9	55.1	64.9	55.7	69.0	57.1
Aug-22	64.5	55.7	67.7	56.5	64.2	56.0	69.3	59.2
Sep-22	65.7	55.6	66.8	55.7	63.2	56.0	69.6	59.4
Oct-22	65.0	55.5	67.0	56.0	63.7	55.1	68.7	57.2
Nov-22	66.6	54.9	69.2	57.7	64.3	55.8	66.8	55.6
Dec-22	66.1	55.0	69.2	57.8	63.8	55.0	66.1	56.6
Jan-23	67.5	55.6	68.8	55.8	64.8	56.4	66.6	57.3
Feb-23	65.8	55.6	69.7	56.4	64.1	55.8	66.5	55.7
Mar-23	65.1	54.9	69.2	56.6	63.8	54.7	65.8	55.5
Average	66.1	55.7	67.2	56.3	64.5	55.8	68.0	57.2
Minimum	64.5	54.9	63.3	55.1	63.2	54.7	65.8	55.5
Maximum	67.6	56.8	69.7	57.8	66.6	57.3	69.6	59.4