



BK BIRLA GROUP OF COMPANIES

# MANGALAM CEMENT LTD.



MANGALAM CEMENT LTD.

Regd. A/D

MCL/Env.- 6(VII)/2026-2027/ 239

Date: 25.05.2026

The Director (Industry),  
Ministry of Environment, Forest and Climate Change (MOEF&CC),  
Indira Paryavaran Bhawan,  
Jor Bagh Road, Aliganj,  
New Delhi 110003

**Sub.:** Half Yearly Compliance Report of Environmental Clearance conditions for the Expansion of Cement Plant (Clinker 4.06 MTPA to 5.30 MTPA, Cement – 6.10 MTPA to 9.0 MTPA, Power 35 to 52.5 MW) of **M/s Mangalam Cement Ltd.**, situated at P.O. Aditya Nagar, Village Morak, tehsil Ramganj Mandi, District Kota – 326520 Rajasthan for the **Period from Oct. - 2025 to March - 2026 (FY 2025-26).**


**Ref.:** Environment Clearance Letter No. - F NO. J-11011/30 /2007-IA II (I) (Pt.), dated 20.12.2016

**Dear Sir,**

With reference to the above subjected matter and referred EC letter dated 20.12.2016, in this regard. We are submitting herewith the point wise half yearly compliance report for the period from Oct. - 2025 to March - 2026 of the conditions of environment clearance for the expansion of Cement Plant (Clinker 4.06 MTPA to 5.30 MTPA, Cement – 6.10 MTPA to 9.0 MTPA, Power 35 to 52.5 MW) issued to M/s Mangalam Cement Ltd., situated at P.O. Aditya Nagar, Village Morak, tehsil Ramganj Mandi, District Kota – 326520 Rajasthan.

Submitted for your kind information & records please.

Thanking You,  
Yours Faithfully,  
**For Mangalam Cement Ltd.**

  
**P. R. Chaudhary**  
Sr. Joint President (Operation) & (FM)

**Cc to:**

- 1. Regional Director, Integrated Regional Office, Ministry of Environment, Forest and Climate Change (MOEF&CC),** Integrated Regional Office, Jaipur , A-209 & 218, Aranya Bhawan, Mahatma Gandhi Road, Jhalana Institutional Area, Jaipur – 304002, Rajasthan
- 2. Member Secretary, Rajasthan State Pollution Control Board,** 4-Institutional Area, Jhalana Doongri, Jaipur (Rajasthan).
- 3. Regional Director, Central Pollution Control Board,** Zonal Office (Central), 3rd Floor, Sahakar Bhawan, North T. T. Nagar, Bhopal-462003

**Encl: as above**

**Regd. Office & Works :** P.O. Aditya Nagar - 326520, Morak, Distt. Kota (Raj.) CIN : L26943RJ1976PLC001705, Telefax : 07459 - 232156  
Website : www.mangalamcement.com, E-mail : email@mangalamcement.com

**Kota Office :** Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001(Rajasthan)

**Delhi Office :** 3-B, Vandana Building, 11, Tolstoy Marg, New Delhi - 110001, Tel. No. : 011- 43539137  
E-mail : delhi.admin@mangalamcement.com, delhi.marketing@mangalamcement.com

**Jaipur Office :** 2<sup>nd</sup> Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)  
Tel. : 0141 - 2218933, 2218931, E-mail : jaipur.marketing@mangalamcement.com

# Mangalam Cement Ltd.

**Name of the Project :- Expansion of Cement Plant Clinker 4.06 MTPA to 5.30 MTPA, Cement – 6.10 MTPA to 9.0 MTPA, Power 35 to 52.5 MW by Mangalam Cement Limited**

**Project Code :-**

**Clearance Letter No. : - F NO. J - 11011 /30 /2007 - IA II (I) (Pt.), dtd 20.12.2016**

**Month of Compliance Report :- Oct. 2025 to March 2026**

S. No	Conditions	Compliance Status																																																																										
<b>A.</b>	<b><u>SPECIFIC CONDITIONS:</u></b>																																																																											
i.	The Project proponent shall install 24x7 air monitoring devices to monitor air emissions, as provided by the CPCB and submit report to ministry and its regional office.	Company has installed Continuous Emission Monitoring system at all the major stacks for real time (24 X 7) emission monitoring, as per CPCB guidelines and data are being transmitted to CPCB & RSPCB server continuously. Day average of real time Continuous Emission Monitoring Reports are enclosed in <b>Annexure-I</b> .																																																																										
ii	The Standards issued by the ministry vide G.S.R. No. 612(E) dated 25 <sup>th</sup> August, 2014 and subsequent amendment date 9 <sup>th</sup> May, 2016 and 10 <sup>th</sup> May 2016 regarding cement plants with respect to particulate matter, SO <sub>2</sub> and NO <sub>x</sub> shall be followed.	<p>We are complying the standards issued by the ministry vide G.S.R. No. 612(E) dated 25<sup>th</sup> August, 2014 and subsequent amendment date 9<sup>th</sup> May, 2016 and 10<sup>th</sup> May 2016 regarding cement plants with respect to particulate matter, SO<sub>2</sub> and NO<sub>x</sub>. Monitoring results of Cement Plants are given as below and details are attached in <b>Annexure- I (A)</b>.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: left;">Unit-I</th> </tr> <tr> <th rowspan="2">Stack No.</th> <th rowspan="2">Details of Stack</th> <th colspan="2">Emission (mg/Nm<sup>3</sup>)</th> </tr> <tr> <th>Norms</th> <th>Avg. Emission</th> </tr> </thead> <tbody> <tr> <td rowspan="3">1</td> <td rowspan="3">Kiln Main Stack</td> <td>30</td> <td>16.37</td> </tr> <tr> <td>100</td> <td>47.52</td> </tr> <tr> <td>800</td> <td>502.9</td> </tr> <tr> <td>2</td> <td>Clinker Cooler Stack</td> <td>30</td> <td>14.19</td> </tr> <tr> <td>3</td> <td>Cement Mill Stack</td> <td>30</td> <td>18.23</td> </tr> <tr> <td>4</td> <td>Vertical Coal Mill Stack</td> <td>30</td> <td>15.54</td> </tr> <tr> <th colspan="4" style="text-align: left;">Unit-II</th> </tr> <tr> <th rowspan="2">Stack No.</th> <th rowspan="2">Details of Stack</th> <th colspan="2">Emission (mg/Nm<sup>3</sup>)</th> </tr> <tr> <th>Norms</th> <th>Avg. Emission</th> </tr> <tr> <td rowspan="3">1</td> <td rowspan="3">Kiln Main Stack</td> <td>30</td> <td>20.99</td> </tr> <tr> <td>100</td> <td>52.83</td> </tr> <tr> <td>800</td> <td>503.92</td> </tr> <tr> <td>2</td> <td>Clinker Cooler Stack</td> <td>30</td> <td>17.94</td> </tr> <tr> <td>3</td> <td>Cement Mill Stack</td> <td>30</td> <td>14.5</td> </tr> <tr> <td>4</td> <td>Coal Mill stack</td> <td>30</td> <td>21.19</td> </tr> <tr> <th colspan="4" style="text-align: left;">Unit-III</th> </tr> <tr> <th rowspan="2">Stack No.</th> <th rowspan="2">Details of Stack</th> <th colspan="2">Emission (mg/Nm<sup>3</sup>)</th> </tr> <tr> <th>Norms</th> <th>Avg. Emission</th> </tr> <tr> <td>1</td> <td>Cement Mill Stack</td> <td>30</td> <td>15.50</td> </tr> </tbody> </table>	Unit-I				Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )		Norms	Avg. Emission	1	Kiln Main Stack	30	16.37	100	47.52	800	502.9	2	Clinker Cooler Stack	30	14.19	3	Cement Mill Stack	30	18.23	4	Vertical Coal Mill Stack	30	15.54	Unit-II				Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )		Norms	Avg. Emission	1	Kiln Main Stack	30	20.99	100	52.83	800	503.92	2	Clinker Cooler Stack	30	17.94	3	Cement Mill Stack	30	14.5	4	Coal Mill stack	30	21.19	Unit-III				Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )		Norms	Avg. Emission	1	Cement Mill Stack	30	15.50
Unit-I																																																																												
Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )																																																																										
		Norms	Avg. Emission																																																																									
1	Kiln Main Stack	30	16.37																																																																									
		100	47.52																																																																									
		800	502.9																																																																									
2	Clinker Cooler Stack	30	14.19																																																																									
3	Cement Mill Stack	30	18.23																																																																									
4	Vertical Coal Mill Stack	30	15.54																																																																									
Unit-II																																																																												
Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )																																																																										
		Norms	Avg. Emission																																																																									
1	Kiln Main Stack	30	20.99																																																																									
		100	52.83																																																																									
		800	503.92																																																																									
2	Clinker Cooler Stack	30	17.94																																																																									
3	Cement Mill Stack	30	14.5																																																																									
4	Coal Mill stack	30	21.19																																																																									
Unit-III																																																																												
Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )																																																																										
		Norms	Avg. Emission																																																																									
1	Cement Mill Stack	30	15.50																																																																									

iii	<p>Prior clearance from the Standing Committee of the National Board for Wildlife shall be obtained due to location of the plant in the buffer zone of Darrah Wildlife Sanctuary, before commencing any expansion activity relating to the project at site. All the conditions stipulated by the Standing Committee shall be effectively implemented in the project. It shall be noted that this clearance does not necessarily implies that wildlife clearance shall be granted to the project and that your proposal for wildlife clearance shall be considered by the competent authorities on its merit and decision taken. The investment made in the project, if any based on environmental clearance granted to the project, in anticipation of the clearance from wildlife clearance shall be entirely at the cost and risk of the project proponent and ministry of Environment, Forest and Climate Change shall not be responsible in this regard, in any manner.</p>	<p>We have received clearance from National Board for Wildlife (NBWL) vide letter no. F()WLC/CWLW/2019/8463 dated 23.10.2020 and complying all the conditions stipulated by Standing Committee. Copy of NBWL Clearance letter has already been submitted to the Ministry vide our letter No. MCL/Env-6(IV)/2021-2022/310 dated 25.05.2021.</p>																																				
iv	<p>The project proponent shall not draw ground water for the project.</p>	<p>Point noted and ensures that we are not drawing ground water for the project.</p>																																				
v	<p>The standards issued by the Ministry vide S.O. 3305 (E) dated 07.12.2015 regarding thermal power plants shall be followed.</p>	<p>The standards issued by the Ministry vide S.O. 3305 (E) dated 07.12.2015 and its subsequent amendments regarding thermal power plants are being complied. Monitoring results of Captive Power Plants are given as below and details are attached in <b>Annexure- I (A)</b>.</p> <table border="1" data-bbox="824 1438 1432 1868"> <thead> <tr> <th colspan="4">CPP-I</th> </tr> <tr> <th rowspan="2">Stack No.</th> <th rowspan="2">Details of Stack</th> <th colspan="2">Emission (mg/Nm<sup>3</sup>)</th> </tr> <tr> <th>Norms</th> <th>Avg. Emission</th> </tr> </thead> <tbody> <tr> <td rowspan="3">1</td> <td rowspan="3">Main Stack Power plant - I</td> <td>50</td> <td>37.9</td> </tr> <tr> <td>600</td> <td>428.5</td> </tr> <tr> <td>450</td> <td>125.5</td> </tr> <tr> <th colspan="4">CPP-II</th> </tr> <tr> <th rowspan="2">Stack No.</th> <th rowspan="2">Details of Stack</th> <th colspan="2">Emission (mg/Nm<sup>3</sup>)</th> </tr> <tr> <th>Norms</th> <th>Avg. Emission</th> </tr> <tr> <td rowspan="3">1</td> <td rowspan="3">Main Stack Power plant - II</td> <td>50</td> <td>40.15</td> </tr> <tr> <td>600</td> <td>331.45</td> </tr> <tr> <td>450</td> <td>119.48</td> </tr> </tbody> </table>	CPP-I				Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )		Norms	Avg. Emission	1	Main Stack Power plant - I	50	37.9	600	428.5	450	125.5	CPP-II				Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )		Norms	Avg. Emission	1	Main Stack Power plant - II	50	40.15	600	331.45	450	119.48
CPP-I																																						
Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )																																				
		Norms	Avg. Emission																																			
1	Main Stack Power plant - I	50	37.9																																			
		600	428.5																																			
		450	125.5																																			
CPP-II																																						
Stack No.	Details of Stack	Emission (mg/Nm <sup>3</sup> )																																				
		Norms	Avg. Emission																																			
1	Main Stack Power plant - II	50	40.15																																			
		600	331.45																																			
		450	119.48																																			
vi	<p>Two High Volume Samplers should be installed at the boundary of the wild life sanctuary suitably to continuously monitor the parameters and maintain records. These records shall be submitted along with the 6 monthly compliance report to the Ministry's Regional Office.</p>	<p>We are continuously monitored parameters on two locations at the boundary of the wildlife sanctuary through High Volume Samplers on quarterly basis and same are being sent to Ministry's Regional Office with six monthly compliance report. Monitoring Reports are enclosed in <b>Annexure-II</b>.</p>																																				


vii	Continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels below 50 mg/Nm <sup>3</sup> and installing energy efficient technology.	We have provided efficient Air Pollution Control Devices at all the stacks to keep the emission under the prescribed norms and to monitor real time emission level we have installed Continuous Emission Monitoring facilities at all the major stacks and real time data from these CEMS analyzers are being transmitted to CPCB & RSPCB server. Status reports of APCM & CEMS Installation along with Measured Emission Values of major stacks are given in <b>Annexure-I (A)</b> .																																																												
viii	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16 <sup>th</sup> November, 2009 shall be followed.	<p>We are following National Ambient Air Quality Standard issued by Ministry of Environmental and Forest vide GSR 826(E) of 16<sup>th</sup> November-2009. Copy is enclosed in <b>Annexure – I(B)</b>.</p> <table border="1" data-bbox="821 639 1425 1016"> <thead> <tr> <th colspan="7">Mangalam Cement Ltd.</th> </tr> <tr> <th colspan="7">Ambient Air Quality Monitoring Results</th> </tr> <tr> <th rowspan="2">S N</th> <th rowspan="2">Location → Parameters ↓</th> <th rowspan="2">Norm s (µg/m<sup>3</sup>)</th> <th rowspan="2">Near Railw ay Gate</th> <th rowspan="2">Near Securi ty Gate</th> <th rowspan="2">Near Rack Loadin g Area</th> <th rowspan="2">Near Wor k Shop</th> </tr> <tr> <th colspan="4">Avg.</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PM10</td> <td>100</td> <td>54.02</td> <td>61.66</td> <td>57.96</td> <td>61.89</td> </tr> <tr> <td>2</td> <td>PM2.5</td> <td>60</td> <td>25.06</td> <td>30.65</td> <td>27.11</td> <td>28.46</td> </tr> <tr> <td>3</td> <td>SO<sub>2</sub></td> <td>80</td> <td>8.38</td> <td>13.89</td> <td>9.69</td> <td>12.27</td> </tr> <tr> <td>4</td> <td>NO<sub>x</sub></td> <td>80</td> <td>13.54</td> <td>13.42</td> <td>15.65</td> <td>16.98</td> </tr> <tr> <td>5</td> <td>CO</td> <td>4000</td> <td>400.00</td> <td>370.00</td> <td>400.00</td> <td>500.00</td> </tr> </tbody> </table>	Mangalam Cement Ltd.							Ambient Air Quality Monitoring Results							S N	Location → Parameters ↓	Norm s (µg/m <sup>3</sup> )	Near Railw ay Gate	Near Securi ty Gate	Near Rack Loadin g Area	Near Wor k Shop	Avg.				1	PM10	100	54.02	61.66	57.96	61.89	2	PM2.5	60	25.06	30.65	27.11	28.46	3	SO <sub>2</sub>	80	8.38	13.89	9.69	12.27	4	NO <sub>x</sub>	80	13.54	13.42	15.65	16.98	5	CO	4000	400.00	370.00	400.00	500.00
Mangalam Cement Ltd.																																																														
Ambient Air Quality Monitoring Results																																																														
S N	Location → Parameters ↓	Norm s (µg/m <sup>3</sup> )	Near Railw ay Gate	Near Securi ty Gate	Near Rack Loadin g Area	Near Wor k Shop																																																								
							Avg.																																																							
1	PM10	100	54.02	61.66	57.96	61.89																																																								
2	PM2.5	60	25.06	30.65	27.11	28.46																																																								
3	SO <sub>2</sub>	80	8.38	13.89	9.69	12.27																																																								
4	NO <sub>x</sub>	80	13.54	13.42	15.65	16.98																																																								
5	CO	4000	400.00	370.00	400.00	500.00																																																								
ix	A statement on carbon budgeting including the quantum of equivalent CO <sub>2</sub> being emitted by the existing plant operations, the amount of carbon sequestered annually by the existing green belt and the proposed green belt and the quantum of equivalent CO <sub>2</sub> that will be emitted due to the proposed expansion shall be prepared by the project proponent and submitted to the Ministry and the Regional Office of the Ministry. This shall be prepared every year by the project proponent. The first such budget shall be prepared within a period of 6 months and subsequently it should be prepared every year.	Carbon Budgeting report of FY 2024-2025 is attached in <b>Annexure – VII</b> .																																																												

x	For the employees working in high temperature zones falling in the plant operation areas, the total shift duration would be 4 hrs or less per day where the temperature is more than 50 deg C. Moreover, the jobs of these employees will be alternated in such a way that no employee is subjected to working in high temperature area for more than 1 hr continuously. Such employees would be invariably provided with proper protective equipments, garments and gear such as head gear, clothing, gloves, eye protection etc. There should also be an arrangement for sufficient drinking water at site to prevent dehydration etc.	Point noted and complying. We have provided proper protective equipment's, garments etc to all personnel, involved in hot work. And provide proper arrangement for sufficient drinking water at site to prevent dehydration etc.
xi	Vehicular pollution due to transportation of raw material shall be controlled. Proper arrangements shall also be made to control dust emissions during loading and unloading of the raw material.	We have installed closed conveyor belts with efficient bag filters to minimize the internal vehicular movement of raw materials. Paved/ concrete roads have been provided for all vehicular movement. No vehicle is allowed inside the plant without PUC certificate. Proper arrangements have also been made to control dust emissions during loading and unloading of raw materials. Fugitive emission monitoring results of our plants are attached in <b>Annexure- I (D)</b> .
xii	'Zero' effluent discharge shall be strictly followed and no wastewater shall be discharged outside the premises.	We are maintaining the "Zero" effluent discharge strictly and no waste water is being discharged.
xiii	Regular monitoring of influent and effluent surface, sub-surface and ground water shall be ensured and treated wastewater shall meet the norms prescribed by the State Pollution Control Board or described under Environment (Protection) Act, 1986.	Domestic Sewage & industrial effluent from thermal power plants is being treated in our own STP & neutralization pit respectively to meet the prescribed norms. Regular monitoring of treated sewage & treated industrial effluent from thermal power plants is being conducted through MoEF&CC approved external laboratory.
xiv	Proper handling, storage, utilization and disposal of all the solid waste shall be ensured and regular report regarding toxic metal content in the waste material and its composition, end use of solid/ hazardous waste shall be submitted to the Ministry's Regional Office, SPCB and CPCB.	We have facility for proper handling, storage, utilization and disposal of hazardous & other wastes and details of hazardous & other wastes are being submitted to SPCB in Form-IV. Copies of the same are enclosed herewith as <b>Annexure- III</b> .
xv	A time bound action plan shall be submitted to reduce solid waste generated due to the project related activities, its proper utilization and disposal.	No solid waste is generated from our cement plant however fly ash generated from our captive thermal power plants is being 100% utilized in cement manufacturing.
xvi	A Risk and Disaster Management Plan shall be prepared and a copy submitted to the Ministry's Regional Office, SPCB and CPCB within 3 months of issue of environment clearance letter.	We have prepared and submitted detailed Risk and Disaster Management Plan to the Ministry's Regional Office- Lucknow, CPCB- New Delhi and RSPCB Jaipur vide our letter no. MCL/Env-95/2016-17/7006 dated 15.03.2017.

xvii	Green belt shall be developed in at least 33% of the project area by planting native and broad leaved species in consultation with local DFO and local communities as per CPCB guidelines. 10 to 15 m wide green belt should be developed all along the boundary of the site and both the side of the road.	Green belt development is our ongoing process and we have planted <b>134744 numbers</b> of plant saplings in & around the plant premises and developed more than 33 % green belt area, as per the CPCB guidelines. Year wise details of plantation are given in <b>Annexure- IV</b> .
xviii	All the commitments made to the public during Public Hearing/ Public consultation meeting shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	We are implementing all the commitments made to the public during Public Hearing/ Public consultation.
xix	At least 2.5% of the total cost of project shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues, locals need and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office. Implementation of such program shall be ensured by constituting a Committee comprising of the proponent, representatives of village Panchyat and District Administration. 'Action taken report in this regard shall be submitted to the Ministry's Regional Office.	We are implementing all the commitments made to the public during Public Hearing/ Public consultation.
xx	The proponent shall prepare a detailed CSR plan for every year for the next 5 years for the existing cum expansion project, which includes village wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and Infrastructure requirements such as strengthening of village roads, avenue plantation, etc.) activities in consultation with local communities and administration. The CSR plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provided for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created & the annual capital & revenue expenditure on various activities of the plan shall be submitted as part of the Compliance Report to RO. The details of the CSR plan shall be uploaded on the company website & shall be provided in the Annual Report of the company.	We are following the conditions as per guidelines. CSR Report for the period from <b>April 2025 to March 2026</b> is attached in <b>Annexure-V</b> .

xxi	The Company shall submit within three months their policy towards Corporate Environment Responsibility which shall inter-alia address (i) Standard operating process/ procedure to being into focus any infringement/deviation/ violation of environmental or forest norms/ conditions, (ii) Hierarchical system or Administrative order of the Company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and (iii) System of reporting of non-compliance/ violation environmental norms to the Board of Directors of the company and/ or stakeholders or shareholders.	We have submitted company's Policy for Environment Management System certified by BIS and under this system, we have proper company ' policy focusing on continual improvement in the field of Environment including prevention of pollution, conservation of natural resources etc. vide our letter no. MCL/ ENV-95/ 2016-17/ dated 11.03.2017.
xxii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, Safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Point noted. It is a brown field project and we have our own township, where all necessary facilities such as fuel for cooking, toilets, STP, safe drinking water, medical health care, crèche etc. are available.
xxii i	The project proponent shall provide for solar light system for all common areas, street lights, village, parking around project area and maintain the same regularly.	Point noted & complying in phase manner. We have installed solar light in mine's magazine area & solar geysers at guest house & bachelor's hostel.
xxi v	The project proponent shall provide for LED lights in their offices and residential areas.	We have replaced more than 6000 numbers of LED lights in our plant, residential areas, streetlight, parking areas etc.

B.	<b>GENERAL CONDITIONS:</b>																																																																					
i	The project authorities must strictly adhere to the stipulations made by the Rajasthan Pollution Control Board and the State Govt.	We are strictly complying the stipulations made by the Rajasthan State Pollution Control Board and the State Government.																																																																				
ii	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	For expansion or modification of the plant we will take prior approval of the Ministry, if any.																																																																				
iii	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Lucknow and the SPCB/CPCB once in six months.	<p>Four ambient air qualities – monitoring stations are provided at the periphery of our factory premises for the monitoring of ambient air quality. The locations of these stations were decided in consultation with RO Kota. We are submitting data on ambient air quality and stack emissions to Regional office at Lucknow and RPCB, CPCB once in six months.</p> <table border="1" data-bbox="813 682 1437 1024"> <thead> <tr> <th colspan="7" data-bbox="813 682 1437 717"><b>Mangalam Cement Ltd.</b></th> </tr> <tr> <th colspan="7" data-bbox="813 717 1437 747"><b>Ambient Air Quality Monitoring Results</b></th> </tr> <tr> <th data-bbox="813 747 857 862">S N</th> <th data-bbox="857 747 976 862">Location → Parameters ↓</th> <th data-bbox="976 747 1057 862">Norms (µg/ m3)</th> <th data-bbox="1057 747 1138 862">Near Railwa y Gate</th> <th data-bbox="1138 747 1219 862">Near Securit y Gate</th> <th data-bbox="1219 747 1300 862">Near Rack Loadi ng Area</th> <th data-bbox="1300 747 1437 862">Near Work Shop</th> </tr> <tr> <th colspan="7" data-bbox="813 862 1437 892">Avg.</th> </tr> </thead> <tbody> <tr> <td data-bbox="813 892 857 921">1</td> <td data-bbox="857 892 976 921">PM10</td> <td data-bbox="976 892 1057 921">100</td> <td data-bbox="1057 892 1138 921">54.02</td> <td data-bbox="1138 892 1219 921">61.66</td> <td data-bbox="1219 892 1300 921">57.96</td> <td data-bbox="1300 892 1437 921">61.89</td> </tr> <tr> <td data-bbox="813 921 857 951">2</td> <td data-bbox="857 921 976 951">PM2.5</td> <td data-bbox="976 921 1057 951">60</td> <td data-bbox="1057 921 1138 951">25.06</td> <td data-bbox="1138 921 1219 951">30.65</td> <td data-bbox="1219 921 1300 951">27.11</td> <td data-bbox="1300 921 1437 951">28.46</td> </tr> <tr> <td data-bbox="813 951 857 981">3</td> <td data-bbox="857 951 976 981">SO<sub>2</sub></td> <td data-bbox="976 951 1057 981">80</td> <td data-bbox="1057 951 1138 981">8.38</td> <td data-bbox="1138 951 1219 981">13.89</td> <td data-bbox="1219 951 1300 981">9.69</td> <td data-bbox="1300 951 1437 981">12.27</td> </tr> <tr> <td data-bbox="813 981 857 1010">4</td> <td data-bbox="857 981 976 1010">NOx</td> <td data-bbox="976 981 1057 1010">80</td> <td data-bbox="1057 981 1138 1010">13.54</td> <td data-bbox="1138 981 1219 1010">13.42</td> <td data-bbox="1219 981 1300 1010">15.65</td> <td data-bbox="1300 981 1437 1010">16.98</td> </tr> <tr> <td data-bbox="813 1010 857 1040">5</td> <td data-bbox="857 1010 976 1040">CO</td> <td data-bbox="976 1010 1057 1040">4000</td> <td data-bbox="1057 1010 1138 1040">400.00</td> <td data-bbox="1138 1010 1219 1040">370.00</td> <td data-bbox="1219 1010 1300 1040">400.00</td> <td data-bbox="1300 1010 1437 1040">500.00</td> </tr> </tbody> </table>	<b>Mangalam Cement Ltd.</b>							<b>Ambient Air Quality Monitoring Results</b>							S N	Location → Parameters ↓	Norms (µg/ m3)	Near Railwa y Gate	Near Securit y Gate	Near Rack Loadi ng Area	Near Work Shop	Avg.							1	PM10	100	54.02	61.66	57.96	61.89	2	PM2.5	60	25.06	30.65	27.11	28.46	3	SO <sub>2</sub>	80	8.38	13.89	9.69	12.27	4	NOx	80	13.54	13.42	15.65	16.98	5	CO	4000	400.00	370.00	400.00	500.00					
<b>Mangalam Cement Ltd.</b>																																																																						
<b>Ambient Air Quality Monitoring Results</b>																																																																						
S N	Location → Parameters ↓	Norms (µg/ m3)	Near Railwa y Gate	Near Securit y Gate	Near Rack Loadi ng Area	Near Work Shop																																																																
Avg.																																																																						
1	PM10	100	54.02	61.66	57.96	61.89																																																																
2	PM2.5	60	25.06	30.65	27.11	28.46																																																																
3	SO <sub>2</sub>	80	8.38	13.89	9.69	12.27																																																																
4	NOx	80	13.54	13.42	15.65	16.98																																																																
5	CO	4000	400.00	370.00	400.00	500.00																																																																
iv	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Industrial waste water is being collected and treated as per GSR 422 (E) dtd. 19 <sup>th</sup> May 1993 guidelines and used for plantation purpose after treatment.																																																																				
v	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	<p>Noise is being checked on regularly basis as per standard &amp; limited within the prescribed standards. Copy is enclosed herewith in <b>Annexure – I(C)</b>.</p> <table border="1" data-bbox="813 1419 1437 1749"> <thead> <tr> <th colspan="4" data-bbox="813 1419 1437 1454"><b>Results of Noise</b></th> </tr> <tr> <th data-bbox="813 1454 889 1569" rowspan="2">Sr. No.</th> <th data-bbox="889 1454 1138 1569" rowspan="2">Location</th> <th colspan="2" data-bbox="1138 1454 1437 1516">Ambient Air Noise Results (dB)</th> </tr> <tr> <th data-bbox="1138 1516 1284 1569">Day Avg.</th> <th data-bbox="1284 1516 1437 1569">Night Avg.</th> </tr> </thead> <tbody> <tr> <td data-bbox="813 1569 889 1599">1</td> <td data-bbox="889 1569 1138 1599">Near Security Gate</td> <td data-bbox="1138 1569 1284 1599">54.20</td> <td data-bbox="1284 1569 1437 1599">45.5</td> </tr> <tr> <td data-bbox="813 1599 889 1628">2</td> <td data-bbox="889 1599 1138 1628">Near Railway Gate</td> <td data-bbox="1138 1599 1284 1628">52.95</td> <td data-bbox="1284 1599 1437 1628">42.6</td> </tr> <tr> <td data-bbox="813 1628 889 1706">3</td> <td data-bbox="889 1628 1138 1706">Near Rack Loading Area</td> <td data-bbox="1138 1628 1284 1706">54.4</td> <td data-bbox="1284 1628 1437 1706">41.2</td> </tr> <tr> <td data-bbox="813 1706 889 1736">4</td> <td data-bbox="889 1706 1138 1736">Near Work Shop</td> <td data-bbox="1138 1706 1284 1736">57.95</td> <td data-bbox="1284 1706 1437 1736">42.55</td> </tr> </tbody> </table>	<b>Results of Noise</b>				Sr. No.	Location	Ambient Air Noise Results (dB)		Day Avg.	Night Avg.	1	Near Security Gate	54.20	45.5	2	Near Railway Gate	52.95	42.6	3	Near Rack Loading Area	54.4	41.2	4	Near Work Shop	57.95	42.55																																										
<b>Results of Noise</b>																																																																						
Sr. No.	Location	Ambient Air Noise Results (dB)																																																																				
		Day Avg.	Night Avg.																																																																			
1	Near Security Gate	54.20	45.5																																																																			
2	Near Railway Gate	52.95	42.6																																																																			
3	Near Rack Loading Area	54.4	41.2																																																																			
4	Near Work Shop	57.95	42.55																																																																			

vi	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factory Act.	We are maintaining Occupational health checkup of the workers regular basis as per the factories act. Report is enclosed herewith in <b>Annexure – VI.</b>																					
vii	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	<p>We have developed rainwater harvesting system at our plant buildings.</p> <p style="text-align: center;"><b><u>Rain water Harvesting</u></b></p>  <table border="1" data-bbox="878 763 1365 1059"> <thead> <tr> <th colspan="3" style="text-align: center;">Mangalam Cement Ltd.</th> </tr> <tr> <th colspan="3" style="text-align: center;">Details Of water Harvesting</th> </tr> <tr> <th style="text-align: center;">S. No.</th> <th style="text-align: center;">Location</th> <th style="text-align: center;">Roof Area (m<sup>2</sup>)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1.</td> <td>Engineering Building</td> <td style="text-align: center;">725</td> </tr> <tr> <td style="text-align: center;">2.</td> <td>Load Center Building</td> <td style="text-align: center;">1458</td> </tr> <tr> <td style="text-align: center;">3.</td> <td>Store Building</td> <td style="text-align: center;">1620</td> </tr> <tr> <td style="text-align: center;">4.</td> <td>Captive Power Plant-I</td> <td style="text-align: center;">1200</td> </tr> </tbody> </table>	Mangalam Cement Ltd.			Details Of water Harvesting			S. No.	Location	Roof Area (m <sup>2</sup> )	1.	Engineering Building	725	2.	Load Center Building	1458	3.	Store Building	1620	4.	Captive Power Plant-I	1200
Mangalam Cement Ltd.																							
Details Of water Harvesting																							
S. No.	Location	Roof Area (m <sup>2</sup> )																					
1.	Engineering Building	725																					
2.	Load Center Building	1458																					
3.	Store Building	1620																					
4.	Captive Power Plant-I	1200																					
viii	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	Earmarked capital for environmental projects will be used exclusively for its implementations as maintained in EIA / EMP Reports. We shall implement this condition as per Enterprise Social Commitment scheme. CSR Report for the period from <b>April 2025 to March 2026</b> is attached in <b>Annexure-V.</b>																					
ix	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Lucknow. The funds so provided shall not be diverted for any other purpose.	<p>We agree the condition and complying. Environmental expenditure incurred during the period from <b>Oct. 2025 to March 2026</b> for environment protection measures is given below.</p> <table border="1" data-bbox="829 1553 1432 1852"> <thead> <tr> <th colspan="3" style="text-align: center;">Mangalam Cement Ltd</th> </tr> <tr> <th colspan="3" style="text-align: center;">Environmental expenditure incurred during the period from Oct. 2025 to March 2026 for environment protection measures.</th> </tr> <tr> <th style="text-align: center;">S. No.</th> <th style="text-align: center;">Department</th> <th style="text-align: center;">Total Cost (In Rs.)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1.</td> <td><b>Total Expenditures</b></td> <td style="text-align: center;"><b>11174924.83</b></td> </tr> </tbody> </table>	Mangalam Cement Ltd			Environmental expenditure incurred during the period from Oct. 2025 to March 2026 for environment protection measures.			S. No.	Department	Total Cost (In Rs.)	1.	<b>Total Expenditures</b>	<b>11174924.83</b>									
Mangalam Cement Ltd																							
Environmental expenditure incurred during the period from Oct. 2025 to March 2026 for environment protection measures.																							
S. No.	Department	Total Cost (In Rs.)																					
1.	<b>Total Expenditures</b>	<b>11174924.83</b>																					

x	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, ZilaParishad/ Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	We have put the clearance letter on the website of the company.
xi	The project proponent shall upload the status of compliance of stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEFCC at Lucknow. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We are uploading every six monthly report of plant monitoring results and compliance report of Environmental clearance condition time to time at our web site and same data are being send to the RO, Lucknow, CPCB, RPCB and Zonal office.
xii	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of this Ministry at Lucknow/ CPCB/SPCB shall monitor the stipulated conditions.	The resulting monitoring data are being submitted, six monthly reports in the month of June and Dec. every year and same copy being sent to the Regional office Lucknow, RPCB and Central Pollution Control Board.
xiii	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEFCC at Lucknow by e-mail.	We are submitting Environmental Statement before 30 <sup>th</sup> September in every year and same data available at web site and one copy being sent by e-mail to the Regional office of the MoEF at Lucknow.

xiv	<p>The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be sent at website of the Ministry of Environment, Forest and Climate Change (MoEFCC) at <a href="http://envfor.nic.in">http://envfor.nic.in</a>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Lucknow.</p>	<p>We had advertised information of Environmental clearance letter in two local newspapers in local language of the locality concerned and same copy sent to the Rajasthan Pollution Control Board, Jaipur and the Regional office at Lucknow.</p>
xv	<p>Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and date of commencing the land development work.</p>	<p>We will inform the regional office as well as to the ministry the date of financial closure and final approval of the project.</p>

Mangalam Cement Ltd. Morak, Kota (Rajasthan)  
Day Average Report of Continuous Emission Monitoring System for the Month of October 2025  
(All value in mg/Nm<sup>3</sup>)

Annexure - I

Dated	Unit - I					Unit - II					Unit - III			CPP - I		CPP - II			
	Kiln - I (PM)	Kiln - I (NOx)	Kiln - I (SO2)	Cooler - I (PM)	Cement Mill - I (PM)	Coal Mill - I (PM)	Kiln - II (PM)	Kiln - II (NOx)	Kiln - II (SO2)	Cooler - II (PM)	Cement Mill - II (PM)	Coal Mill - II (PM)	Cement Mill - III (PM)	Nox	SO2	PM	Nox	SO2	PM
01/10/2025	20.74	703.45	32.86	16.01	15.76	12.87	0.05	0	1	18.7	14.11	0.03	16.41	1.62	1.77	0	1.2	1.57	37.67
02/10/2025	19.78	659.58	32.2	17	17.5	6.26	0.05	0	3.74	7.38	13.74	0.03	15.18	1.62	1.77	0	106.68	194.5	36.92
03/10/2025	19.03	686.31	34.9	17.39	16.05	9.89	15.84	17.66	9.92	13.89	5.48	15.12	16.2	1.62	1.77	0	107.57	221.52	37.57
04/10/2025	18.52	676.69	40.67	15.58	17.26	9.79	20.59	28.18	17.56	13.32	18.72	16.2	16.2	1.62	1.77	0	107.17	200.49	36.34
05/10/2025	19.6	685.4	36.44	16.53	16.28	8.45	20.64	41.65	17.57	13.33	9.25	15.93	16.2	1.62	1.77	0	102.25	193.15	31.92
06/10/2025	18.96	676.64	40.7	15.04	12.88	8.85	20.55	37.71	17.54	14.32	8.1	15.47	16.2	1.62	1.77	0	106.01	205.44	32.11
07/10/2025	20.48	670.61	41.99	13.96	17.21	9.42	20.57	32.05	17.56	14.32	18.18	15.83	16.2	1.62	1.68	0	104.15	201.69	32.39
08/10/2025	18.16	686.51	40	14.56	6.85	9.93	20.56	30.08	17.55	14.21	20.59	15.53	16	1.67	0	117.17	221.8	32.78	
09/10/2025	19.21	669.67	41.71	14.9	17.03	9.92	20.6	29.55	17.58	12.59	20.69	16.25	15.7	1.67	0	116.42	232.51	32.93	
10/10/2025	20.39	687.47	49.77	14.55	16.88	9.85	20.6	29.73	17.56	14.28	20.11	13.49	15.7	1.67	0	124.18	219.92	32.43	
11/10/2025	21.04	694.71	35.48	19.51	18.23	12.98	22.36	1.1	0.03	0.02	0.03	15.43	1.55	1.67	0	114.21	246.31	23.02	
12/10/2025	20.43	682.1	34.78	15.95	15.85	11.59	7.37	1.08	0.03	12.36	0.19	15.88	1.55	1.66	0	118.95	234.62	30.22	
13/10/2025	20.03	681.85	32.65	15.76	2.64	10.1	20.55	4.06	16.98	12.49	12.77	14.57	1.55	1.66	0	143.09	231.61	32.98	
14/10/2025	18.9	680.94	33.36	15.42	10.9	10.18	20.53	5.99	17.51	13.23	18.2	13.77	1.55	1.67	0	139.12	223.9	35.87	
15/10/2025	18.45	679.17	34.75	16.62	17.3	10.29	20.62	21.82	17.56	11.9	20.83	13.8	1.55	1.67	0	140.04	232.08	38.92	
16/10/2025	19.66	676.18	33.32	15.79	0.29	10.8	20.58	21.08	17.56	14.28	21.17	4.6	1.56	1.67	0	132.77	232.85	37.81	
17/10/2025	20.43	680.48	32.59	14.91	16.66	9.11	20.59	34.54	17.57	13.19	19.76	15.88	1.59	1.73	0	143.19	250.82	35.72	
18/10/2025	18.44	682.2	34.15	14.66	15.35	10.73	20.57	46.98	17.53	12.64	21.96	15	1.62	1.77	0	138.58	258.65	40.81	
19/10/2025	18.58	683.39	34.09	15.91	17.13	9.38	20.6	42.9	17.56	9.76	18.97	13.71	1.62	1.77	0	132.45	234.24	40.32	
20/10/2025	18.8	684.33	33.38	15.35	15.4	10.05	20.58	51.37	17.6	14.29	19.54	16.87	1.62	1.77	0	171.31	239.08	38.1	
21/10/2025	18.94	702.6	27.22	12.41	0.05	13.84	20.19	29.39	17.18	0.02	19.51	0.21	1.62	1.77	0	179.07	234.82	33.3	
22/10/2025	20.12	682.03	29.79	14.86	0.05	10.32	20.55	29.6	17.54	0.02	20.45	0.23	1.61	1.68	0	153.9	214.68	34.32	
23/10/2025	20.9	683.21	30.6	15.34	3.06	10.77	20.57	29.55	17.56	0.02	21.23	0.22	1.59	1.68	0	84.76	207.39	33.33	
24/10/2025	21.53	682.16	30.25	15.02	17.33	11.56	20.61	29.58	17.58	9.68	20.78	0.26	1.58	1.68	0	103.99	214.01	37.84	
25/10/2025	20.2	690.73	22.48	14.9	15.15	11.52	20.57	20.83	17.57	14.13	19.37	16.13	4.04	5.3	0	119.27	270.86	40.98	
26/10/2025	19.27	687.66	18.82	14.41	0.06	11.49	20.54	8.47	17.53	13.25	20.34	15.8	1.63	1.77	0	127.53	313.74	40.83	
27/10/2025	21.77	681.61	18.38	13.61	10.09	10.67	20.52	13.91	17.52	13.79	19.26	14.93	1.62	1.77	0	121.02	246.94	38.56	
28/10/2025	21.4	678.62	24.82	10.34	0.06	11.35	20.58	12.5	17.58	14.35	19.73	15.22	1.6	1.68	0	135.17	238.74	37.53	
29/10/2025	20.09	649.9	40.5	9.96	11.62	11.52	20.5	0.97	17.52	4.32	21.46	0.23	1.55	1.66	0	115.54	235.87	34.9	
30/10/2025	21.01	434.3	46.53	11.75	8.98	10.82	20.5	16.46	17.53	3.06	20.07	10.99	1.55	1.63	0	151.56	253.22	39.81	
31/10/2025	20.49	365.57	47.64	11.52	0.05	9.47	20.52	35.25	17.51	14.25	20.06	15.01	1.55	1.66	0	152.28	256.42	39.52	

Mangalam Cement Ltd. Morak, Kota (Rajasthan)

Day Average Report of Continuous Emission Monitoring System for the Month of November 2025

(All value in mg/Nm<sup>3</sup>)

Dated	Unit -I						Unit -II						Unit -III			CPP -I			CPP -II		
	Kiln - I (PM)	Kiln -I (NOx)	Kiln - I (SO2)	Cooler -I (PM)	Cement Mill -I (PM)	Coal Mill -I (PM)	Kiln - II (PM)	Kiln -II (NOx)	Kiln - II (SO2)	Cooler -II (PM)	Cement Mill -II (PM)	Coal Mill -II (PM)	Cement Mill -III (PM)	Nox	SO2	PM	Nox	SO2	PM		
01/11/2025	19.31	353.49	48.58	14.73	15.83	16.09	20.41	597.71	58.26	17.4	15.66	19.19	0.21	1.55	1.67	0	184.15	264.39	44.04		
02/11/2025	20.17	285.39	46.75	14.64	17.26	8.62	20.54	540.26	40.97	17.5	4.77	18.74	4.41	1.55	1.67	0	139.22	245.73	40.55		
03/11/2025	15.75	18.69	28.98	4.38	6.67	0	20.59	532.01	27.64	17.57	10.06	20.07	15.72	1.56	1.67	0	159.92	244.27	40.36		
04/11/2025	13.27	3.6	0.02	0	7.75	0	20.48	556.29	17.8	17.48	9.42	20.47	15.57	1.55	1.67	7.52	60.6	79.5	18.54		
05/11/2025	5.29	3.47	0.05	0	0.06	0	20.54	505.31	11.49	17.51	2.38	18.03	15.11	205.86	299.48	41.7	0.92	1.18	0.1		
06/11/2025	1.56	3.27	0.02	0.02	0.45	0	20.24	431.95	33.32	17.3	5.86	20.78	13.52	213.21	340.55	36.96	0.92	1.18	0.1		
07/11/2025	20.3	354.01	12.39	11.18	16.15	5.83	20.51	221.27	54.76	17.5	11.87	19.65	15.28	246.88	345.47	41.77	0.92	1.12	0.1		
08/11/2025	22	658.12	0.02	12.17	0.05	12.2	20.51	222.7	47.89	17.55	14.23	18.51	13.95	237.36	339.51	41.94	0.92	1.11	0.1		
09/11/2025	21.47	658.27	3.93	12.34	0.13	11.54	20.56	-494.42	29.54	17.53	14.28	16.23	14.57	252.07	335.2	39.36	0.92	1.13	0.1		
10/11/2025	19.49	668.03	9.79	13.48	17.2	11.6	20.59	34.01	5.76	10.87	13.44	0.7	15.71	224.67	322.36	38.96	0.92	1.1	0.1		
11/11/2025	17.46	658.33	7.94	19.01	0.05	18.69	22.3	0.01	6.8	0.03	15.18	0.03	0.28	8.32	62.88	38.01	0.92	1.08	0.1		
12/11/2025	18.9	653.41	9.49	15.87	0.05	15.25	8.24	0	5.18	3.11	14.1	0.03	0.36	147.23	236.16	35.36	0.92	1.09	0.1		
13/11/2025	18.66	627.15	13.25	14.19	0.05	11.07	17.55	206.25	18.39	17.34	7.07	9.03	6.97	231.35	337.09	37.25	0.92	1.1	0.1		
14/11/2025	18.27	637.84	14.19	14.42	3.35	12.09	20.59	512.46	10.7	17.6	12.12	18.88	0.22	171.12	383.58	34.32	0.92	1.1	0.1		
15/11/2025	18.95	651.81	14.68	14.82	17.11	12.21	20.59	665.97	34.32	17.59	14.3	18.31	0.22	140.71	473.56	40.4	6.34	4.6	0.09		
16/11/2025	19.02	651.71	13.2	16.36	17.04	11.47	20.6	677.46	47	17.55	13.22	21.96	3.75	129.08	470.85	40.07	0.86	1.08	0.09		
17/11/2025	21.01	628.46	14.22	15.17	17	12.22	20.57	679.17	18.81	17.54	14.21	20.22	1.61	125.4	381.45	40.13	0.86	1.08	0.09		
18/11/2025	19.48	637.68	15.6	13.05	17.7	11.84	20.63	666.1	1.07	17.62	14.07	20.16	0.22	125.53	338.86	37.78	0.85	1.08	0.09		
19/11/2025	17.45	604.63	16.65	13.94	17.38	12.47	20.55	642.66	17.49	17.52	13.5	21.62	0.22	143.71	355.54	39.43	0.85	1.08	0.09		
20/11/2025	17.14	632.19	17.57	14.58	16.87	13.16	20.57	666.86	5.52	17.54	11.3	20.71	4.59	151.41	405.99	39.44	0.85	1.08	0.09		
21/11/2025	17.39	658.33	19.29	11.67	15.16	0	21.82	597.71	7.99	18.8	13.39	21.74	17.88	148.4	349.18	39.3	0.85	1.08	0.09		
22/11/2025	16.93	653.5	18.15	13.8	17.12	12.13	20.52	640.02	20.04	17.54	12.85	19.66	13.02	150.31	443.84	38.21	0.85	1.08	0.09		
23/11/2025	17.94	653.83	16.71	14.76	15.36	11.82	20.59	669.61	9.03	17.57	13.87	18.64	15.65	155.82	397.11	37.93	0.86	1.08	0.09		
24/11/2025	17.56	645.89	17.65	15.93	17.43	11.89	20.62	667.64	1.2	17.63	14.13	20.25	15.16	162.3	375.16	35.33	0.86	1.08	0.1		
25/11/2025	16.96	660.88	18.29	14.88	17.27	10.85	20.6	644.48	1.01	17.59	7.96	18.72	14.85	125.98	383.34	36.55	0.86	1.08	0.09		
26/11/2025	15.82	568.49	19.92	15.11	17.32	12.01	20.52	659.57	26.33	17.5	2.89	17.67	15.54	149.28	414.08	38.6	0.86	1.08	0.1		
27/11/2025	16.7	546.56	19.89	14.95	16.79	11.88	20.61	661.13	40.13	17.56	13.62	18.12	15.26	139.84	475.43	37.94	0.86	1.08	0.09		
28/11/2025	15.51	500.8	20.83	15.05	14.83	10.56	20.14	670.44	42.76	17.12	14.62	14.39	8.23	143.41	433.7	39.29	0.87	1.08	0.09		
29/11/2025	15.36	499.87	37.1	17.57	0.05	12.85	20.56	675.77	50.24	17.56	13.4	16.66	14.39	140.2	450.45	38.47	1.46	1.89	0.09		
30/11/2025	16.89	586.9	44.08	15.63	15.34	11.81	20.58	569.35	50.81	17.57	13.11	17.35	15.1	137.33	477.15	38.78	0.92	1.09	0.09		

Mangalam Cement Ltd. Morak, Kota (Rajasthan)

Day Average Report of Continuous Emission Monitoring System for the Month of December 2025

(All value in mg/Nm<sup>3</sup>)

Dated	Unit-I						Unit-II						Unit-III			CPP-I			CPP-II		
	Kiln-I (PM)	Kiln-I (NOx)	Kiln-I (SO <sub>2</sub> )	Cooler-I (PM)	Cement Mill-I (PM)	Coal Mill-I (PM)	Kiln-II (PM)	Kiln-II (NOx)	Kiln-II (SO <sub>2</sub> )	Cooler-II (PM)	Cement Mill-II (PM)	Coal Mill-II (PM)	Cement Mill-III (PM)	Nox	SO <sub>2</sub>	PM	Nox	SO <sub>2</sub>	PM		
01/12/2025	16.49	658.33	44.05	17.68	18.12	13.53	22.34	367.63	56.48	19.32	12.32	21.7	15.2	135.08	361.27	40.87	0.92	1.08	0.1		
02/12/2025	17.4	675.96	46.39	16.79	15.2	11.08	20.59	401.57	32.58	17.54	14.22	17.41	15.79	144.71	441.24	39.24	0.92	1.1	0.09		
03/12/2025	18.24	669.64	52.54	15.97	8.96	12.02	20.51	394.34	26.6	17.48	6.2	15.51	14.67	146.34	450.75	37.33	0.9	1.08	0.1		
04/12/2025	16.35	673.32	50.56	16.44	9.59	11.9	20.47	356.33	27.04	17.44	8.91	16.3	11.19	157.86	454.85	39.24	0.85	1.08	0.1		
05/12/2025	16.19	588.04	44.79	12.88	7.27	12.49	20.63	400.84	33.18	17.63	14.26	18.36	15.36	160.2	464.99	39.05	0.86	1.08	0.09		
06/12/2025	15.76	648.77	42.01	13.68	17.28	11.15	20.54	348.49	34.92	17.56	14.21	18.79	15.53	178.12	472.16	40.25	0.86	1.08	0.09		
07/12/2025	15.24	552.44	44.93	13.79	17.59	11.56	20.56	336.48	33.61	17.53	14.29	19.46	15.47	170.14	489.48	39.81	0.85	1.08	0.09		
08/12/2025	16.76	482.61	48.24	14.68	16.3	9.7	20.67	328.29	36.78	17.66	14.25	19.74	14	170.77	462.1	39.98	0.86	1.08	0.09		
09/12/2025	16.68	606.46	39.56	16.13	0.05	9.84	20.59	325.73	30.83	17.59	14.31	18.78	6.56	167.33	437.92	38.19	0.86	1.08	0.09		
10/12/2025	16.91	654.9	26.41	16.82	0.06	12.26	20.59	334.47	31.4	17.56	14.21	17.34	11.17	164.78	447.97	39.08	3.2	3.94	0.09		
11/12/2025	16.39	662.7	24.94	15.23	17.21	13.4	18.24	309.72	33.22	15.23	14.68	21.21	13.27	194.72	454.5	43.29	0.92	1.08	0.1		
12/12/2025	17.06	528.47	25.56	15.71	17.26	9.25	20.5	322.93	37.74	17.54	0.25	18.82	15.16	178.14	407.6	39.65	0.87	1.08	0.09		
13/12/2025	17.18	678.71	30.07	15.38	8.1	11.46	20.68	290.18	37.39	17.67	12.45	16.49	17.2	164.39	404.78	39.8	1.93	2.74	0.09		
14/12/2025	16.56	666.21	42.15	15.55	8.48	12.16	20.57	232.85	53.56	17.5	14.29	17.61	6.62	182.12	414.63	41.32	0.86	1.08	0.09		
15/12/2025	16.29	678.91	37.48	14.69	7.37	11.98	20.56	217.26	60.74	17.55	14.26	18.59	0.01	1.57	1.68	1.28	0.86	1.08	4.35		
16/12/2025	16.7	500.11	37.64	15.36	8.64	12.64	20.52	189.86	68.22	17.48	14.31	18.11	8.67	1.48	1.57	0	16.44	22.6	12.12		
17/12/2025	16.44	404.55	37.48	16.05	17.05	12.8	20.55	234.63	64.1	17.56	5.5	17.95	17.55	1.48	1.57	0	184.85	293.23	41.95		
18/12/2025	16.73	286.69	32.31	15.1	17.39	7.61	20.65	444.63	62.19	17.64	8.94	17.81	15.38	1.48	1.57	0	203.12	376.32	40.14		
19/12/2025	15.39	160.49	19.43	14.11	0.31	4.89	20.54	615.28	56.47	17.57	14.05	17.49	16.9	1.48	1.57	0	196.64	337.58	39.38		
20/12/2025	16.31	628.87	16.29	15.87	12.54	10.71	20.51	595.69	58.2	17.51	13.83	17.14	16.76	1.48	1.57	0	193.14	342.66	40.66		
21/12/2025	17.88	703.73	21.94	14.97	15.1	17.34	21.73	722.62	37.5	18.72	14.97	0.03	18.75	1.48	1.57	0	1.41	10.91	39.81		
22/12/2025	16.17	647.65	24.69	16.54	17.21	11.69	20.55	623	38.63	17.53	14.28	18.87	15.36	1.48	1.57	0	187.05	299.44	40		
23/12/2025	16.47	674.94	27.02	16.31	17.3	11.98	20.53	624.37	44.87	17.52	12.69	17.24	15.78	1.49	1.57	0	187.24	318.54	39.95		
24/12/2025	16.58	679.14	25.71	18.33	10.97	11.97	20.53	539.57	45.14	17.57	13.16	14.86	16.38	1.51	1.57	0	178.39	470.55	41.02		
25/12/2025	15.37	664.97	25.94	18.55	3.17	10.72	20.52	425.19	53.98	17.55	14.28	11.19	15.98	1.54	1.58	0	183.3	450.43	41.92		
26/12/2025	14.4	636.13	26.95	18.02	16.74	11.68	20.64	44.16	30.98	11.52	14.28	2.19	16.07	1.49	1.57	0	176.68	442.08	41.4		
27/12/2025	14.62	655.29	28.12	17.78	16.45	13.16	20.53	551.03	33.92	17.54	12.9	16.94	14.97	2.5	2.81	0	174.38	417.6	41.34		
28/12/2025	14.6	659.73	28.56	18.63	0.05	12.1	20.57	567.41	37.23	17.56	12.55	16.73	5.66	1.48	1.57	0	146.91	315.49	38.72		
29/12/2025	14.76	691.25	26.16	18.22	17.04	11.88	20.59	579.07	27.8	17.55	13.79	17.8	14.8	1.48	1.57	0	146.75	326.74	40.16		
30/12/2025	15.16	684.21	26.28	18	16.7	11.33	20.52	582.94	23.62	17.53	13.22	16.93	14.45	1.48	1.57	0	152.61	357.62	41.02		
31/12/2025	15.36	684.83	27.2	18.05	17.29	11.45	20.63	567.29	15.73	17.63	12.96	17.95	15.66	1.48	1.57	0	165.75	342.88	41.66		

Day Average Report of Continuous Emission Monitoring System for the Month of January 2026

(All value in mg/Nm<sup>3</sup>)

Dated	Unit -I					Unit -II					Unit -III		CPP -I			CPP -II			
	Kiln -I (PM)	Kiln -I (NOx)	Kiln -I (SO2)	Cooler - I (PM)	Cement Mill -I (PM)	Coal Mill -I (PM)	Kiln - II (PM)	Kiln -II (NOx)	Kiln - II (SO2)	Cooler - II (PM)	Cement Mill -II (PM)	Coal Mill - II (PM)	Cement Mill -III (PM)	Nox	SO2	PM	Nox	SO2	PM
01/01/2026	12.62	769.01	30.23	20.11	17.74	17.96	21.43	568.48	21.01	18.42	13.64	19.52	16.85	1.48	1.57	0	201.07	305.66	41.32
02/01/2026	13.57	674.63	29.9	19.5	17.15	12.71	20.5	533.81	26.67	17.5	14.22	17.16	16.26	1.51	1.58	0	171.35	324.83	40.91
03/01/2026	12.51	520.48	33.52	17.73	17.14	13.2	20.57	546.38	42.89	17.57	13.61	17.43	14.92	1.53	1.58	0	159.64	314.08	41.95
04/01/2026	11.79	349.38	35.77	15.67	15.26	11.67	20.55	557.85	43.07	17.53	12.88	17.43	11.16	1.48	1.57	0	155.16	250.51	41.94
05/01/2026	14.87	300.5	40.53	15.41	16.37	11.1	20.51	552.8	46.5	17.5	14.34	17.38	15.32	1.48	1.57	0	113.51	93.51	42.5
06/01/2026	14.82	296.09	43.23	16.72	13.21	11.89	17.97	234.61	39.94	15.8	14.3	8.09	14.56	1.46	1.52	0	203.48	172.96	41.89
07/01/2026	13.53	322.54	43.51	17.04	16.85	14.17	20.56	527.6	42.25	17.53	5.58	17.06	14.55	1.45	1.52	0	237.76	275.15	41.53
08/01/2026	14.72	442.04	42.99	17.5	17.35	11.59	20.61	559.53	40.77	17.59	13.21	15.59	6.09	1.48	1.56	0	230.08	409.4	42.14
09/01/2026	13.91	428.69	43.87	17.97	17.31	12.58	20.56	548.45	40.3	17.54	14.25	17.89	0.01	1.48	1.56	0	236.26	399.74	42.16
10/01/2026	12.5	506.22	49.19	18.14	16.94	12.83	20.61	515.13	41.84	17.58	14.11	15.17	0.01	3.06	4.08	0	240.28	416.01	40.92
11/01/2026	14.39	570.91	47.96	18.02	16.41	12.72	21.41	348.89	37.66	18.02	15.92	20.46	0.01	1.48	1.57	0	260.36	378.56	41.8
12/01/2026	15.67	499.61	49.55	18.36	17.31	12.68	20.52	511.53	44.93	17.54	14.14	21.01	15.14	1.48	1.57	0	242.62	334.28	41.77
13/01/2026	14.99	510.22	49.81	18.14	17.34	13.29	20.58	553.45	42.14	17.55	14.31	19.68	15.02	1.48	1.57	0	240.51	337.41	42.43
14/01/2026	14.88	571.14	49.1	18.26	6.9	13.52	20.57	545.9	40.05	17.58	14.25	19.27	15.47	1.48	1.57	0	243.71	344.66	42.09
15/01/2026	15.6	571.04	49.55	18.7	17.17	12.53	19.97	599.26	18.4	16.96	13.97	17.24	15.69	1.51	1.57	0	246.62	344.17	42.22
16/01/2026	16.9	586.88	44.53	18.24	18.51	13.98	19.35	602.81	26.69	16.42	13.24	19.08	17.05	1.54	1.58	0	250.94	347.77	41.75
17/01/2026	15.22	580.03	37.51	19.01	17.33	17.31	20.53	630.84	54.78	17.5	14.3	16.19	15.45	1.49	1.57	0	246.69	339.37	42.49
18/01/2026	14.42	501.42	38.94	19.26	17.26	19.72	20.62	612.65	52.96	17.6	14.18	18.67	15.25	1.5	1.58	0	236.37	353.4	41.67
19/01/2026	14.97	477.6	37.81	19.25	17.22	19.36	20.69	596.46	54.43	17.64	14.34	17	15.87	1.55	1.63	0	229.47	348.81	41.44
20/01/2026	14.93	249.65	37.75	17.02	17.38	9.24	20.54	602.94	55.86	17.54	14.28	16.73	16.42	1.55	1.65	0	225.24	351.27	41.59
21/01/2026	14.44	584.87	37.43	17.88	0.05	18.61	22.12	647.54	66.94	19.11	16.5	18.29	16.87	1.55	1.67	0	251.12	377.38	42.64
22/01/2026	15	562.63	39.06	18.04	13.72	20.16	20.49	585.15	62.59	17.49	5.78	17.43	14.75	1.55	1.65	0	227.58	354.71	41.73
23/01/2026	16.02	530.74	40.31	18.9	17.13	18.6	20.53	582.23	62.75	17.51	12.76	17.55	15	1.56	1.66	0	226.69	343.2	41.92
24/01/2026	15.8	585.45	50.58	18.57	17.33	19.06	20.54	577.52	60.67	17.53	13.91	18.77	16.27	2.46	2.92	0	267.04	418.72	41.21
25/01/2026	16.53	456.46	39.54	16.63	16.6	20.56	20.58	601.77	35.18	17.58	9.24	19.48	15.94	1.57	1.67	0	285.24	395.33	41.18
26/01/2026	15.96	412.93	37.71	17.45	10.63	17.2	20.56	597.61	18.08	17.52	14.21	18.16	17.14	1.54	1.62	0	294.06	387.86	42.48
27/01/2026	16.23	387.73	42.59	18.4	0.05	15.7	20.53	619.1	27.04	17.5	14.21	17.18	16.53	1.53	1.61	0	292.83	342.7	40.52
28/01/2026	15.75	25.06	42.46	12.27	15.39	0.21	20.64	628.97	21.58	17.62	9.4	18.81	16.45	1.55	1.67	0	272.71	359.01	39.8
29/01/2026	15.48	8.78	33.74	4.01	11.99	0	20.51	624.79	12.71	17.49	12.25	18.09	12.24	1.55	1.66	0	294.6	356.25	39.85
30/01/2026	6.08	2.13	10.44	0	15.67	0	20.51	622.1	20.23	17.51	12.65	17.59	15.2	1.5	1.58	0	299.49	347.85	40.08
31/01/2026	0.01	0.14	0.01	0	16.92	0	20.54	627.15	35.97	17.54	13.63	17.12	15.44	1.48	1.57	0	292.58	403.59	40.12

Mangalam Cement Ltd. Morak , Kota (Rajasthan)

Day Average Report of Continuous Emission Monitoring System for the Month of February 2026

( All value in mg/Nm3 )

Dated	Unit -I						Unit -II						Unit -III		CPP -I			CPP -II		
	Kiln - I (PM)	Kiln -I (NOx)	Kiln - I (SO2)	Cooler -I (PM)	Cement Mill -I (PM)	Coal Mill -I (PM)	Kiln -II (PM)	Kiln -II (NOx)	Kiln - II (SO2)	Cooler - II (PM)	Cement Mill -II (PM)	Coal Mill - II (PM)	Cement Mill -III (PM)	Nox	SO2	PM	Nox	SO2	PM	
01/02/2026	0.01	0.14	0.02	0	15.81	0	18.79	384.66	17.96	15.79	13.54	20.13	16.5	1.55	1.67	0	303.22	465.7	40.05	
02/02/2026	0.01	0.14	0.02	0	13.75	0	20.65	629.52	12.19	17.62	14.04	17.36	15.62	1.55	1.67	0	290.18	431.35	39.84	
03/02/2026	0.02	0.14	0.02	0	10.44	0	20.64	638.48	22.07	17.64	7.58	18.12	12.11	1.58	1.67	0	283.9	423.73	38.27	
04/02/2026	0.02	0.14	0.02	0	16.86	0	20.59	590.85	38.69	17.58	13.75	17.2	16.83	1.58	1.67	0	286.86	426.99	40.35	
05/02/2026	0.01	0.14	0.02	0	10.51	0	20.53	413.77	55.11	17.47	13.73	17.75	15.18	1.58	1.67	0	283.5	409.04	39.4	
06/02/2026	0.01	0.14	0.02	0	13.02	0	19.9	6.71	60.3	17.55	11.75	2.52	14.97	1.56	1.66	0	286.38	409.68	36.49	
07/02/2026	0.17	0.14	0.02	0	17.23	0	17.7	123.96	58.03	17.65	12.68	9.74	13.65	1.54	1.65	4.59	291.8	406.34	37.3	
08/02/2026	0.01	0.14	0.02	0	13.18	0	20.56	644.17	35.43	17.54	13.97	14.97	14.67	1.55	1.925	3.78	279.47	378.4	40.79	
09/02/2026	0.02	0.14	0.02	0	14.5	0	20.51	522.6	13.4	17.53	14.17	18.05	15.7	1.56	3.25	0	279.03	366.04	41.37	
10/02/2026	0.02	0.14	0.02	0	12.35	0	20.56	414.06	5.01	17.55	14.22	16.56	15.64	1.57	1.67	0	300.52	387.37	40.54	
11/02/2026	22.8	0.14	0.02	0	0.06	0	19.83	757.82	30.59	16.81	15.66	20.04	16.5	1.62	1.67	0	156.58	486.73	37.59	
12/02/2026	17.46	38.36	15.83	3.8	12.16	2.71	20.52	626.88	37.04	17.49	14.14	18.98	15.58	1.59	1.71	0	155.65	453.94	39.43	
13/02/2026	15.53	245.64	23.28	9.71	13.57	17.48	20.54	598.72	45	17.57	10.76	17.94	16.03	1.59	1.7	0	155.14	441.42	39.36	
14/02/2026	16.69	262.03	33.21	9.02	17.06	17.09	20.54	589.29	46.95	17.55	13.99	17.99	15.11	1.59	1.7	0	134.54	325.16	40	
15/02/2026	15.25	278.89	48.03	8.64	11.36	7.96	20.63	621.73	48.4	17.59	10.81	18.84	14.3	1.59	1.71	0	121.74	419.75	40.09	
16/02/2026	15.3	454.17	48.13	9.62	13.24	14.36	20.58	664.67	48.28	17.56	12.49	17.51	16.15	1.6	1.73	0	126.74	419.79	39.91	
17/02/2026	16.4	442.44	48.24	10.09	17.06	15.05	20.5	642.09	48.05	17.54	14.06	17.93	15.07	1.61	1.73	0	141.72	446.25	40.28	
18/02/2026	17.93	527.19	48.52	9.09	17.39	17.47	20.66	613.93	52.94	17.66	12.39	17.8	15	1.62	1.75	0	142.11	437.07	39.33	
19/02/2026	20.44	459.54	50.08	10.78	6.67	16.7	20.51	429.1	54.78	17.52	13.99	17.87	15.22	1.61	1.74	0	132.47	425.55	40.15	
20/02/2026	17.22	404.35	52.14	9.89	14.99	19.7	20.54	341.52	31.55	17.55	13.92	17.26	15.36	1.54	1.66	0	117.27	363.68	40.82	
21/02/2026	9.85	17.57	17.25	0.02	14.96	19.05	442.18	55.69	20.21	158.27	26.25	19.74	16.89	1.55	1.67	0	142.13	359.89	42.01	
22/02/2026	11.65	17.67	17.38	7.83	15.68	16.29	451.68	54.55	20.68	273.45	29.66	16.47	19.04	1.56	1.67	0	142.73	338.24	41.19	
23/02/2026	13.04	17.56	17.3	14.26	16.42	15.84	484.61	54.81	20.55	279.85	45.31	15.65	19.43	1.58	1.71	0	141.43	372.04	41.02	
24/02/2026	12.34	17.55	17.27	14.22	16.53	14.95	549.89	63.17	20.55	265.3	48.45	17.52	18.12	1.59	1.73	0	164.17	382.44	41.92	
25/02/2026	12.56	17.5	17.19	14.26	14.65	15.31	678.25	61.63	20.52	275.75	45.85	16.1	16.3	1.59	1.84	0	172.97	386.29	41.3	
26/02/2026	13.05	17.51	14.57	14.28	16.28	15.73	674.6	57.77	20.52	474.63	18.14	16.09	16.15	1.61	1.76	0	201.21	410.49	40.96	
27/02/2026	14.67	17.63	16.74	14.34	16.64	14.86	674.45	47.52	19.53	4.94	6.31	0.51	14.97	1.62	1.77	0	202.31	437.33	40.03	
28/02/2026	14	17.61	17.38	13.32	15.1	13.85	599.52	37.27	20.07	101.96	18.13	4.2	15.15	1.62	1.77	0	170.81	299.08	40.09	

Mangalam Cement Ltd. Morak, Kota (Rajasthan)

Day Average Report of Continuous Emission Monitoring System for the Month of March 2026

(All value in mg/Nm<sup>3</sup>)

Dated	Unit - I						Unit - II						Unit - III			CPP - I			CPP - II		
	Kiln - I (PM)	Kiln - I (NOx)	Kiln - I (SO2)	Cooler - I (PM)	Cement Mill - I (PM)	Coal Mill - I (PM)	Kiln - II (PM)	Kiln - II (NOx)	Kiln - II (SO2)	Cooler - II (PM)	Cement Mill - II (PM)	Coal Mill - II (PM)	Cement Mill - III (PM)	Nox	SO2	PM	Nox	SO2	PM		
01/03/2026	14.73	530.72	27.3	16.64	17.4	16.32	18.55	683.59	15.7	16.39	14.16	19.47	17.91	1.62	1.77	0	178.65	394.77	41.66		
02/03/2026	13.99	666.31	31.3	12.82	13.01	17.18	20.5	593.91	21.29	17.54	14.33	16.77	16.12	1.62	1.77	0	149.77	365.29	40.45		
03/03/2026	13.27	658.77	50.27	12.23	17.23	16.79	20.56	613.47	15.08	17.57	7.33	18.69	16.54	1.62	1.77	0	137.03	346.15	40.08		
04/03/2026	13.26	652.16	43.97	12.8	10.04	17.9	20.6	637.11	11.12	17.59	12.92	18.34	15.53	1.63	1.77	0	139.6	359.59	40.68		
05/03/2026	12.63	654.88	30.56	15.01	6.16	15.41	20.53	641.39	9.31	17.52	14.07	17.78	16.65	1.63	1.77	0	117.75	346.86	40.09		
06/03/2026	12.18	664.06	29.25	14.19	17.33	15.64	20.54	633.41	6.15	17.54	12.62	18.57	16.55	1.64	1.79	0	128.6	376.76	39.25		
07/03/2026	12.82	677.41	30.7	12.58	17.22	15.87	20.55	623.67	4	17.55	0.16	18.67	17.1	1.65	1.81	0	151.67	358.37	40.66		
08/03/2026	13.07	630.9	31.67	13.3	16.93	16.67	20.62	568.52	9.11	17.59	3.06	19.5	15.83	1.66	1.82	0	160.98	358.51	39.96		
09/03/2026	12.89	655.71	30.66	12.51	16.78	16.92	20.6	544.77	47.38	17.55	0.02	20	16.23	1.68	1.84	0	162.27	416.37	40.7		
10/03/2026	12.58	612.73	33.6	11.91	13.44	16.84	20.65	534.7	43.76	17.6	5.44	21.12	16.02	1.7	1.85	0	168.51	423.27	39.8		
11/03/2026	11.89	658.75	43.49	10.58	19.53	19.32	22.15	703.18	21.5	19.14	12.59	20.05	0.01	1.76	1.87	0	190.63	444.38	41		
12/03/2026	12.73	593.11	43.28	13.3	17.07	17.2	20.55	600.71	19.05	17.55	13.71	16.75	7.94	1.09	1.79	0	161.02	342.95	36.57		
13/03/2026	12.13	597.4	43.87	13.52	17.02	15.67	20.55	616.9	17.28	17.55	14.36	19.15	16.55	385.49	509.12	13.08	0.7	0.88	0.13		
14/03/2026	12.19	567.91	45.44	12.79	16.81	17.95	20.56	600.42	27.8	17.54	13.7	17.39	16.2	389.77	478.58	37.31	0.7	0.88	1.89		
15/03/2026	12.47	546.27	39.35	13.28	16.99	17.37	20.64	617.97	41.72	17.63	14.43	19.21	16.33	306.44	454.57	38.93	0.7	0.88	0.37		
16/03/2026	13.65	532.74	42.77	14.05	16.63	17.66	20.62	534.08	41.11	17.61	14.25	19.81	14.35	225.33	416.86	39.43	0.7	0.88	0.8		
17/03/2026	13.17	492.69	36.66	13.94	15.58	12.73	20.63	526.44	42.04	17.66	14.3	20.11	12.32	245.06	413.13	33.46	0.7	0.88	1.01		
18/03/2026	14.13	471.59	34.61	11.51	17.44	14.83	20.47	317.5	52.79	17.5	13.98	17.13	16.03	222.89	421.42	29.03	0.69	0.87	0.17		
19/03/2026	14.03	680.73	16.19	10.08	16.93	9.59	0.17	0.02	0.13	0.22	1.97	0.04	16.84	219.86	456.42	29.76	0.63	0.79	0.11		
20/03/2026	13.96	687.87	18.73	10.03	17.29	7.93	1.76	3.03	11.2	0.15	5.74	0.08	16.56	231.22	389.49	30.89	0.6	0.79	0.12		
21/03/2026	0.02	0.14	0.02	0	19.47	0	18.89	650.37	26.25	15.88	14.38	20.33	17.91	233.85	419.82	25.96	0.63	0.79	0.1		
22/03/2026	0.02	0.15	0.02	0	17.32	0	20.5	540.3	20.62	17.53	13.69	20.19	10.19	240.92	407.81	28.82	0.6	0.8	0.1		
23/03/2026	4.54	106.06	11.57	3.17	17.11	8.08	20.52	342.18	11.53	17.52	9.77	14.41	11.09	230.06	375.41	31.06	0.57	0.79	0.12		
24/03/2026	15.79	476.86	15.14	11.24	17.71	19.66	20.54	451.78	11.91	17.56	10.46	16.52	12.11	221.3	490.3	34.29	0.59	0.79	0.12		
25/03/2026	14.38	388.84	6.35	10.86	17.03	18	20.58	514.79	17.14	17.57	8.62	17.15	6.67	224.45	500.57	33.66	0.61	0.79	0.1		
26/03/2026	13.91	549.17	7.01	12.07	15.07	17.57	20.63	503.66	19.3	17.62	13.59	19.79	17.25	216.73	514.56	33.39	0.61	0.79	0.1		
27/03/2026	14.91	639.15	16.37	11.17	17.09	19.43	20.55	548.24	13.76	17.56	14.3	21.9	16.83	221.92	486.64	33.45	0.62	0.79	0.33		
28/03/2026	13.76	550.46	32.3	10.27	16.76	20.39	20.07	43.5	11.76	16.76	14.34	5.3	16.06	237.9	473.92	33.19	0.63	0.79	0.75		
29/03/2026	14.38	385.57	26.05	10.15	17.4	19.8	15.5	0	0.02	5.78	14.47	0.03	16.5	252.36	478.1	33.4	0.63	0.8	0.15		
30/03/2026	14.39	283.14	30.98	10.56	17.07	21.17	17.33	0	0.02	0.04	14.47	0.03	15.29	267.45	492.72	34.13	0.63	0.81	0.11		
31/03/2026	16.51	460.25	51.75	9.6	17.35	21.21	9.59	0	0.02	0.04	13.07	0.03	14.69	266.27	402.42	33.54	0.63	0.81	0.47		

## Mangalam Cement Ltd. (Morak)

(APCM & CEMS Installation Status Report with Measured Emission Values)

Unit-I									
Stack No.	Details of Stack	Stack Attached with	Height (M)	Dia (M)	CEMS Installation Status	Concentration of Emission (mg/Nm <sup>3</sup> )			
						Norms	Oct. -25 to Dec. -25	Jan. -26 to March -26	Avg.
1	Kiln Main Stack	Hybrid Bag house	145	4	PM	30	20.5	12.25	16.37
					SO <sub>2</sub>	100	46.2	48.85	47.52
					NO <sub>x</sub>	800	677.5	328.3	502.9
2	Clinker Cooler Stack	ESP	35	3.3	PM	30	18.8	9.59	14.19
3	Cement mill Stack	Bag house	30	1.2	PM	30	18.1	18.37	18.23
4	Vertical Coal mill stack	Bag house	53	1.30	PM	30	14.3	16.78	15.54
Unit-II									
Stack No.	Details of Stack	Stack Attached with	Height (M)	Dia (M)	CEMS Installation Status	Concentration of Emission (mg/Nm <sup>3</sup> )			
						Norms	Oct. -25 to Dec. -25	Jan. -26 to March -26	Avg.
1	Kiln Main Stack	Hybrid Bag house	100	3.2	PM	30	20.7	21.28	20.99
					SO <sub>2</sub>	100	57.9	47.76	52.83
					NO <sub>x</sub>	800	364.2	643.64	503.92
2	Clinker Cooler Stack	ESP	35	3.3	PM	30	17.8	18.08	17.94
3	Cement mill Stack	Bag house	30	0.9	PM	30	14.9	14.1	14.5
4	Coal mill stack	Bag house	60	1.35	PM	30	22.1	20.28	21.19
Unit-III									
Stack No.	Details of Stack	Stack Attached with	Height (M)	Dia (M)	CEMS Installation Status	Concentration of Emission (mg/Nm <sup>3</sup> )			
						Norms	Oct. -25 to Dec. -25	Jan. -26 to March -26	Avg.
1	Cement Mill Stack	Bag House	45	0.66	PM	30	13.9	17.11	15.50

Stack No.	Details of Stack	Stack Attached with	Height (M)	Dia (M)	CEMS Installation Status	Concentration of Emission (mg/Nm <sup>3</sup> )			
						Norms	Oct. -25 to Dec. -25	Jan. - 26 to March -26	Avg.
1	Main Stack Power plant - I	ESP	77	2.5	PM	50	37.9	NR	37.9
					SO <sub>2</sub>	600	428.5	NR	428.5
					NO <sub>x</sub>	450	125.5	NR	125.5
<b>CPP-II</b>									
1	Main Stack Power plant - II	ESP	- 77	2.5	PM	50	NR	40.15	40.15
					SO <sub>2</sub>	600	-	NR	331.45
					NO <sub>x</sub>	450	NR	119.48	119.48

## Mangalam Cement Ltd. (Morak)

### Ambient Air Quality Monitoring Results

(All values in µg/m<sup>3</sup>)

Sr No	Location/ Parameters ↓	Norms	Near Railway Gate			Near Security Gate			Near Rack Loading Area			Near Workshop		
			Oct. -25 to Dec. -25	Jan. - 26 to March -26	Avg.	Oct. -25 to Dec. -25	Jan. - 26 to March -26	Avg.	Oct. -25 to Dec. -25	Jan. - 26 to March - 26	Avg.	Oct. -25 to Dec. -25	Jan. - 26 to March - 26	Avg.
1	PM10	100	49.38	58.67	54.02	53.17	70.15	61.66	55.05	60.87	57.96	58.37	65.42	61.89
2	PM2.5	60	23.75	26.38	25.06	25.42	35.89	30.65	26.78	27.45	27.11	27.42	29.51	28.46
3	SO <sub>2</sub>	80	7.52	9.25	8.38	9.17	18.62	13.89	11.26	8.13	9.69	13.75	10.8	12.27
4	NOx	80	11.38	15.7	13.54	13.28	13.57	13.42	14.69	16.61	15.65	16.36	17.6	16.98
5	CO	4000	0.39	0.42	400.00	0.36	0.38	370.00	0.42	0.39	400.00	0.48	0.53	500.00

## Mangalam Cement Ltd. (Morak)

Ambient Noise Monitoring Report (All values in (dB)A)

Sr. No.	Location	Oct. -25 to Dec. - 25		Jan. - 26 to March -26		Day Avg.	Night Avg.
		Day	Night	Day	Night		
1	Near Security Gate	54.2	45.5	54.2	45.5	54.20	45.5
2	Near Railway Gate	53	42.6	52.9	42.6	52.95	42.6
3	Near Rack Loading Area	54.7	41.7	54.1	40.7	54.4	41.2
4	Near Work Shop	58	42.5	57.9	42.6	57.95	42.55

## Mangalam Cement Ltd. (Morak)

Results of Fugitive Emission (All values in µg/m<sup>3</sup>)

S.No.	Location	Oct. -25 to Dec. - 25	Jan. - 26 to March -26	Avg.
<b>Common Location</b>				
1	Raw Material Storage Area-I & II	350.9	372	361.45
2	Near Coal Storage area- I & II	401.2	395	398.1
3	Near Additive Storage I & II	340.6	325	332.8
4	Near Packing Plant-I & II	255.6	224	239.8
5	Near Time Office	200.5	194	197.25
<b>Unit-I</b>				
6	Near Crusher-I	290.2	272	281.1
7	Near Cement Mill-I	280.8	242	261.4
8	Stacker & Reclaimer-I	290.6	254	272.3
<b>Unit-II</b>				
9	Near Crusher-II	296.6	268	282.3
10	Near Cement Mill-II	300.2	287	293.6
11	Stacker & Reclaimer-II	398.8	355	376.9
12	Near Clinker Stock Pile (CSP)-II	306.6	300	303.3
<b>Unit-III</b>				
13	Near Packing Plant-III	281.2	256	268.6
14	Near Cement Mill-III	296.6	255	275.8
<b>CPP-I &amp; II</b>				
15	Near Coal Storage (CPP-I & II)	390.6	345	367.8



# VIBRANT TECHNO LAB PVT. LTD.

ISO 9001, 14001 & 45001 Certified Company  
EPA Recognized Laboratory | NABET Accredited EIA Consultant Organisation

## TEST REPORT

Sample Number: VTL/AA/01-03  
Name & Address of the Party: M/s Mangalam Cement Ltd.  
P.O Aditya Nagar -Morak Kota Rajasthan

Report No.: VTL/A/2512050005-06/A  
Format No.: 7.8 F 02  
Party Reference No.: NIL  
Report Date: 12/12/2025  
Period of Analysis: 05-12/12/2025  
Receipt Date: 05/12/2025

Sample Description: Ambient Air Quality Monitoring

### General Information:-

Sample collected by : VTL Team  
Instrument Calibration Status : Calibrated  
Meteorological condition during monitoring : Clear sky  
Ambient Temperature (°C) : Min. 14°C, Max. 28 °C  
Surrounding Activity : Human, Vehicular & Plant Activities  
Scope of Monitoring : Regulatory Requirement  
Sampling & Analysis Protocol : IS-5182 & CPCB Guidelines  
Sampling Duration : 24 hrs. (Co monitoring time is 1hr.)  
Parameter Required : As Per Work Order

Sr.	Parameter	NAAQS 2009	Unit	Location & Lat. Long		Protocol
				Near Avallimeri Mahal Darrah Village	Near Darrah National Park Boundary Approach Road Of Kukara Kala Village	
Date & Time				30/01-11/12/2025 11:15-11:15	30/01-11/12/2025 10:25-10:25	
1.	Particulate Matter (PM10)	100	µg/m <sup>3</sup>	51.53	42.25	IS: 5182 (P-23), 2006, RA 2022
2.	Particulate Matter (PM2.5)	60	µg/m <sup>3</sup>	28.75	18.47	IS 5182 (P-24) -2019
3.	Sulphur Dioxide (SO <sub>2</sub> )	80	µg/m <sup>3</sup>	9.48	9.74	IS: 5182 (P-2):Sec 1 2023
4.	Nitrogen Dioxide (NO <sub>2</sub> )	80	µg/m <sup>3</sup>	15.27	12.36	IS: 5182 (P-6), 2006 RA 2022
5.	Carbon Monoxide (as CO)	4	mg/m <sup>3</sup>	0.43	0.33	IS:5182 (P-10) -1999, RA2019 (NDR)

-----End of the Report-----


Checked By

Corporate & Registered Office:

Plot No. Q-39, Shringarpura, Narayan Vihar Q, Bhankrota, Jaipur 302026 (Raj.)

0141-2954638 bd@vibranttechnolab.com

www.vibranttechnolab.com



Terms & Conditions:

1. The Result Listed refer only to the tested sample and applicable parameters.
2. Total Liability of our concern is limited to the invoiced amount.
3. The report is not to be reproduced wholly or part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. Authenticity of Test Report and Accreditation status may be seen online through QR Code.
5. Retention period of sample will be 30 days only, any query beyond 30 days will not be entertained.

RK Yadav  
Lab Incharge

Authorized Signatory



# VIBRANT TECHNO LAB PVT. LTD.

ISO 9001, 14001 & 45001 Certified Company  
EPA Recognized Laboratory | NABET Accredited EIA Consultant Organisation

## TEST REPORT

Sample Number: VTL/AA/05-06  
 Name & Address of the Party: M/s Mangalam Cement Ltd.  
 P.O Aditya Nagar -Morak Kota Rajasthan  
 Report No.: VTL/A/2602190005-06/A  
 Format No.: 7.8 F 02  
 Party Reference No.: NIL  
 Report Date: 23/02/2026  
 Period of Analysis: 19-23/02/2026  
 Receipt Date: 19/02/2026

### General Information:-

Sample collected by : VTL Team  
 Instrument Calibration Status : Calibrated  
 Meteorological condition during monitoring : Clear sky  
 Ambient Temperature (°C) : Min. 14°C, Max. 28 °C  
 Surrounding Activity : Human , Vehicular & Plant Activities  
 Scope of Monitoring : Regulatory Requirement  
 Sampling & Analysis Protocol : IS-5182 & CPCB Guidelines  
 Sampling Duration : 24 hrs. (Co monitoring time is 1hr.)  
 Parameter Required : As Per Work Order

Sr.	Parameter	NAAQS 2009	Unit	Location & Lat. Long		Protocol
				Near Avalimeri Mahal Darrah Village	Near Darrah National Park Boundary Approach Road Of Kukara Kala Village	
				75°59'6.28" E 24°48'54.41" N	75°51'37" E 24°47'34" N	
				15-16/02-2026 11:15-11:15	15-16/02-2026 10:25-10:25	
1.	Particulate Matter (PM10)	100	µg/m <sup>3</sup>	55.71	48.52	IS: 5182 (P-23), 2006, RA 2022
2.	Particulate Matter (PM2.5)	60	µg/m <sup>3</sup>	24.96	22.53	IS 5182 (P-24) -2019
3.	Sulphur Dioxide (SO2)	80	µg/m <sup>3</sup>	12.48	11.75	IS: 5182 (P-2):Sec 1 2023
4.	Nitrogen Dioxide (NO2)	80	µg/m <sup>3</sup>	17.76	15.58	IS: 5182 (P-6), 2006 RA 2022
5.	Carbon Monoxide (as CO)	4	mg/m <sup>3</sup>	0.47	0.39	IS:5182 (P-10) -1999, RA2019 (NDIR)

-----End of the Report-----

Checked By

Corporate & Registered Office:

Plot No. Q-39, Shringarpura, Narayan Vihar Q,  
 Bhankota, Jaipur 302026 (Raj.)  
 ☎ 0141-2954638 ✉ bd@vibranttechnolab.com  
 🌐 www.vibranttechnolab.com



RK Yadav  
 Lab Incharge  
 Authorized Signatory

### Terms & Conditions:

1. The Result Listed refer only to the tested sample and applicable parameters.
2. Total Liability of our concern is limited to the invoiced amount.
3. The report is not to be reproduced wholly or part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. Authenticity of Test Report and Accreditation status may be seen online through QR Code.
5. Retention period of sample will be 30 days only, any query beyond 30 days will not be entertained.

MCL / Haz./E-11(W)/2026-2027/197

18.05.2026

**Environmental Engineer & GIC, (CPP)**  
**Rajasthan Pollution Control Board,**  
**4, Institutional Area,**  
**Jhalana Doongri, JAIPUR (Raj)**

**Sub:** Submission of Annual Return under the Hazardous & Other Wastes (M&TM) Rules, 2016 & its amendments for M/s Mangalam Cement Ltd., (Unit-I), Morak, Dist: Kota, (Raj)

**Ref:** 1. Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/58 dt. 29.01.2021  
2. Hazardous Waste Authorization No. RPCB/HWM/2022-2023/CPM/HSW/3 dt. 11.04.2022  
3. Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/47 dt. 19.01.2021  
4. Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/45 dt. 19.01.2021  
5. Hazardous Waste Authorization No. RPCB/HWM/2025-2026/CPM/HSW/27 dt. 02.12.2025


Dear Ma'am,

In connection to the above mentioned subject & referred authorizations, we are submitting herewith Annual Return for the FY 2025-2026 in prescribed Form-IV under the Hazardous & Other Wastes (Management & Transboundary Movement) Rule, 2016 & its amendments for M/s Mangalam Cement Limited (Unit-I), P.O. Aditya Nagar, Village Morak, Tehsil: Ramganj Mandi, Dist: Kota (Raj).

This is for your information & record please. Kindly acknowledge the receipt.

Thanking you,  
Yours faithfully

**For Mangalam Cement Ltd. (Unit - I)**



**P. R. Chaudhary**  
**Sr. Jt. President (Operation) & FM**

Encl: a/a

**Cc to: - The Regional Officer**

Rajasthan Pollution Control Board  
Plot No. Spl. 2A, Paryavaran Marg  
Road No. 6, Indraprastha Indl. Area  
Kota - 324005

  
Regd. Office & Works : P.O. Aditya Nagar - 326520, Morak, Distt. Kota (Raj.) CIN : L26943RJ1976PLC001705, Telefax : 07459 - 232156  
Website : www.mangalamcement.com, E-mail : email@mangalamcement.com  
Kota Office : Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001 (Rajasthan)  
Delhi Office : 3-B, Vandana Building, 11, Tolstoy Marg, New Delhi - 110001, Tel. No. : 011- 43539137  
E-mail : delhi.admin@mangalamcement.com, delhi.marketing@mangalamcement.com  
Jaipur Office : 2<sup>nd</sup> Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)  
Tel. : 0141 - 2218933, 2218931, E-mail : jaipur.marketing@mangalamcement.com

**FORM 4**

[See rules 6(5), 13(8), 16(6) and 20 (2)]

**FORM FOR FILING ANNUAL RETURNS**


[To be submitted to State Pollution Control Board by 30<sup>th</sup> day of June of every year for the preceding period April to March]

1.	Name and address of facility	:	<b>M/S Mangalam Cement Ltd. (Unit-I),</b> P.O. Aditya Nagar, Village: Morak, Tehsil: Ramganj Mandi, Dist: Kota Pin code: 326520 (Rajasthan)			
2.	Authorization No. and Date of issue	:	RPCB/HWM/2020-2021/CPM/HSW/58 dt. 29.01.2021 RPCB/HWM/2022-2023/CPM/HSW/3 dt. 11.04.2022 RPCB/HWM/2020-2021/CPM/HSW/47 dt. 19.01.2021 RPCB/HWM/2020-2021/CPM/HSW/45 dt. 19.01.2021 RPCB/HWM/2025-2026/CPM/HSW/27 dt. 02.12.2025			
3.	Name of the authorised person and full address with telephone, fax number and e-mail	:	<b>P. R. Chaudhary</b> <b>Sr. Jt. President (Operation) &amp; FM</b> <b>Mangalam Cement Ltd.</b> <b>Mob. No. 07230003274</b> <b>E-Mail Id. :pr.chaudhary@mangalamcement.com</b>			
4	Production during the year (product wise), wherever applicable	:	<b>Year 2025-2026</b> Clinker : 1341651.00MT Cement : 883740.781 MT			
<b>Part A. To be filled by hazardous waste generators</b>						
1	Total quantity of waste generated category wise	:	<b>Quantity generated during FY 2025-2026</b> Used Oil : 6000 Ltr. (Sch.-I, Category 5.1) Oil Soaked Cotton: 1241.00 kg (Sch-I, Category 5.2) Waste/ Residue Containing Oil: NIL (Sch-I, Category 5.2)			
2	Quantity dispatched	:				
(i)	to disposal facility	:	Oil Soaked Cotton disposal in our Cement Kiln			
(ii)	to recycler or co-processors or pre-processor	:	<b>6000 Ltr. (Sold to Authorized Recycler)</b> <b>M/S Poddar Hydrocarbons</b> <b>G1-125, RIICO Industrial Area, Bagru (Ext.) Tehsil -</b> <b>Sanganer, district - Jaipur (Rajasthan)</b>			
			<b>Hazardous Waste Type</b>	<b>Quantity of Hazardous Waste (Ltr)</b>	<b>Date of Manifest</b>	<b>Mode of Disposal</b>
			Used Oil Cat: 5.1	6000	18.04.2025	Sold to Authorized Recycler i.e. M/s Poddar Hydrocarbons, Jaipur
			Oil-Soaked Cotton disposal quantity 1241.00 KG in our MCL Cement Kiln			

(iii)	Others	:	Nil
3	Quantity utilized in-house, if any	:	Nil
4	Quantity in storage at the end of the year	:	Nil
<b>Part B. To be filled by Treatment, storage and disposal facility operators</b>			
1	Total quantity received	:	N.A.
	Quantity in stock at the beginning of the year	:	N.A.
	Quantity treated	:	N.A.
	Quantity disposed in landfills as such and after treatment	:	N.A.
	Quantity incinerated (if applicable)	:	N.A.
	Quantity processed other than specified above	:	N.A.
	Quantity in storage at the end of the year	:	N.A.
<b>Part C. To be filled by recyclers or co-processors or other users</b>			
1	Quantity of waste received during the year	:	Plastic Waste: 520.00 KG (Common for Unit-I & II) Chemical Gypsum : NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: liquid 2308.10 MT & solid 101.31 MT total – 2409.41 (Common for Unit-I & II) Agro Waste: 2015.04 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II)
(i)	domestic sources	:	Plastic Waste: 520.00 KG (Common for Unit-I & II) Chemical Gypsum : NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: liquid 2308.10 MT & solid 101.31 MT total – 2409.41 (Common for Unit-I & II) Agro Waste: 2015.04 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II)
(ii)	imported (if applicable)	:	Nil
2	Quantity in stock at the beginning of the year	:	Plastic Waste: NIL (Common for Unit-I & II) Chemical Gypsum: NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: Solid – 444.02 MT & Liquid – 413.45 MT Agro Waste: 0.16 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II)
3	Quantity recycled or co-processed or used	:	Plastic Waste: 520.00 Kg (Unit-I) Chemical Gypsum: NIL (Unit-I) Waste Mix Liquid & Solid: Liquid – 2691.30 MT, Solid – 545.33 MT Total – 3236.63 MT (Unit-I) Agro Waste: NIL (Unit-I) & 1990.22 MT (CPP-I & II) Iron Sludge: NIL (Unit-I)

4	Quantity of products dispatched (wherever applicable)	:	N.A.
5	Quantity of waste generated	:	N.A.
6	Quantity of waste disposed	:	N.A.
7	Quantity re-exported (wherever applicable)	:	N.A.
8	Quantity in storage at the end of the year	:	Plastic Waste: NIL (Common for Unit-I & II) Chemical Gypsum: NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: Liquid – 30.25 MT & Solid – NIL Total – 30.25 MT Agro Waste: 24.98 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II)

Date: 18.05.2026  
Place: Morak

  
Signature of the Occupier or  
Operator of the disposal facility

MCL / Haz./E-12(IV)/2026-2027/178

18.05.2026

**Environmental Engineer & GIC, (CPP)**  
**Rajasthan Pollution Control Board,**  
**4, Institutional Area,**  
**Jhalana Doongri, JAIPUR (Raj)**

**Sub:** Submission of Annual Return under the Hazardous & Other Wastes (M&TM) Rules, 2016 & its amendments for M/s Mangalam Cement Ltd., (Unit-II), Morak, Dist: Kota, (Raj)

**Ref:** 1.Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/54 dt. 29.01.2021  
2. Hazardous Waste Authorization No. RPCB/HSM/2022.2023/CPM/HSW/1 dt. 11.04.2022  
3. Hazardous Waste Authorization No. RPCB/HWM/2022-2023/CPM/HSW/4 dt. 19.04.2022  
4. Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/46 dt. 19.01.2021  
5. Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/43 dt. 18.01.2021  
6. Hazardous Waste Authorization No. RPCB/HWM/2022-2023/CPM/HSW/27 dt. 02.01.2023  
7.Hazardous Waste Authorization No. RPCB/HWM/2025-2026/CPM/HSW/30, dt. 11.12.2025

Dear Ma'am,


In connection to the above mentioned subject & referred authorizations, we are submitting herewith Annual Return for the FY 2025-2026 in prescribed Form-IV under the Hazardous & Other Wastes (Management & Transboundary Movement) Rule, 2016 & its amendments for M/s Mangalam Cement Limited (Unit-II), P.O. Aditya Nagar, Vill: Morak, Tehsil: Ramganj Mandi, Dist: Kota (Raj).

This is for your information & record please. Kindly acknowledge the receipt.

Thanking you,

Yours faithfully

**For Mangalam Cement Ltd. (Unit - II)**

*Vinay*  
  
**P. R. Chaudhary**  
**Sr. Jt. President (operation) & FM**

Encl: a/a

**Cc to: - The Regional Officer**  
Rajasthan Pollution Control Board  
Plot No. Spl. 2A, Paryavaran Marg  
Road No. 6, Indraprastha Indl. Area  
Kota - 324005

Regd. Office & Works : P.O. Aditya Nagar - 326520, Morak, Distt. Kota (Raj.) CIN : L26943RJ1976PLC001705, Telefax : 07459 - 232156  
Website : www.mangalamcement.com, E-mail : email@mangalamcement.com  
Kota Office : Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001 (Rajasthan)  
Delhi Office : 3-B, Vandana Building, 11, Tolstoy Marg, New Delhi - 110001, Tel. No. : 011- 43539137  
E-mail : delhi.admin@mangalamcement.com, delhi.marketing@mangalamcement.com  
Jaipur Office : 2<sup>nd</sup> Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)  
Tel. : 0141 - 2218933, 2218931, E-mail : jaipur.marketing@mangalamcement.com

**FORM 4**

[See rules 6(5), 13(8), 16(6) and 20 (2)]

**FORM FOR FILING ANNUAL RETURNS**


[To be submitted to State Pollution Control Board by 30<sup>th</sup> day of June of every year for the preceding period April to March]

1.	Name and address of facility	:	<b>M/S Mangalam Cement Ltd. (Unit-II),</b> P.O. Aditya Nagar, Village: Morak, Tehsil: Ramganj Mandi, Dist: Kota Pin code: 326520 (Rajasthan)			
2.	Authorization No. and Date of issue	:	RPCB/HWM/2020-2021/CPM/HSW/54 dt. 29.01.2021 RPCB/HSM/2022-2023/CPM/HSW/1 dt. 11.04.2022 RPCB/HWM/2022-2023/CPM/HSW/4 dt. 19.04.2022 RPCB/HWM/2020-2021/CPM/HSW/46 dt. 19.01.2021 RPCB/HWM/2020-2021/CPM/HSW/43 dt. 18.01.2021 RPCB/HWM/2022-2023/CPM/HSW/27 dt. 02.01.2023 RPCB/HWM/2025-2026/CPM/HSW/30. Dt. 11.12.2025			
3.	Name of the authorised person and full address with telephone, fax number and e-mail	:	<b>P. R. Chaudhary</b> Sr. Jt. President (Operation)& FM Mangalam Cement Ltd. Mob. No. 07230003274 E-Mail Id. : <a href="mailto:pr.chaudhary@mangalamcement.com">pr.chaudhary@mangalamcement.com</a>			
4.	Production during the year (product wise), wherever applicable	:	Year 2025-2026 Clinker : 1317547.00 MT Cement: 1001160.096 MT			
<b>Part A. To be filled by hazardous waste generators</b>						
1	Total quantity of waste generated category wise	:	<b>Quantity Generated during FY 2025-2026</b> Used Oil: 5800 Ltr. (Sch.-I, Category 5.1) Oil Soaked Cotton: 301 KG (Sch-I, Category 5.2) Waste/ Residue Containing Oil: NIL (Sch-I, Category 5.2)			
2	Quantity dispatched	:				
(i)	to disposal facility	:	Nil			
(ii)	to recycler or co-processors or pre-processor	:	<b>5800 Ltr. (Sold to Authorized Recycler)</b> M/S Poddar Hydrocarbons G1-125, RIICO Industrial Area, Bagru (Ext.) Tehsil – Sanganer, district – Jaipur (Rajasthan)			
			<b>Hazardous Waste Type</b>	<b>Quantity of Hazardous Waste (Ltr)</b>	<b>Date of Manifest</b>	<b>Mode of Disposal</b>
			Used Oil Cat: 5.1	5800	18.04.2025	Sold to Authorized Recycler i.e. M/s Poddar Hydrocarbons, Jaipur
			Oil-Soaked Cotton disposal quantity 301 KG in our MCL Cement Kiln			

(iii)	Others	:	Nil
3	Quantity utilized in-house, if any	:	Nil
4	Quantity in storage at the end of the year	:	Nil
<b>Part B. To be filled by Treatment, storage and disposal facility operators</b>			
1	Total quantity received	:	N.A.
	Quantity in stock at the beginning of the year	:	N.A.
	Quantity treated	:	N.A.
	Quantity disposed in landfills as such and after treatment	:	N.A.
	Quantity incinerated (if applicable)	:	N.A.
	Quantity processed other than specified above	:	N.A.
	Quantity in storage at the end of the year	:	N.A.
<b>Part C. To be filled by recyclers or co-processors or other users</b>			
1	Quantity of waste received during the year	:	Plastic Waste: 520.00 KG (Common for Unit-I & II) Chemical Gypsum : NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: liquid - 1049.60 MT & solid - 1714.32 MT Agro Waste: 2015.04 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II) Chemical Sludge from waste water treatment: 1340.10 MT
(i)	domestic sources	:	Plastic Waste: 520.00 KG (Common for Unit-I & II) Chemical Gypsum : NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: liquid - 1049.60 MT & solid - 1714.32 MT Agro Waste: 2015.04 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II) Chemical Sludge from waste water treatment: 1340.10 MT
(ii)	imported (if applicable)	:	Nil
2	Quantity in stock at the beginning of the year	:	Plastic Waste: NIL (Common for Unit-I & II) Chemical Gypsum: NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: Liquid - NIL & Solid - 25.54 MT Agro Waste: 0.16 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II) Chemical Sludge from waste water treatment : NIL

3	Quantity recycled or co-processed or used	:	Plastic Waste:- 520 KG (Unit-II) Chemical Gypsum: NIL (Unit-II) Waste Mix Liquid & Solid:- Liquid – 1049.60 MT solid – 1704.41 MT (Unit-II) Agro Waste: NIL (Unit-II) Iron Sludge: NIL (Unit-II) Chemical Sludge from waste water treatment : 1290.70 MT
4	Quantity of products dispatched (wherever applicable)	:	N.A.
5	Quantity of waste generated	:	N.A.
6	Quantity of waste disposed	:	N.A.
7	Quantity re-exported (wherever applicable)	:	N.A.
8	Quantity in storage at the end of the year	:	Plastic Waste: NIL (Common for Unit-I & II) Chemical Gypsum: NIL (Common for Unit-I, II & III) Waste Mix Liquid & Solid: liquid - NIL & solid – 35.45 MT Agro Waste: 24.98 MT (Common for Unit-I, II and CPP-I & II) Iron Sludge: NIL (Common for Unit-I & II) Chemical Sludge from waste water treatment : 49.42 MT

Date: 18.05.2026  
Place: Morak

  
Signature of the Operator  
Operator of the disposal facility

Redg. A/D

MCL / Haz./E-13(II)/2026-2027/1916

18.05.2026

**Environmental Engineer & GIC, (CPP)**  
**Rajasthan Pollution Control Board,**  
**4, Institutional Area,**  
**Jhalana Doongri, JAIPUR (Raj) - 302004**

**Sub:** Submission of Annual Return under the Hazardous & Other Wastes (M&TM) Rules, 2016 & its amendment for M/s Mangalam Cement Ltd., (Unit-III), Morak, Dist: Kota, (Raj)

**Ref:** 1. Hazardous Waste Authorization No. RPCB/HWM/2020-2021/CPM/HSW/70 dt. 12.02.2021  
2. Hazardous Waste Authorization No. RPCB/HWM/2022-2023/CPM/HSW/2 dt. 11.04.2022.  
3. Hazardous Waste Authorization RPCB/HWM/2025-2026/CPM/HSW/28. Dt. 02.12.2025

Dear Ma'am,


In connection to the above mentioned subject & referred authorizations, we are submitting herewith Annual Return for the FY 2025-2026 in prescribed Form-IV under the Hazardous & Other Wastes (Management & Transboundary Movement) Rule, 2016 & its amendments for M/s Mangalam Cement Limited (Unit-III), P.O. Aditya Nagar, Vill: Morak, Tehsil: Ramganj Mandi, Dist: Kota (Raj).

This is for your information & record please. Kindly acknowledge the receipt.

Thanking you,

Yours faithfully

For Mangalam Cement Ltd. (Unit - III)

  
**P. R. Chaudhary**  
**Sr. Jt. President (Operation) & FM**

Encl: a/a

**Cc to: - The Regional Officer**

Rajasthan Pollution Control Board  
Plot No. Spl. 2A, Paryavaran Marg  
Road No. 6, Indraprastha Indl. Area  
Kota - 324005

Regd. Office & Works : P.O. Aditya Nagar - 326520, Morak, Distt. Kota (Raj.) CIN : L26943RJ1976PLC001705, Telefax : 07459 - 232156  
Website : www.mangalamcement.com, E-mail : email@mangalamcement.com  
Kota Office : Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001 (Rajasthan)  
Delhi Office : 3-B, Vandana Building, 11, Tolstoy Marg, New Delhi - 110001, Tel. No. : 011- 43539137  
E-mail : delhi.admin@mangalamcement.com, delhi.marketing@mangalamcement.com  
Jaipur Office : 2<sup>nd</sup> Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)  
Tel. : 0141 - 2218933, 2218931, E-mail : jaipur.marketing@mangalamcement.com

## FORM 4


[See rules 6(5), 13(8), 16(6) and 20 (2)]

**FORM FOR FILING ANNUAL RETURNS**[To be submitted to State Pollution Control Board by 30<sup>th</sup> day of June of every year for the preceding period April to March]

1.	Name and address of facility	:	<b>M/S Mangalam Cement Ltd. (Unit-III),</b> P.O. Aditya Nagar, Village: Morak, Tehsil: Ramganj Mandi, Dist: Kota Pin code: 326520 (Rajasthan)								
2.	Authorization No. and Date of issue	:	RPCB/HWM/2020-2021/CPM/HSW/70 dt. 12.02.2021 RPCB/HWM/2022-2023/CPM/HSW/2 dt. 11.04.2022. RPCB/HWM/2025-2026/CPM/HSW/28. Dt. 02.12.2025								
3.	Name of the authorised person and full address with telephone, fax number and e-mail	:	<b>P. R. Chaudhary</b> <b>Sr. Jt. President (Operation) &amp; FM</b> <b>Mangalam Cement Ltd.</b> <b>Mob. No. 07230003274</b> <b>E-Mail Id. :pr.chaudhary@mangalamcement.com</b>								
4.	Production during the year (product wise), wherever applicable	:	<b>Year 2025-2026</b> Cement: 1192982.927 MT								
<b>Part A. To be filled by hazardous waste generators</b>											
1	Total quantity of waste generated category wise	:	<b>Quantity generated during FY 2025-2026</b> Used Oil : 400 (Sch.-I, Category 5.1) Oil Soaked Cotton: 67.00 (Sch-I, Category 5.2) Waste/ Residue Containing Oil: NIL (Sch-I, Category 5.2)								
2	Quantity dispatched	:									
(i)	to disposal facility	:	Nil								
(ii)	to recycler or co-processors or pre-processor	:	<b>400 Ltr. (Sold to Authorized Recycler)</b> <b>M/S Poddar Hydrocarbons</b> <b>G1-125, RIICO Industrial Area, Bagru (Ext.) Tehsil –</b> <b>Sanganer, district – Jaipur (Rajasthan)</b> <table border="1"> <thead> <tr> <th>Hazardous Waste Type</th> <th>Quantity of Hazardous Waste (Ltr)</th> <th>Date of Manifest</th> <th>Mode of Disposal</th> </tr> </thead> <tbody> <tr> <td>Used Oil Cat: 5.1</td> <td>400.00</td> <td>18.04.2025</td> <td>Sold to Authorized Recycler i.e. M/s Poddar Hydrocarbons, Jaipur</td> </tr> </tbody> </table>	Hazardous Waste Type	Quantity of Hazardous Waste (Ltr)	Date of Manifest	Mode of Disposal	Used Oil Cat: 5.1	400.00	18.04.2025	Sold to Authorized Recycler i.e. M/s Poddar Hydrocarbons, Jaipur
Hazardous Waste Type	Quantity of Hazardous Waste (Ltr)	Date of Manifest	Mode of Disposal								
Used Oil Cat: 5.1	400.00	18.04.2025	Sold to Authorized Recycler i.e. M/s Poddar Hydrocarbons, Jaipur								
(iii)	Others	:	Nil								
3	Quantity utilized in-house, if any	:	Nil								
4	Quantity in storage at the end of the year	:	Nil								

Part B. To be filled by Treatment, storage and disposal facility operators		
1	Total quantity received	: N.A.
	Quantity in stock at the beginning of the year	: N.A.
	Quantity treated	: N.A.
	Quantity disposed in landfills as such and after treatment	: N.A.
	Quantity incinerated (if applicable)	: N.A.
	Quantity processed other than specified above	: N.A.
	Quantity in storage at the end of the year	: N.A.
Part C. To be filled by recyclers or co-processors or other users		
1	Quantity of waste received during the year	: Chemical Gypsum : NIL
(i)	domestic sources	: Nil
(ii)	imported (if applicable)	: Nil
2	Quantity in stock at the beginning of the year	: Chemical Gypsum : NIL
3	Quantity recycled or co-processed or used	: Chemical Gypsum : NIL
4	Quantity of products dispatched (wherever applicable)	: N.A.
5	Quantity of waste generated	: N.A.
6	Quantity of waste disposed	: N.A.
7	Quantity re-exported (wherever applicable)	: N.A.
8	Quantity in storage at the end of the year	: Chemical Gypsum : NIL

Date: 18.05.2026  
Place: Morak

  
Signature of the Occupier/  
Operator of the disposal facility

## Mangalam Cement Ltd. Morak (Unit-I, II &amp; III)

## Year Wise Tree Plantation

Sr. No.	Year	Plant Names	Numbers	Survival Rate	Location	Area (hector)	
						Total Plant Area	Total 33 % Plantation area to be developed
1	08-09	Neem, Karanj, Sheesam, Sirus, Bad, Peepal, Palash, Khejri, Chareel, Mango, Jamphaletc	20000	70%	Plant & Colony	167	55.11
2	09-10		22000	70%	Plant & Colony	167	55.11
3	10-11		16000	70%	Plant & Colony	167	55.11
4	11-12		18000	70%	Plant & Colony	167	55.11
5	12-13		10700	70%	Plant & Colony	167	55.11
6	13-14		16607	70%	Plant & Colony	167	55.11
7	14-15		10238	70%	Plant & Colony	167	55.11
8	15-16		3788	70%	Plant & Colony	167	55.11
9	16-17		4044	70%	Plant & Colony	167	55.11
10	17-18		3923	70%	Plant & Colony	167	55.11
11	18-19		2231	70%	Plant & Colony	167	55.11
12	19-20		3153	70%	Plant & Colony	167	55.11
13	20-21		470	70%	Plant & Colony	167	55.11
14	21-22		510	70%	Plant & Colony	167	55.11
15	22-23		496	70%	Plant & Colony	167	55.11
16	23-24		567	70%	Plant & Colony	167	55.11
17	24-25		702	70%	Plant & Colony	167	55.11
18	25-26		1315	70%	Plant & Colony	167	55.11

**MANGALAM CEMENT LIMITED**

<b>CSR Expenditure for the period from April 2025 to March 2026</b>		
<b>S. No.</b>	<b>Particulars of CSR Activities</b>	<b>AMOUNT (in Lakhs.)</b>
1.	Total CSR Expenditure	225.92

# Medical Surveillance Report

Date:- 27/04/2026

Period from Oct 2025 to March 2026, Health activities conducted by OHC are as following....

**1. Periodical health checks up.**


Periodical health Examination & general medical & health Examination of workers & Staff done to detect occupational and aging diseases Result of periodical health examinations (twice in a year) are as follows...

**2. Periodical health examination & general medical & health examination of 305 Staff & 330 workers & 1099 contract workers & Pre- Employment Health check-up of new joinee staff 23 where done period from Oct 2025 to March 2026. Some Staff/workers/Contract workers were suffering from hypertension, Cardiac disease & refractive errors, rheumatoid arthritis respectively.**

Hypertensive patients were investigated treated and Cardiac patients referred to cardiologist refractive errors were referred to ophthalmologist and suffering from skin disorder were treated and instructed to use PPE regularly.

**3-Health knowledge of workers are improved through health talks on various topics like health and hygiene, Diarrhoea & vomiting, hypertension, diabetes, heart disease, obesity, nutrition, dog bite, snake bite, heat stroke etc.**

**4-Follow up action of diseased/affected workers is done & remedial measure taken.**


  
Medical Superintendent

OHC

# CARBON BUDGETING REPORT F.Y. 2024-2025

For

**MANGALAM CEMENT LIMITED**  
P.O.- ADITYA NAGAR, VILLAGE -MORAK,  
TEHSIL- RAMGANJMANDI, KOTA,  
(RAJASTHAN), 326520



**बिरला** सी  
**उत्तम** में  
ट

**Birla** CEMENT  
**Uttam**



**VIBRANT**

Prepared By  
**VIBRANT TECHNO LAB PVT. LTD.**

(NABET/EIA/2225/IA 0104)

Q-39, Shringarpura, Narayan Vihar Q, Ajmer Road, Jaipur Rajasthan 302020

CONTACT NO.- 9929108691,9810205356

## TABLE OF CONTENT

Sr. No.	Chapter Name	Page Number
CHAPTER-1	INTRODUCTION	04-18
CHAPTER-2	SCOPE OF CARBON EMISSION	19-21
CHAPTER-3	AIMS AND OBJECTIVES	22-22
CHAPTER-4	CALCULATION OF CARBON EMISSION	23-38
CHAPTER-5	MITIGATION MEASURES	39-44
CHAPTER-6	CONCLUSION	45-45

<b>CHAPTER-1 INTRODUCTION.....</b>	<b>4-18</b>
1.1. Prelude.....	4
1.2. Brief About Project.....	5
1.3. Environment Sensitivity.....	15
1.4. Climate Study of Kota.....	16
<b>CHAPTER-2 SCOPE OF CARBON EMISSION.....</b>	<b>19-21</b>
2.1. Concept of Carbon Foot Print.....	19
2.2. Scope of Carbon Foot Print.....	20
<b>CHAPTER-3 AIMS AND OBJECTIVES.....</b>	<b>22</b>
3.1. Objectives.....	22
3.2. Methodology.....	22
<b>CHAPTER-4 CALCULATION OF CARBON EMISSION.....</b>	<b>23-38</b>
4.1. Sources of Emission.....	23
4.2. Carbon Emission Monitoring.....	25
4.3. Emission from Mobile Sources.....	31
4.4. Emission from Stationary Sources.....	35
4.5. Emission from Stationary Sources.....	36
4.6. Emission from Paper Consumption.....	36
4.7. Emission from Waste Generation.....	37
4.8. Emission from Production Process.....	37
4.9. Emission from Power Consumption.....	37
4.10. Net Carbon Emission.....	38
<b>CHAPTER-5 MITIGATION MEASURES.....</b>	<b>39-44</b>
5.1. Carbon Sequestration.....	39
5.2. Air Pollution Control System.....	40
5.3. Carbon Sequestration Through Tree.....	40
5.4. Other Sustainable Measures to Reduce the Carbon Emission.....	43
<b>CHAPTER-6 CONCLUSION.....</b>	<b>45</b>

## LIST OF TABLE

Table 1: Chronology of Events.....	6
Table 2: Detail of Land Breakup .....	14
Table 3: List of Various Units for Production of Cement.....	14
Table 4: List of Products & Its Capacity.....	15
Table 5: Environmental Sensitivity of the Site.....	15
Table 6: Kota - Average Temperatures (1991-2020).....	16
Table 7: Kota-Average Precipitation.....	17
Table 8: Kota-Sun Shine Hours.....	17
Table 9: Scope of Emissions as per ISO14064 .....	21
Table 10: Inventory for waste Analysis.....	24
Table 11: Ambient Air Quality Monitoring Results .....	25
Table 12: Ambient Air Quality Results External Agency .....	26
Table 13a: Stack Monitoring Results In-house.....	27
Table 13b: Stack Monitoring Results In-house (CPP).....	28
Table 14a: Stack Monitoring Results External Agency.....	29
Table 14b: Stack Monitoring Results External Agency(CPP) .....	29
Table 15: Ambient Noise In-house .....	30
Table 16: Ambient Noise External Agency.....	30
Table 17: Raw material Transportation details.....	31
Table 18: Transportation of Finished Goods .....	32
Table 19: Diesel Consumption.....	35
Table 20: Carbon Footprint from Workforce Transportation within premises.....	35
Table 21: Carbon Foot print from Stationary Sources.....	36
Table 22: Carbon Footprint from Paper Consumption.....	36
Table 23: Carbon Footprint from Waste Generation .....	37
Table 24: Carbon emission from Cement production.....	37
Table 25: Carbon Emission from Power Consumption.....	37
Table 26: Net Carbon Emission.....	38
Table 27: Plantation Details till FY 24-25.....	40
Table 28: Carbon Sequestration by Green Belt .....	42
Table 29: WTG Installation .....	43
Table 30: GHG Reduction from Renewal Energy Sources.....	44

## LIST OF FIGURES

Figure 1: Global CO2 Emission.....	5
Figure 2: Plant Photographs.....	6
Figure 3: Screenshots of Online Connective at RSPCB and CPCB .....	11
Figure 4: Location Map.....	12
Figure 5: Google Earth Imagery of Site.....	12
Figure 6: Process Flow Diagram (Cement Plants).....	13
Figure 7: Study Area Map.....	13
Figure 8a: Climate zones in India .....	18
Figure 8b: Comfort zones .....	18
Figure 9: Photographs of Green vegetation developed.....	41
Figure 10: Wind Mill (WTG).....	43
Figure 11: WHR .....	44

# 1 INTRODUCTION

## 1.1 PRELUDE

Carbon footprint, also called carbon profile, defines the overall amount of carbon dioxide and other greenhouse gas (GHG) emissions associated with a product throughout the entire supply chain, from raw materials to end-of-life recovery and disposal. Electricity production in power plants, heating with fossil fuels, transport operations, other industrial and agricultural processes, among others, cause these emissions. Carbon footprint is the total greenhouse gas (GHG) emissions caused directly or indirectly by an individual or organization during production of products. It is mostly expressed as a carbon dioxide (CO<sub>2</sub>) equivalent or tons of CO<sub>2</sub>. When driving a car, the engine burns fuel, which creates a certain amount of CO<sub>2</sub>; that amount depends on fuel consumption and distance travelled. Using electricity or coal generates CO<sub>2</sub>. The production of foods and goods also emits some quantities of CO<sub>2</sub>. The carbon footprint is the sum of all CO<sub>2</sub> emissions induced by the activities in each time frame. The CO<sub>2</sub> is calculated based on fuel consumption. The next is to add the CO<sub>2</sub> emission to the carbon footprint. Other greenhouse gases (GHGs) such as methane might be emitted and ozone can be depleted because of human activities. Other GHGs are also taken into account in the carbon footprint. They are converted to an amount of CO<sub>2</sub> and referred to as equivalent CO<sub>2</sub>—an amount that would cause the same effects on global warming.

### **Greenhouse Gases and Global Warming**

As greenhouse gases produced by human activities accumulate and their concentration increases in the atmosphere, it causes global warming. The main contributor to global warming is carbon dioxide, which accounts for nearly 80 per cent of emissions from the industrialized countries. The gas is released from burning of fossil fuels: oil, petrol and natural gas. With the rising population and increasing demands on transport and energy the rate at which carbon dioxide is being released is also accelerating.


### **Global Warming and the Cement Industry**

Everything that we do has a direct or indirect impact on the environment, because all our activities right from commuting to work to flying on a vacation involves burning fossil fuels that causes the production of greenhouse gases. The impact of our activities is not limited to commuting but extends to everything we consume right down to the food we eat and the clothes we wear. Infact, the modern cement industry is one of the biggest sources of greenhouse gases.

### The Carbon Foot print is assessed in 2 layers

- **Primary footprint-** monitors carbon emission directly through energy consumption- burning fossil fuels for electricity, heating and transportation, etc.  
We have direct control over these emissions.
- **Secondary foot print-**relates to indirect carbon emissions (Life cycle of products and Sustainability).

Thus, the most effective way to decrease a carbon footprint is to either decrease the amount of energy needed for production or to decrease the dependence on carbon emitting fuels.



**Figure1: Global CO<sub>2</sub> emission**

### 1.2 BRIEF ABOUT PROJECT

M/s. Mangalam Cement Ltd (MCL) was established in the year 1981 by eminent and illustrious industrial house of B.K. Birla Group. The Company is engaged in the business of cement manufacturing, with efficient dry cement manufacturing process technology. The Company is committed to adopt sustainable practices as a socially and environmental responsible company. The Company, in its operations, has deployed best-in-class technology and processes which optimally utilize resources and leave minimal footprints on environment. The total cement production for FY2024-25 was **2948260.101 TPA** and clinker production was **2483900 TPA**.


As a responsible corporate, the Company has also implemented a fully integrated Environmental, Health & Safety and Quality Management System in its manufacturing plants, which are certified by the internationally recognized by ISO-9001:2015; ISO-14001:2015 and ISO-45001:2018.

**Further, to improve operational efficiency, the Company has implemented Energy Management System (EnMS) ISO 50001:2018.**



It is a professionally managed and well established cement manufacturing company enjoying the confidence of consumers because of its superior quality product and excellent customer service.

**Table 1. Chronology of Events**


1981	Installation of Cement Plant Unit-I
1993	Installation of Cement Plant Unit-II
2007	Installation of Captive Thermal Power Plant (CPP-I) of 17.5 MW
2008	7 Wind Mills with a total capacity of 6.15 MW installed at Jaisalmer
2010	New 6 Wind Mills installed at Jaisalmer to enhance the combined overall Capacity upto 13.65 MW
2011	Installation of Captive Thermal Power Plant (CPP-II) of 17.5 MW
2013	Installation of Cement Grinding Unit-III
2020	Waste Heat Recovery Plant of 11 MW was commissioned at Morak, Rajasthan.



**Figure 2. Plant Photographs**



## Unit - II Kiln Stack


Central Pollution Control Board
Welcome Industry (Logout) Menu

---

Dashboard / Industry Dashboard / Mangalam Cement Ltd\_Kota

Mangalam Cement Ltd\_Kota (22R1208)


Aditya Nagar Morak Dieth Kota (Rajasthan), Kota Rajasthan PIN 326520

Data Last Received On: 2025-09-24 15:45
SPCB Regional Office: RAJASTHAN STATE POLLUTI...
Industry Representatives: [Refresh]
SMS Communicated: 0 (Last 7 Days)
Online Alerts: 0 (Last 30 Days)

Live Readings
Emission
Effluent
All
CEMS: 9
EWMS: 1
Total Stations: 10


Stack\_II\_Kiln Main

**19 mg/Nm<sup>3</sup> - PM**  
 Limit: - 30.0 mg/Nm<sup>3</sup>  
 Range: - mg/Nm<sup>3</sup>  
 Last Received: about 1 hour ago  
 Diagnostic Status: ✔




[View Diagnostics](#) [View Data](#)

**29.5 mg/Nm<sup>3</sup> - SO2**  
 Limit: - mg/Nm<sup>3</sup>  
 Range: - mg/Nm<sup>3</sup>  
 Last Received: about 1 hour ago  
 Diagnostic Status: ✔




[View Diagnostics](#) [View Data](#)

**526.2 mg/Nm<sup>3</sup> - NOX**  
 Limit: - 800.0 mg/Nm<sup>3</sup>  
 Range: - mg/Nm<sup>3</sup>  
 Last Received: about 1 hour ago  
 Diagnostic Status: ✔



[View Diagnostics](#) [View Data](#)

## Unit - II Clinker Cooler Stack & Cement Mill Stack


Central Pollution Control Board
Welcome Industry (Logout) Menu

---

Dashboard / Industry Dashboard / Mangalam Cement Ltd\_Kota

Mangalam Cement Ltd\_Kota (22R1208)


Aditya Nagar Morak Dieth Kota (Rajasthan), Kota Rajasthan PIN 326520

Data Last Received On: 2025-09-24 15:45
SPCB Regional Office: RAJASTHAN STATE POLLUTI...
Industry Representatives: [Refresh]
SMS Communicated: 0 (Last 7 Days)
Online Alerts: 0 (Last 30 Days)

Live Readings
Emission
Effluent
All
CEMS: 9
EWMS: 1
Total Stations: 10

Stack\_II\_Cement Mill


**0 mg/Nm<sup>3</sup> - PM**  
 Limit: - 30.0 mg/Nm<sup>3</sup>  
 Range: - mg/Nm<sup>3</sup>  
 Last Received: about 1 hour ago  
 Diagnostic Status: ✔



[View Diagnostics](#) [View Data](#)

Stack\_II\_Clinker Cooler


**16.6 mg/Nm<sup>3</sup> - PM**  
 Limit: - 30.0 mg/Nm<sup>3</sup>  
 Range: - mg/Nm<sup>3</sup>  
 Last Received: about 1 hour ago  
 Diagnostic Status: ✔




Site best viewed at 1024 X 768 resolution in Mozilla 45.0 or above, Google Chrome 50.0 or above

© 2025 Central Pollution Control board - All Rights Reserved. Disclaimer

## Unit - I & II Coal Mill Stack



## Unit - III Cement Mill Stack



## Captive Power Plant Unit - I

Central Pollution Control Board
Welcome Industry(Login) Menu

Dashboard / Industry Dashboard / Mangalam Cement Ltd\_power plant

Mangalam Cement Ltd\_power plant (rajures)

Aditya Nagar, Morak, Distt - Kota, Rajasthan Kota Rajasthan | Power Plant | Refresh

Pin - 326520

Data Last Received On: 2025-09-24 15:45 | SPCB Regional Office: RAJASTHAN STATE POLLUT | Industry Representatives: | SMS Communication: 33 (Last 7 Days) | Alerts Reported

Live Readings

Emission Effluent All

CEMS: 2 | AQMS: 1 | Total Stations: 3

Online Alerts (Last 30 Days)

!

No Data Found

Stack\_1\_CPP\_I

**1.6 mg/Nm<sup>3</sup> - NOX**

Limit: - mg/Nm<sup>3</sup>  
Range: - mg/Nm<sup>3</sup>

Diagnostic Status: ✔

Last Received: about 1 hour ago

[View Diagnostics](#) [View Data](#)

**1.8 mg/Nm<sup>3</sup> - SOX**

Limit: - mg/Nm<sup>3</sup>  
Range: - mg/Nm<sup>3</sup>

Diagnostic Status: ✔

Last Received: about 1 hour ago

[View Diagnostics](#) [View Data](#)

**0 mg/Nm<sup>3</sup> - PM**

Limit: - 50.0 mg/Nm<sup>3</sup>  
Range: - mg/Nm<sup>3</sup>

Diagnostic Status: ✔

Last Received: about 1 hour ago

[View Diagnostics](#) [View Data](#)

Stack\_2\_CPP\_II

## Captive Power Plant Unit - II

Central Pollution Control Board
Welcome Industry(Login) Menu

Dashboard / Industry Dashboard / Mangalam Cement Ltd\_power plant

Mangalam Cement Ltd\_power plant (rajures)

Aditya Nagar, Morak, Distt - Kota, Rajasthan Kota Rajasthan | Power Plant | Refresh

Pin - 326520

Data Last Received On: 2025-09-24 15:45 | SPCB Regional Office: RAJASTHAN STATE POLLUT | Industry Representatives: | SMS Communication: 33 (Last 7 Days) | Alerts Reported

Live Readings

Emission Effluent All

CEMS: 2 | AQMS: 1 | Total Stations: 3

Online Alerts (Last 30 Days)

!

No Data Found

Stack\_2\_CPP\_II

**86.8 mg/Nm<sup>3</sup> - NOX**

Limit: - mg/Nm<sup>3</sup>  
Range: - mg/Nm<sup>3</sup>

Diagnostic Status: ✘

Last Received: about 1 hour ago

[View Diagnostics](#) [View Data](#)

**287.4 mg/Nm<sup>3</sup> - SOX**

Limit: - mg/Nm<sup>3</sup>  
Range: - mg/Nm<sup>3</sup>

Diagnostic Status: ✘

Last Received: about 1 hour ago

[View Diagnostics](#) [View Data](#)


**33.8 mg/Nm<sup>3</sup> - PM**

Limit: - 50.0 mg/Nm<sup>3</sup>  
Range: - mg/Nm<sup>3</sup>

Diagnostic Status: ✘

Last Received: about 1 hour ago

[View Diagnostics](#) [View Data](#)



**Figure 3. Screenshots of Online Continuous Emission Monitoring System (CEMS), Online Continuous Ambient Air Quality Monitoring System (CAAQMS) and Online Continuous Effluent Quality Monitoring System (CEQMS) data uploading on Rajasthan Pollution Control Board Server.**




Figure 4. Location Map





Figure 5. Google Earth Imagery of Site



### Products Profile & Carbon Emission

Cement is an important construction ingredient produced in virtually all countries. Carbon dioxide (CO<sub>2</sub>) is a by-product of a chemical conversion process used in the production of clinker, an intermediate component of cement. In this calcination process limestone (CaCO<sub>3</sub>) is converted to lime (CaO) & Carbon Dioxide (CO<sub>2</sub>) while heating at high temperature. This CO<sub>2</sub> is liberated into the atmosphere. The simplified stoichiometric relationship is as follows:



In addition to CO<sub>2</sub> emission due to calcination process, CO<sub>2</sub> is also emitted during cement production by fossil fuel combustion used for heating of limestone at high temperature.

Around half of the emissions from cement are process emissions arising from the reaction above. This is principle reason cement emissions are often considered difficult to cut: since this CO<sub>2</sub> is released by a chemical reaction.

Remaining CO<sub>2</sub> emissions come from burning fossil fuels to heat kilns to the high temperatures needed for this calcination process and some marginal amount of CO<sub>2</sub> comes from electricity & fuel consumption for equipment running & transportation of raw materials & product.

**Table 2. Detail of Land Breakup**

S. No.	Area Name	Area (Ha)
1.	Area for Int. Cement Plant (Unit I,II,III)	8.17
2.	Roads & Parking	10.61
3.	Railway Siding	10.36
4.	Other Facilities & Infrastructure	59.29
5.	Green Belt	57.40
6.	Open Area	21.17
<b>Total Plot Area (Ha.)</b>		<b>167.00</b>

S. No.	Area Name (Unit Wise)	Area (Ha)
1.	Unit - 1	36.00
2.	Unit-2	31.81
3.	Unit-3	37.00
4.	Basant Colony	47.98
5.	Sarvodaya Colony	14.21
<b>Total Plot Area (167.0 Ha.)</b>		<b>167.00</b>

**Table 3. List of Various Units for Production of Cement**

S. No.	Name of the unit	Capacity (TPH)
1.	Crusher	900
2.	Raw Mill /VRM	600
3.	Coal Mill/VCM	60
4.	Cement Mill	580

**Table 4. List of Products & Its Capacity**

S.No.	Name of the Product	Capacity as per EC	Current Installation	End Use
1.	Clinker	5.3 Million TPA	2.67 Million TPA	Captive & Saleable
2.	Cement	9.0 Million TPA	6.1 Million TPA	Saleable
3.	Power	52.5 MW	35 MW	Captive (2 Nos)

**1.3 ENVIRONMENTAL SENSITIVITY****Table 5. Environmental Sensitivity of the Site**

S. No.	Particulars	Details
1.	Proponent	Mangalam Cement Ltd.
2.	Location	Village- Morak, Tehsil- Ramganj Mandi, District- Kota, Rajasthan.
3.	Geographical location	24° 43' 21.73" N to 24° 42' 51.76" N & 75° 56' 32.29" E to 75° 57' 32.78" E
4.	Site Description	The project site is well connected by road, railway and airways.
5.	Nearest Human Settlement	Morak 0.4 km NE
6.	Nearest Town, city or Headquarter	Ramganj Mandi
7.	Nearest River	TakliNadi at 6 km in West and Amajar River at 8 km ENE
8.	Nearest Highway	NH-52 at 4 km NE
9.	Nearest Railway Station	Morak R.S at 2.4 km ENE
10.	Nearest Airport	Kota 51 km NNW
11.	Forest, National Park, Wildlife Sanctuary, Biosphere Reserve	Barodiaya RF- 1.7 km NW Fatehpur RF-2.1 km SW MasalpuraRF -7.7 km NE Darrah WL Sanctuary at 8 km in NE
12.	Eco-Sensitive Zone/Marine Sanctuary	Darrah WL Sanctuary at 8 km in NE
13.	Temperature	4.5°C to 48.5°C
14.	Annual rainfall	878.58 mm
15.	List of surrounding Industries	None within 10 km radius

#### 1.4 CLIMATE STUDY OF CITY- KOTA

The climate of Kota is subtropical, with a rainy season that runs from approximately mid-June to late September, due to the monsoon, and a dry season from October to mid-June. The city is located in north-central India, in the state of Rajasthan, at 25 degrees' north latitude and 270 meters (885 feet) above sea level. Since the dry season is long, the landscape is arid. Anyway, we are in the southeast of Rajasthan, the rainiest part of the state, apart from the Aravalli Mountains. From March to mid-June, before the monsoon, it is very hot. In the hottest periods, the temperature can reach or exceed 45 °C (113 °F). It reached 48.4 °C (119 °F) in May 2010, 48.3 °C (118.9 °F) in June 2019 and 48.2 °C (118.8 °F) in May 2016. On the other hand, nights are cool from November to February, and can sometimes be even a bit cold when air masses come from the north. In December 2019, the temperature dropped to 2.8 °C (37 °F). In Kota, the average temperature of the coldest month (January) is of 17.6 °C (63.6 °F), that of the warmest month (May) is of 36.6 °C (97.8 °F). The average temperature from 1991 to 2022 is depicted in table below-

**Table 6. Kota - Average Temperatures (1991-2020)**

Kota - Average temperatures (1991-2020)						
Month	Min (°C)	Max (°C)	Mean (°C)	Min (°F)	Max (°F)	Mean (°F)
January	11.3	23.8	17.6	52	75	63.6
February	14.6	27.8	21.2	58	82	70.2
March	19.9	34	26.9	68	93	80.5
April	24.2	39.2	31.7	76	103	89.1
May	29.9	43.2	36.6	86	110	97.8
June	29.3	40.9	35.1	85	106	95.2
July	26.7	35	30.8	80	95	87.5
August	25.7	32.9	29.3	78	91	84.7
September	25.4	34.4	29.9	78	94	85.8
October	22.5	35	28.8	73	95	83.8
November	17.3	30.6	23.9	63	87	75
December	12.4	26	19.2	54	79	66.6
Year	21.6	33.6	27.55	70.9	92.5	81.5

In Kota, precipitation amounts to 906.50 millimeters (35.69 inches) per year: so, it is at an intermediate level. It ranges from Nil (0 Inch) in the driest month (April- 24, January- 25, February- 25) to 384.32 mm (15.13 Inch) in the wettest one (July-24). The average precipitation is listed below as-


**Table 7. Kota-Average Precipitation**

<b>Kota- Average Precipitation FY-2024-25 (RAINFALL)</b>			
<b>Month</b>	<b>Inches</b>	<b>Millimeters</b>	<b>Rainfall Days</b>
<b>Apr-24</b>	0.00	0.00	0
<b>May-24</b>	0.02	0.51	1
<b>Jun-24</b>	4.73	120.11	8
<b>Jul-24</b>	15.13	384.32	17
<b>Aug-24</b>	12.17	309.21	18
<b>Sep-24</b>	2.54	64.43	7
<b>Oct-24</b>	0.83	21.14	1
<b>Nov-24</b>	0.00	0.00	0
<b>Dec-24</b>	0.27	6.75	1
<b>Jan-25</b>	0.00	0.00	0
<b>Feb-25</b>	0.00	0.00	0
<b>Mar-25</b>	0.00	0.03	1
<b>Total</b>	<b>35.69</b>	<b>906.50</b>	<b>54</b>

In Kota, there are on average around 3103 sunshine hours per year. The average hours of sunshine per day is given below:

**Table 8. Kota-Sun Shine Hours**

<b>Kota-Sun Shine Hours</b>			
<b>Month</b>	<b>Average Hours</b>	<b>No. of Day</b>	<b>Total Hours</b>
<b>January</b>	9	31	279
<b>February</b>	9.5	28	266
<b>March</b>	9.5	31	295
<b>April</b>	10.5	30	315
<b>May</b>	10.5	31	326
<b>June</b>	7.5	30	225
<b>July</b>	5	31	155
<b>August</b>	5	31	155
<b>September</b>	7.5	30	225
<b>October</b>	9.5	31	295
<b>November</b>	9.5	30	285
<b>December</b>	9	31	279
<b>Year</b>	<b>8.5</b>	<b>365</b>	<b>3103</b>



Psychrometric Chart




Figure 8.(a) Climate zones in India 8.(b) Comfort zones

## 2 SCOPE OF CARBON EMISSION

India's Cement Industry is the second largest producer of cement in world. It plays an important role in development of a country and contributes very high in Indian GDP. A significant factor which aids the growth of this sector is the ready availability of the raw materials for making cement, such as limestone and coal. India's overall cement production accounted for 453 million tonnes (MT) in FY24-25. The cement demand is estimated to touch 670 MMT by FY 2030. As India has a high quantity and quality of limestone deposits through-out the country, the cement industry promises huge potential for growth.

Carbon footprint is the total quantum of carbon emissions of an individual or a household as a result of air travel, car travel, usage of electricity and other household appliances. Carbon footprints are expressed as a carbon dioxide equivalent (CO<sub>2</sub>e), which is a measure used to describe how much global warming a given type of greenhouse gas may cause, using the functionally equivalent amount of concentration of carbon dioxide as the reference. It is the amount of greenhouse gases produced to directly and indirectly support human activities and is expressed in equivalent tons of carbon dioxide. It can be when we drive a car whose engine burns fuel that creates some CO<sub>2</sub>, depending on its fuel consumption and the driving distance, use of electricity, oil, gas or coal can generate CO<sub>2</sub>. The production of the food and goods also emits some quantities of the gas. Carbon footprint is the sum of all emissions of CO<sub>2</sub> induced by our activities in a given time-frame. Usually a carbon footprint is calculated for the time period of a year. Carbon dioxide emissions are calculated on the fuel consumption.

### 2.1 CONCEPT OF CARBON FOOTPRINT

The concept of the carbon footprint revolves around transportation and heating issues. The cement industry is one of the major consumers of water and fuel (energy required for electric power, steam and transportation). Generally, cement plants are known to be associated with exposure to quartz, cement, and dust, which can potentially contribute to Chronic Bronchitis, Silicosis and Interstitial lung diseases. Since concrete is such a widespread item, the amount of CO<sub>2</sub> released in the industry continues to grow. There are countless companies and organizations who have designed specific solutions to improve the concrete industry's environmental impact. Many of the top grossing cement companies in the world have decided to take immediate action.

It is impossible to envisage a modern life without cement. Cement is an extremely important construction material used for housing and infrastructure development and a key to economic growth. Cement demand is directly associated to economic growth and many growing economies

are striving for rapid infrastructure development which underlines the tremendous growth in cement production. The cement industry plays a major role in improving living standard all over the world by creating direct employment and providing multiple cascading economic benefits to associated industries. Despite its popularity and profitability, the cement industry faces many challenges due to environmental concerns and sustainability issues. The cement industry contributes significantly to the imbalances of the environment; in particular air quality. The key environmental emissions are nitrogen oxides (NO<sub>x</sub>), sulphur dioxide (SO<sub>2</sub>) and grey dust. Industrial plant smoke stacks from cement and construction companies are some of the biggest contributors to poor air quality, especially in urban developments. The Portland cement manufacturing industry is under close scrutiny these days because of the large volumes of CO<sub>2</sub> emitted. Actually this industrial sector is thought to represent 5–7% of the total CO<sub>2</sub> anthropogenic emissions. Therefore, numerous studies have been done to evaluate CO<sub>2</sub> emissions and energy consumption. Technological advancement has resulted in cement making companies being able to produce higher volumes compared to the past. However, the higher production levels have also been largely labelled as the leading cause of pollution. The main sources of air pollution in the industry include excavation activities, dumps, tips, conveyer belts, crushing mills and kiln emissions. As of 2007, the cement industry alone was reported to produce 5% of total greenhouse gases in the atmosphere. The cement industry is an energy intensive and significant contributor to climate change. The major environment health and safety issues associated with cement production are emissions to air and energy use. Cement manufacturing requires huge amount of non-renewable resources like raw material and fossil fuels. It is estimated that 5-6% of all carbon dioxide greenhouse gases generated by human activities originates from cement production. Raw material and Energy consumption result in emissions to air which include dust and gases. The exhaust gases from a cement kiln contains are nitrogen oxides (NO<sub>x</sub>), carbon dioxide, water, oxygen and small quantities of dust, chlorides, fluorides, sulfur dioxide, carbon monoxide, and still smaller quantities of organic compounds and heavy metals. Toxic metals and organic compounds are released when industrial waste is burnt in cement kiln. Other sources of dust emissions include the clinker cooler, crushers, grinders, and materials-handling equipment.

## **2.2 SCOPE OF CARBON FOOTPRINT**

The cement industry has carbon emission from various process and at different stage like mining, fuel processing, clinkerization, grinding, packing, transportation etc. There are three scope of GHG emission calculations.

In this report, the organization has identified the GHG sources for scope 1, scope 2 and scope 3. However, the scope 3 is optional and voluntary. Direct GHG emission sources are further divided into stationary combustion, mobile combustion, and other direct GHG source (e.g. fugitive emissions from usage of refrigerant gases etc.). Purchased electricity is accounted under scope 2 and employee commuting is the part of scope 3 emissions.

**Table 9. Scope of Emissions as per ISO14064**

Scopes	Activities
<b>Scope 1</b>	Stationary Combustion Transportations (Mobile) Fugitive Emissions
<b>Scope 2</b>	Consumption of Purchased Electricity
<b>Scope 3</b>	Employee Commuting Rented Vehicles

**Scope 1:** The organization has identified stationary fuel combustion in captive power plant and in cement units, and fugitive emissions from operations as a major source of its direct GHG emissions. Emission due to transport by company owned vehicles have been also considered in scope 1.

**Scope 2:** The only GHG emission source for scope 2 emissions at the company is grid electricity consumption. The electricity is imported from Rajasthan Rajya Vidyut Prasaran Nigam Ltd.

**Scope 3:** Scope 3 is an optional category that allows for the treatment of all other indirect GHG emissions which are a consequence of the activities of the company but occur from sources not owned by the company and not included under scope 1 and scope 2 emissions. Rented Vehicles and employee commute has been considered for calculation.

To quantify and analyze the carbon emissions in a manufacturing process all the stages.

### 3 AIM & OBJECTIVES

#### 3.1 OBJECTIVE

The scope includes the following items:

- To study Carbon Emission of manufacturing phase
- Daily energy demand and peak demand
- The functions of the product system or, in the case of comparative studies
- To set a system boundary for calculating the carbon foot print
- Assumptions to be made
- Carbon sequestering and Carbon arrest

#### 3.2 METHODOLOGY

Calculating emissions is a multi-step process. Increasing greenhouse gaseous concentration in the atmosphere is perturbing the environment to cause grievous global warming and associated consequences. The methodologies for carbon footprint calculations are still evolving and it is emerging as an important tool for greenhouse gas management. The concept of carbon foot-printing has permeated and is being commercialized in all the areas of life and economy, but there is little coherence in definitions and calculations of carbon footprints among the studies. A carbon footprint is the total sum of greenhouse gas (GHG) emissions caused by an organization, event, product or person. As we are aware, the increasing concentration of GHGs in the atmosphere can accelerate climate change and global warming, it is very necessary to measure these emissions from our day today activities. The first step towards managing GHG emissions is to measure them. The methodology adopted for carrying out the study is calculations for energy consumption of manufacturing, Operation Phase of the cement as well as the cooling system, emission from different types of sources like mobile sources, stationary sources, emissions from paper consumption, from waste generation and analysis using a base case and a current case using following formula as per IPCC:

$$\text{Kg CO}_2\text{e} = \text{Activity Data (unit)} \times \text{Emission Factor} \\ \text{[kg GHG/unit]} \times \text{GWP [Co}_2\text{/kg GHG]}$$

## **4 CALCULATION OF CARBON EMISSION**

### **4.1 SOURCES OF EMISSION-SCOPE 1**

Different types of Emission sources for cement industry are listed below:

- Emission of Carbon dioxide from Employees (Workforce Transportation) as temporary and permanent all types of workers/employees/visitors/etc.
- Stationary emissions relate to the combustion of fuels in stationary equipment owned or controlled by the Industry for heating and power and from purchased heat and power.
- Mobility emissions relate to the combustion of fuels in the vehicles owned or controlled by Industry or third party transport for employee business travel and commuting to and from work.
- Paper consumption emissions relate to the emissions released in the production of office paper that is then used by Industry (not paper waste which is accounted for under waste).
- Waste analysis includes all types of waste (Mixed, Organic, Paper, Glass, Plastic, Metals, Woods, etc.) generation, treatment, transportation and disposal activities.
- Company owned vehicle

Table 10. Inventory for waste Analysis

S. No.	Type of waste	Solid Waste (%)	Liquid Waste (%)	Gaseous Waste (%)	Organic Waste (%)	Plastics Waste (%)	Metal Waste (%)	C&D Waste (%)	Agricultural Waste (%)	Biomedical Waste (%)	E - Waste (%)	Total (%)
1.	Canteen waste				83	10	7					100
2.	Packaging waste	75				25						100
3.	Office waste	85				15						100
4.	Broken glass	100										100
5.	Corrugated boxes	100										100
6.	M.S. scrap						100					100
7.	S.S. Scrap	100					100					100
8.	Boiler Ash	100										100
9.	Distillation Residue	100										100
10.	Off specification products	95	5									100
11.	Spent oil/waste/process/residues containing oil etc.		100									100
12.	Carbon/ Hyflow	75	25									100
13.	Discarded containers, Barrels, used for HW chemicals					85	15					100
14.	Electronic Devices										100	100
15.	Medical Services									100		100
16.	Horticulture								100			100
17.	Debris							100				100
18.	Fuel*	30	20	50								100

#### 4.2 CARBON EMISSION MONITORING

Ambient air monitoring has been done with Respirable Dust Sampler and Fine Dust Sampler within in house laboratory facilities. The observations from the monitoring conducted at 4 locations within the premises are summarized below. The ambient results were found well within limit as prescribed under NAAQS, 2009. All the units are in  $\mu\text{g}/\text{m}^3$ .

**Table 11. Ambient Air Quality Monitoring ( $\mu\text{g}/\text{m}^3$ ) In-house FY 2024-25**

Location	Near Railway Gate					Near Work Shop					Near Rack Loading Area					Near Security Gate				
Month	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO
Limits $\mu\text{g}/\text{m}^3$	100	60	80	80	4000	100	60	80	80	4000	100	60	80	80	4000	100	60	80	80	4000
Apr-24	64.2	33.6	5.3	10.3	364.2	69.5	36.7	8.3	13.3	386.1	57.4	32.3	8.4	13.7	368.9	68.4	41.0	10.6	15.8	400.1
May-24	60.1	28.3	4.6	10.0	361.2	67.7	32.7	5.8	13.5	603.0	58.1	29.4	4.4	11.8	359.9	69.2	34.7	8.0	13.8	371.0
Jun-24	58.5	28.8	4.2	9.9	390.4	64.9	35.5	6.3	12.7	373.7	59.3	32.7	6.6	11.5	366.8	69.5	40.5	9.1	15.5	402.9
Jul-24	59.5	30.2	4.4	9.4	354.3	59.7	33.6	4.3	10.8	423.8	51.5	30.8	5.4	10.3	416.8	60.0	38.2	6.6	10.9	444.6
Aug-24	49.3	29.1	5.0	11.0	328.2	53.9	32.1	4.6	11.0	359.5	48.7	28.3	5.5	10.9	372.0	55.9	35.9	6.1	11.3	328.2
Sep-24	63.1	27.8	4.4	11.2	359.5	67.2	30.3	4.8	11.5	382.9	56.0	26.9	5.0	11.0	390.8	70.5	34.8	6.1	12.1	382.9
Oct.- 24	65.5	28.9	5.4	11.8	340.4	69.8	32.2	5.7	12.6	354.3	63.0	30.1	6.1	11.6	354.3	75.0	38.1	7.8	13.2	361.2
Nov.- 24	66.7	30.5	5.3	11.9	347.3	71.9	31.5	5.9	13.6	340.4	65.1	29.9	5.4	11.7	382.1	75.1	35.5	7.7	14.8	368.2
Dec.- 24	65.4	31.5	6.0	12.8	399.0	71.2	33.5	5.9	16.6	334.8	68.4	31.8	6.7	16.5	391.8	76.8	37.5	12.2	23.0	361.2
Jan-25	63.9	32.7	5.3	11.9	337.6	70.1	34.6	7.1	14.8	343.2	66.6	35.1	5.9	13.6	354.3	76.7	40.4	14.3	21.0	377.9
Feb-25	61.4	32.5	5.9	11.8	343.9	69.3	36.2	5.3	14.9	336.1	62.9	30.7	6.0	12.5	357.9	75.3	41.1	14.4	17.8	336.1
Mar-25	62.2	33.2	5.0	12.7	333.5	72.6	36.9	7.7	14.5	355.7	64.5	32.4	8.0	15.3	358.5	79.3	43.8	17.6	23.3	382.1
Average	61.6	30.6	5.1	11.2	355.0	67.3	33.8	6.0	13.3	382.8	60.1	30.9	6.1	12.5	372.8	71.0	38.5	10.0	16.0	376.4
Minimum	49.3	27.8	4.2	9.4	328.2	53.9	30.3	4.3	10.8	334.8	48.7	26.9	4.4	10.3	354.3	55.9	34.7	6.1	10.9	328.2
Maximum	66.7	33.6	6.0	12.8	399.0	72.6	36.9	8.3	16.6	603.0	68.4	35.1	8.4	16.5	416.8	79.3	43.8	17.6	23.3	444.6

**Table 12. Ambient Air Quality ( $\mu\text{g}/\text{m}^3$ ) External Agency FY 2024-25**

S. No	Location		Near Railway Gate				Near Security Gate				Near Rack Loading Area				Near Workshop			
	Parameters	Norms $\mu\text{g}/\text{m}^3$	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
1	PM10	100	64.23	54.50	68.80	67.30	87.11	72.00	70.70	80.40	70.29	50.30	62.20	73.70	79.21	76.70	80.80	63.50
2	PM2.5	60	31.16	29.60	39.90	28.90	47.22	46.10	31.50	36.20	36.10	28.50	34.50	36.20	47.10	32.30	40.20	29.80
3	SO <sub>2</sub>	80	13.37	10.13	10.60	11.02	15.19	10.28	12.30	10.85	11.34	9.88	9.87	10.21	12.24	8.99	13.40	9.72
4	NO <sub>x</sub>	80	19.84	15.96	17.30	16.85	23.18	16.15	19.70	17.02	17.89	14.80	17.30	15.64	20.64	13.40	23.70	14.47
5	CO	4000	600.0	380	780	400	610.0	410	890	430	590.0	400	720	410	640.0	410	920	430

The stack emission data was also collected. The emission from the stack for PM, SO<sub>x</sub> and NO<sub>x</sub> were well within limit as prescribed in consent as per Air Act 1981.

**Table13a. Stack Monitoring Results (mg/Nm<sup>3</sup>) In-house(CEMS) FY 2024-25**

S. No	Unit Name	Unit I						Unit II						Unit III
	Stack Name	Kiln-I			Cooler I	Coal Mill-I	Cement Mill-I	Kiln-II			Cooler II	Cement Mill-II	Coal Mill-II	Cement Mill-II
	Parameters	PM	SO <sub>2</sub>	NO <sub>x</sub>	PM	PM	PM	PM	SO <sub>2</sub>	NO <sub>x</sub>	PM	PM	PM	PM
	Standards (mg/Nm <sup>3</sup> )	30	100	800	30	30	30	30	100	800	30	30	30	30
1.	Apr-24	16.20	22.20	670.00	15.40	13.10	19.10	17.20	27.00	680.00	19.30	15.60	20.00	23.00
2.	May-24	21.50	28.50	630.20	20.75	11.10	14.30	18.90	8.00	680.20	21.20	14.00	13.20	19.30
3.	Jun-24	21.80	20.40	700.20	18.30	12.30	13.80	19.90	11.80	690.20	17.20	14.50	21.50	23.00
4.	Jul-24	20.70	33.30	695.60	23.50	12.40	14.00	19.20	7.45	640.20	17.25	13.60	20.40	24.10
5.	Aug-24	20.10	35.10	680.50	23.20	14.40	14.50	19.70	7.30	620.50	17.20	13.70	20.20	21.20
6.	Sep-24	20.30	3.10	665.20	21.60	18.50	14.10	18.95	12.20	668.56	17.60	14.20	20.90	22.90
7.	Oct- 24	21.00	7.20	640.30	23.00	15.80	14.40	19.20	22.80	668.56	17.40	14.20	21.30	21.10
8.	Nov.- 24	21.50	8.00	740.20	23.80	17.10	9.80	20.20	45.90	620.20	27.80	20.10	10.50	16.40
9.	Dec.- 24	21.20	10.30	630.20	12.90	13.90	18.50	18.00	4.60	500.20	17.20	21.20	13.00	14.40
10.	Jan-25	16.30	8.70	670.20	15.70	13.80	18.20	17.60	4.10	365.20	17.00	15.00	11.00	17.20
11.	Feb-25	16.20	20.60	410.20	16.50	13.85	17.70	19.20	18.90	390.20	21.00	15.90	11.60	14.55
12.	Mar-25	18.30	20.20	620.60	18.00	19.20	17.10	18.00	45.20	353.20	19.10	15.60	13.30	15.30
13.	Average	16.93	16.50	567.00	16.73	15.62	17.67	18.27	22.73	369.53	19.03	15.50	17.89	15.68
14.	Minimum	16.20	8.70	410.20	15.70	13.80	17.10	17.60	4.10	353.20	17.00	15.00	10.50	14.55
15.	Maximum	18.30	20.60	670.20	18.00	19.20	18.20	19.20	45.20	390.20	21.00	15.90	21.30	17.20

The stack emission data was also collected. The emission from the stack for PM, SOx and NOx were well within limit as prescribed in consent as per Air Act 1981.

**Table13b. Stack Monitoring Results (mg/Nm3) In-house(CEMS) FY 2024-25**

S. No	Unit Name	CPP-I			CPP-II			Coal Bunker-II
	Parameters	PM	SO2	NOx	PM	SO2	NOx	PM
	Standards (mg/Nm <sup>3</sup> )	50	600	450	50	600	450	50
1.	Apr-24	33.20	390.20	347.00	26.20	215.20	360.20	18.20
2.	May-24	31.00	348.50	290.20	NR	NR	NR	NR
3.	Jun-24	28.40	346.50	425.20	NR	NR	NR	NR
4.	Jul-24	NR	NR	NR	32.50	270.20	176.20	17.20
5.	Aug-24	NR	NR	NR	42.85	168.20	170.20	12.50
6.	Sep-24	NR	NR	NR	43.9	162.30	320.20	18.50
7.	Oct.- 24	32.00	121.2	233.2	42	169.20	328.50	16.50
8.	Nov.- 24	34.70	320.2	350.2	NR	NR	NR	NR
9.	Dec.- 24	34.55	360.2	268.5	NR	NR	NR	NR
10.	Jan-25	36.5	260.3	240.5	35.6	305.20	216.40	15.20
11.	Feb-25	NR	NR	NR	34.9	320.2	196	14
12.	Mar-25	NR	NR	NR	41.8	288.5	215	17.8
13.	Average	32.91	306.73	307.83	37.18	215.05	261.95	16.35
14.	Minimum	28.40	121.20	233.20	26.20	162.30	170.20	12.50
15.	Maximum	36.50	390.20	425.20	43.90	305.20	360.20	18.50

Table 14a. Stack Monitoring Results (mg/Nm<sup>3</sup>) External Agency FY 2024-25

S. No	Unit Name	Unit I						Unit II						Unit III
	Stack Name	Kiln-I			Cooler I	Coal Mill-I	Cement Mill-I	Kiln-II			Cooler II	Coal Mill-II	Cement Mill-II	Cement Mill-III
	Parameters	PM	SO <sub>2</sub>	NO <sub>x</sub>	PM	PM	PM	PM	SO <sub>2</sub>	NO <sub>x</sub>	PM	PM	PM	PM
	Standards (mg/Nm <sup>3</sup> )	30	100	800	30	30	30	30	100	800	30	30	30	30
1.	Q1	19.12	16.98	617.25	8.75	14.92	10.55	19.05	21.51	653.92	20.03	13.48	19.82	13.76
2.	Q2	24.12	14.57	671.32	23.12	16.82	14.48	19.73	1.79	653.49	16.89	20.79	13.68	22.95
3.	Q3	17	8.3	660.2	16.2	12.6	17.8	17.6	16.3	425.2	17.2	15.69	22.9	12.2
4.	Q4	17.2	7.95	580.2	18.8	15.9	17.5	19.2	51.8	317.2	21.3	17.7	15.1	12.2

Table 14b. Stack Monitoring Results (mg/Nm<sup>3</sup>) External Agency FY 2024-25

S. No	Stack Name	CPP-I			CPP-II		
	Parameters	PM	SO <sub>2</sub>	NO <sub>x</sub>	PM	SO <sub>2</sub>	NO <sub>x</sub>
	Standards (mg/Nm <sup>3</sup> )	50	600	450	50	600	450
1.	Q1	41.58	377.10	276.35	26.2	215.20	360.2
2.	Q2	NR	NR	NR	42.3	242.2	318.2
3.	Q3	37.5	430.5	285.5	NR	NR	NR
4.	Q4	NR	NR	NR	36.4	345.6	250.3

The ambient noise has been monitored at 4 places within viz. Near Workshop, Near Rack Loading, Railway Gate and Near Security Gate. The results were within prescribed limit as per Ambient Noise Rules 2000 under EPA 1986. The results are given in table below-

**Table 15. Ambient Noise In-house FY 2024-25**

Month	Measured Noise Level (All values in dBA)							
	Near Railway Gate		Near Work shop		Near Rack Loading Area		Near Security gate	
	Day	Night	Day	Night	Day	Night	Day	Night
<b>Limits</b>	<b>75.0</b>	<b>70.0</b>	<b>75.0</b>	<b>70.0</b>	<b>75.0</b>	<b>70.0</b>	<b>75.0</b>	<b>70.0</b>
Apr-24	64.2	33.6	33.6	10.3	57.4	32.3	68.4	41.0
May-24	60.1	28.3	28.3	10.0	58.1	29.4	69.2	34.7
Jun-24	58.5	28.8	28.8	9.9	59.3	32.7	69.5	40.5
Jul-24	59.5	30.2	59.5	30.2	51.5	30.8	60.0	38.2
Aug-24	49.3	29.1	49.3	29.1	48.7	28.3	55.9	35.9
Sep-24	63.1	27.8	63.1	27.8	56.0	26.9	70.5	34.8
Oct-24	65.5	28.9	65.5	28.9	63.0	30.1	75.0	38.1
Nov-24	66.7	30.5	66.7	30.5	65.1	29.9	75.1	35.5
Dec-24	65.4	31.5	65.4	31.5	68.4	31.8	76.8	37.5
Jan-25	62.6	53.2	65.5	54.4	65.6	55.6	67.2	56.7
Feb-25	64.3	53.9	65.3	54.5	65.2	54.8	66.7	56.1
Mar-25	63	52.7	65.4	55.1	65.9	55.1	68	56.7
<b>Average</b>	<b>61.8</b>	<b>35.7</b>	<b>54.7</b>	<b>31.0</b>	<b>60.3</b>	<b>36.5</b>	<b>68.5</b>	<b>42.1</b>
<b>Minimum</b>	<b>49.3</b>	<b>27.8</b>	<b>28.3</b>	<b>9.9</b>	<b>48.7</b>	<b>26.9</b>	<b>55.9</b>	<b>34.7</b>
<b>Maximum</b>	<b>66.7</b>	<b>53.9</b>	<b>66.7</b>	<b>55.1</b>	<b>68.4</b>	<b>55.6</b>	<b>76.8</b>	<b>56.7</b>

**Table 16. Ambient Noise External Agency FY 2024-25**

Ambient Noise Monitoring Report (All values in (dB)A)									
Sr. No.	Location	Q1		Q2		Q3		Q4	
		Day	Night	Day	Night	Day	Night	Day	Night
	Limits	75.0	70.0	75.0	70.0	75.0	70.0	75.0	70.0
1	Near Security Gate	60.14	52.96	65.1	53.2	64.3	54.3	61.8	51.4
2	Near Railway Gate	62.23	53.73	65.1	52.6	63.7	53.4	63.9	50.3
3	Near Rack Loading Area	73.76	66.80	65.3	48.3	66.8	49.6	63.7	47.5
4	Near Work Shop	61.32	53.13	64.3	54.3	65.3	53.9	62.2	52.9

#### 4.3 EMISSION FROM MOBILE SOURCES

##### Transportation of Raw Material & Finished products

Carbon footprints through transportation also come into major consideration when whole picture has to be taken care of the reason is the utilization capacity of fuels vary for the carrying of the raw materials and also due to selection of material, distance between extraction and/or manufacturing unit and project site, etc. Furthermore, the project of this size has variation in carbon footprints of the same material, because of availability of the material from the same supplier is uncertain during the whole manufacturing duration. Travelling distance, mode of transportation and type of fuel used for transportation are other major factors associated with carbon emission. The total 365 (24x7) working days has been considered for the production of cement plants. The unit has its mining for limestone and it is being transported using conveyer belt hence no road transportation used for limestone. The water is being used from mine pits using pump house in entire cement plant and residential colony for domestic, irrigation, dust suppression, cooling towers, boilers etc. It is assumed that the raw materials and finished goods are transported by trucks which run on diesel; this is the most common mode of transport and fuel type.

**Table 17. Raw material Transportation details FY 2024-2025**

Material	Source	Mode	Distance	MT (BY ROAD) per annum	tCO2 Generation
<b>Bauxite</b>	Katni,MP	Road	590	78,784.02	1859
<b>Biomass</b>	Morak	Road	40	8699.26	14
<b>Coal open</b>	Varanasi	Road	860	19317.66	665
<b>SECLCOAL</b>	Bilaspur, Chhatisgarh	Road	780	38660.39	1206
<b>CPPCOALKRIS</b>	Krishnashill	Road	1045	46457.31	1942
<b>CPP COALBG9</b>	Bina,UP	Road	1047	49587.85	2077
<b>US COAL</b>	Kandla Port	Road	845	65793.17	2224
<b>Fly ash</b>	Kawai	Road	111	544504.07	7906
	Chhabra, Bara	Road	147		
	Jhalawar	Road	35		
	Kota	Road	70		
<b>GYPSUM</b>	Bharuch	Road	538	104981.44	2259
<b>LATERITE</b>	Shamgarh, MP	Road	85	79851.77	271
<b>REDMUD</b>	Renukoot, UP	Rail	978	3822.31	40
<b>Pet coke</b>	Kandla Port	Rail	852	203333.2	1857
<b>HGLS/Marble khanda</b>	Jodhpur	Road	465	432095.28	33219
	Gagrana, Merta	Road	367		

	Borunda	Road	400		
	Mavli, Udaipur	Road	330		
	Makarana	Road	360		
Slurry waste	Ramganj mandi	Road	15	136912.64	82
<b>Total t CO2e</b>					<b>55,622</b>

**Table 18. Transportation of Finished Goods in FY 2024-25**

Ship-to party Region Desc	Ship to City Code / District Desc	RAIL			ROAD		
		QTY	DISTANCE	tCO2 Generation	QTY	DISTANCE	tCO2 Generation
Delhi	WEST DELHI	79,716	544	465	5,376	170	37
Gujarat	DAHOD	0	0	0	1,037	338	14
Gujarat	SURAT	0	0	0	168	604	4
Gujarat	VADODARA	0	0	0	10,778	452	195
Haryana	BALLABHGARH	0	0	0	245	115	1
Haryana	BHIWANI	0	0	0	5,940	599	142
Haryana	CHARKHI DADRI	0	0	0	405	550	9
Haryana	FARIDABAD	3,670	501	20	25,616	313	321
Haryana	GURGAON	0	0	0	1,124	563	25
Haryana	HISAR	0	0	0	5,985	650	156
Haryana	JHAJJAR	0	0	0	720	573	16
Haryana	MAHENDER GARH	0	0	0	1,440	512	29
Haryana	MEWAT	0	0	0	1,485	135	8
Haryana	PALWAL	0	0	0	160	100	1
Haryana	PANIPAT	0	0	0	5,805	676	157
Haryana	REWARI	0	0	0	45	510	1
Haryana	ROHTAK	0	0	0	3,146	600	76
Haryana	SOHANA	0	0	0	3,014	563	68
Haryana	SONEPAT	0	0	0	11,422	634	290
Madhya Pradesh	ALIRAJPUR	0	0	0	1,679	375	25
Madhya Pradesh	ASHOK NAGAR	0	0	0	13,507	248	134
Madhya Pradesh	BHOPAL	0	0	0	24,096	291	280
Madhya Pradesh	DEWAS	0	0	0	1,425	300	17
Madhya Pradesh	DHAR	0	0	0	9,165	309	113
Madhya Pradesh	GUNA	33,487	249	89	19,140	190	146
Madhya Pradesh	GWALIOR	0	0	0	622	350	9
Madhya Pradesh	HARDA	0	0	0	238	363	3
Madhya Pradesh	HOSHANGABAD	9,667	489	51	0	0	0
Madhya Pradesh	INDORE	65,906	296	209	10,410	264	110
Madhya Pradesh	JHABUA	0	0	0	930	312	12
Madhya Pradesh	KHANDWA	1,381	679	10	126	410	2
Madhya Pradesh	MANDSAUR	0	0	0	46,483	129	240

Madhya Pradesh	MORENA	0	0	0	405	369	6
Madhya Pradesh	NEEMUCH	0	0	0	11,120	157	70
Madhya Pradesh	RAISEN	0	0	0	2,586	365	38
Madhya Pradesh	RAJGARH	0	0	0	39,310	185	291
Madhya Pradesh	RATLAM	7,028	206	16	30,259	198	240
Madhya Pradesh	SAGAR	0	0	0	535	360	8
Madhya Pradesh	SEHORE	0	0	0	6,938	278	77
Madhya Pradesh	SHAJAPUR	0	0	0	28,761	176	202
Madhya Pradesh	SHEOPUR	0	0	0	32,255	207	267
Madhya Pradesh	SHIVPURI	3,746	351	14	17,682	237	167
Madhya Pradesh	UJJAIN	0	0	0	49,222	202	397
Madhya Pradesh	VIDISHA	0	0	0	23,928	287	275
Rajasthan	AJMER	0	0	0	36,306	257	374
Rajasthan	ALWAR	0	0	0	3,653	414	60
Rajasthan	BANSWARA	0	0	0	5,260	306	64
Rajasthan	BARAN	0	0	0	118,057	111	524
Rajasthan	BARMER	0	0	0	1,618	547	35
Rajasthan	BHARATPUR	39,505	355	150	1,051	393	17
Rajasthan	BHILWARA	0	0	0	27,954	222	248
Rajasthan	BIKANER	0	0	0	135	576	3
Rajasthan	BUNDI	0	0	0	59,768	120	287
Rajasthan	CHITTOR GARH	0	0	0	43,166	152	263
Rajasthan	CHURU	0	0	0	5,130	573	118
Rajasthan	DAUSA	0	0	0	2,222	310	28
Rajasthan	DHOLPUR	0	0	0	5,884	398	94
Rajasthan	DUNGARPUR	0	0	0	1,455	323	19
Rajasthan	HANUMANGARH	0	0	0	9,000	703	253
Rajasthan	JAIPUR	0	0	0	68,232	332	905
Rajasthan	JALORE	0	0	0	90	560	2
Rajasthan	JHALAWAR	0	0	0	90,167	79	284
Rajasthan	JHUNJHUNU	0	0	0	2,969	455	54
Rajasthan	JODHPUR	0	0	0	87	501	2
Rajasthan	KAROLI	0	0	0	18,927	320	242
Rajasthan	KOTA	0	0	0	197,995	65	516
Rajasthan	NAGPUR	0	0	0	15,432	403	249
Rajasthan	PALI	0	0	0	1,752	388	27
Rajasthan	PRATAPGARH	0	0	0	10,142	203	82
Rajasthan	RAJSAMAND	0	0	0	19,207	365	281
Rajasthan	SAWAI MADHOPUR	0	0	0	17,768	237	168
Rajasthan	SIKAR	0	0	0	37,128	423	629
Rajasthan	TONK	0	0	0	35,097	224	314
Rajasthan	UDAIPUR	0	0	0	19,026	334	254
Uttar Pradesh	AGRA	256,508	400	1,100	270	102	1
Uttar Pradesh	ALIGARH	183,495	498	980	87,400	20	71
Uttar Pradesh	AMROHA	0	0	0	16,375	128	84

Uttar Pradesh	AYODHYA	986	844	9	0	0	0
Uttar Pradesh	BADAUN	0	0	0	45,485	127	230
Uttar Pradesh	BAGHPAT	0	0	0	2,569	187	19
Uttar Pradesh	BAREILLY	18,740	598	120	26,067	227	237
Uttar Pradesh	BIJNOR	28,459	703	214	52,233	194	405
Uttar Pradesh	BULAND SHAHAR	0	0	0	35,483	83	118
Uttar Pradesh	ETAH	0	0	0	21,468	100	86
Uttar Pradesh	FIROZABAD	0	0	0	2,924	124	15
Uttar Pradesh	GAUTAM BUDDHA NAGAR	0	0	0	31,975	106	136
Uttar Pradesh	GHAZIABAD	199,120	545	1,163	17,809	149	106
Uttar Pradesh	HAPUR	0	0	0	9,137	121	44
Uttar Pradesh	HATHRAS	0	0	0	14,823	54	32
Uttar Pradesh	JHANSI	1,371	520	8	167	331	2
Uttar Pradesh	KANNAUJ	0	0	0	175	211	1
Uttar Pradesh	KANPUR	13,652	650	95	0	0	0
Uttar Pradesh	KASGANJ	0	0	0	14,532	91	53
Uttar Pradesh	LUCKNOW	124,230	725	966	0	0	0
Uttar Pradesh	MAINPURI	0	0	0	6,839	153	42
Uttar Pradesh	MATHURA	133,237	389	556	2,335	84	8
Uttar Pradesh	MEERUT	28,655	585	180	9,083	148	54
Uttar Pradesh	MORADABAD	42,020	641	289	11,501	157	72
Uttar Pradesh	MUZAFFAR NAGAR	96,436	648	670	2,760	217	24
Uttar Pradesh	PILIBHIT	0	0	0	4,520	280	51
Uttar Pradesh	RAMPUR	0	0	0	14,140	190	108
Uttar Pradesh	SAHARANPUR	0	0	0	6,766	283	76
Uttar Pradesh	SAMBHAL	54,486	597	349	32,526	95	123
Uttar Pradesh	SHAHJAHANPUR	10,701	671	77	25	230	0
Uttar Pradesh	SHAMLI	0	0	0	3,010	233	28
Uttar Pradesh	SITAPUR	11,920	792	101	0	0	0
Uttarakhand	CHAMPAWAT	0	0	0	3,526	286	40
Uttarakhand	DEHRADOON	0	0	0	10,325	309	128
Uttarakhand	HARDWAR	17,943	851	164	7,202	252	73
Uttarakhand	NAINITAL	0	0	0	8,021	230	74
Uttarakhand	PAURI GARHWAL	0	0	0	420	260	4
Uttarakhand	UDHAM SINGH NAGAR	0	0	0	11,126	208	93
<b>tCO2</b>		<b>8,063</b>			<b>13,713</b>		
<b>Total tCO2</b>		<b>21,776</b>					

**Table 19. Diesel Consumption (FY 2024-25)**

S.No.	Particulars	Diesel Issued	Diesel (KL)
1.	Diesel Consumption –Security Department (Hired Vehicles)	Outside	18.69
2.	Diesel Consumption –Commercial Department	Outside	4.49
3.	Diesel Consumption –Ambulance	Outside	4.16
6.	Laboratory	Outside	2.98
7.	Plant and Machinery, Mechanical, Civil & Horticulture	MCL Store	134.91
<b>Total Consumption</b>			<b>165.23</b>

Total Diesel (KL)		tCO2e
Diesel	165	436.00

#### 4.4 EMISSION FROM TRANSPORTATION OF WORKFORCE

Development of industrial work can lead to increased greenhouse gas (GHG) pollution caused by the resulting growth in vehicular traffic, energy use, and other activities. This unit seeks to identify a workplace's impact on global climate change through its emissions of greenhouse gases (GHGs), notably carbon dioxide (CO<sub>2</sub>), the most common such gas. GHG pollution and local air pollution threaten to undermine development with the increasing evidence of their adverse environment and health impacts. Transportation is the fastest growing major contributor to global climate change, accounting for 23% of energy-related carbon dioxide (CO<sub>2</sub>) emissions.

**Table 20. Carbon Footprint from Workforce Transportation within premises (FY 2024-25)**

Mode of Transportation	Fuel	No. of Vehicles	Travelling Distance/ Day(km)	Travelling Distance/ Annum(km)	tCO2e
Two wheeler (Aprox.)	Petrol	600	2.0	36000	68.15
Four wheeler (Aprox.)	Petrol	25	2.0	15000	2.83
Four wheeler (Aprox.)	Diesel	35	2.0	21000	3.70
<b>Total</b>		<b>660</b>	<b>-</b>	<b>396000</b>	<b>74.69</b>

The carbon emission from transportation for raw material, finished goods, workforce and other transportation is **55622.0** tons; **21,776.0** tons, **74.69** tons and **436.0** tons respectively. Total Carbon emission from mobile sources is **77908.69** tCO<sub>2</sub>e for **FY 2024-25**.

#### 4.5 EMISSION FROM STATIONARY SOURCES

Different fuels emit different amounts of carbon dioxide (CO<sub>2</sub>) in relation to the energy they produce when burned. The amount of CO<sub>2</sub> produced when a fuel is burned is a function of the carbon content of the fuel. The heat content, or the amount of energy produced when a fuel is burned, is mainly determined by the carbon (C) and hydrogen (H) content of the fuel. Heat is produced when C and H combine with oxygen (O) during combustion. Natural gas is primarily methane (CH<sub>4</sub>), which has higher energy content relative to other fuels, and thus, it has a relatively lower CO<sub>2</sub>-to-energy content. Water and various elements, such as sulfur and noncombustible elements in some fuels, reduce their heating values and increase their CO<sub>2</sub>-to-heat contents.

**Table 21. Carbon Foot print from Stationary Sources (FY 2024-25)**

S. No.	Type of Fuel	Quantity (TPA)	tCO <sub>2</sub> e
1.	Coal	85056	153951.36
2.	Pet-coke	184397.376	584539.682
3.	Petrol	1.42 KL	3.22
<b>Total</b>			<b>738494.26</b>

#### 4.6 EMISSION FROM PAPER CONSUMPTION

The average weight of A4 plain paper is 4.9896 g while registers/note pad etc. has variable weight ranges from 100-500 g. The average weight of total paper consumed within unit is **52,844.32** Kgs.

**Table 22. Carbon Footprint from Paper Consumption (FY 2024-25)**

S.No.	Category	Weight (kg)	Emissions (tCO <sub>2</sub> e)
1	All Types of Papers	52,844.32	73.98
<b>Total tCO<sub>2</sub>e</b>			<b>73.98</b>

#### 4.7 EMISSION FROM WASTE GENERATION

**Table 23. Carbon Footprint from Waste Generation (FY 2024-25)**

S. No.	Source	Quantity (Per Annum)	Remarks
1	Biomedical waste	45.6 Kg	-
2	E-waste	3100 kg	-
3	Used oil	11000 Ltr	-
3	Agro-Waste	9113.150 MT	Emission reduction

#### 4.8 EMISSION FROM CEMENT PRODUCTION

The cement production includes the raw material from various sources, preparation, mixing in a required ratio, mixing to kiln, clinkerization, grinding, storing in silo, packaging, etc. The emission from Cement production is given below-

**Table 24. Carbon emission from Cement production (FY 2024-25)**

S. No.	Total Cement production (TPA)	Clinker to Cement Ratio (%)	Ton of Raw Material per Ton of Clinker	CaCO <sub>3</sub> Equivalent Raw Material Ratio (%)	CO <sub>2</sub> to CaCO <sub>3</sub> Stoichiometric Ratio	Annual tCO <sub>2</sub> e
1	2948260.1	0.73	1.48	0.77	0.44	1079180

#### 4.9 EMISSION FROM POWER CONSUMPTION (SCOPE 2)

**Table 25. Carbon Emission from Power Consumption (FY 2024-25)**

S. No.	Source	Quantity (Gross KWH)	tCO <sub>2</sub> e
1.	Ele. Board	34108780	27969.1996
2.	Wind PP	11660162	Emission reduction
3.	CPP	136048000	Included in scope 1
4.	WHR	66336493	Emission reduction
5.	D.G	291	Included in scope 1
<b>Total</b>			<b>27969.20</b>

4.10 NET CARBON EMISSION

Table 26. Net Carbon Emission of FY 2024-25

Emission Area	tCO2e23-24	tCO2e24-25
<b>Scope 1</b>		
Stationary Sources	780647.4	738494.26
Paper Consumption	84320	73.98
Production Process	1135982.33	1079180
<b>Total Scope 1</b>	<b>2000949.73</b>	<b>1817748.24</b>
<b>Scope 2</b>		
Electricity Purchased	37388.9069	27969.2
<b>Total Scope 2</b>	<b>37388.9069</b>	<b>27969.2</b>
<b>Scope 3</b>		
Mobile Sources	212.75735	77908.69
<b>Total Scope 3</b>	<b>212.75735</b>	<b>77908.69</b>
<b>Total Scope 1+2+3</b>	<b>2038551.394</b>	<b>1923626.13</b>
<b>Emission reduction</b>		
WHRB	59153.2543	54395.92
Wind (WTG)	11988.60977	9561.33
Plantation (KG)	4155927.32	4700235
Plantation (Ton)	4155.92732	4700.235
Total emission reduction (Kg)	<b>4227069.184</b>	<b>4764192.25</b>
Total emission reduction (Ton)	<b>75297.79139</b>	<b>68657.485</b>
<b>Net Emission (Kg CO2e)</b>	<b>-2188518</b>	<b>-2840566</b>
<b>Net Emission (Ton CO2e)</b>	<b>1963254</b>	<b>1854969</b>

## 5 MITIGATION MEASURES

### 5.1 CARBON SEQUESTRATION FOR MITIGATION MEASURE TO REDUCE CARBON EMISSION.

It is a natural or artificial process by which carbon dioxide is removed from the atmosphere and held in solid or liquid form. Industries are following the mitigation measure to reduce the carbon emission. The increase in greenhouse gases, particularly carbon dioxide, into the atmosphere is considered to be one of the main causes of global warming. Human activity is releasing vast amounts of carbon dioxide, principally through the burning of fossil fuels to power industry, transport, heating etc. Land-use changes such as the unsustainable exploitation and destruction of tropical forests are also having an impact.

Forests are capable of effective sequestration and storage of atmospheric carbon in above- ground and below-ground biomass by way of processes of photosynthesis and tree growth. Carbon is absorbed and assimilated by tree foliage and is stored as carbon-rich organic compounds such as cellulose and hemicelluloses, lignin, starch, lipid and waxes, mostly in secondary woody tissues in tree boles and in large roots, as well as in foliage, branches and fine roots.

Sustainable forestry is positively contributing to the carbon sequestration and is an important management tool in combating climate change. International agreements to regulate carbon emissions such as the Kyoto Protocol recognize the importance of forests as carbon sinks. The area of forest this is taken into account when deriving national targets for allowable emissions.

The project proposes to opt for various active and passive carbon sequestering measures. The major factor being the plantation of the site that will supplement the carbon sequestration to the Maximum level. The site retains the entire old and existing plantation. The trees that will fall in the designed area will be replanted on site and the ecosystem of the site is retained to enhance the local biodiversity. The plant list is carefully chosen to include the major sequesters species. The overall landscape proposition supports the carbon curb and gets the impact to approximate neutral.

Additional measures like roof painting to reject heat, lime paints, etc. will also be opted for in the project as per the design recommendations. Carbon capture, use, and storage technologies can capture more than 90% of carbon dioxide (CO<sub>2</sub>) emissions from power plants and industrial facilities. Captured carbon dioxide can be put to productive use in enhanced oil recovery and the manufacture of fuels, building materials, and more, or be stored in underground geologic formations. Almost two dozen commercial-scale carbon capture projects are operating around the world with 22 more in development. Carbon capture can achieve 14% of the global greenhouse gas emissions reduction is needed by 2050 and is viewed as the only practical way to achieve deep decarbonization in the industrial sector.

## 5.2 AIR POLLUTION CONTROL SYSTEM

ESP, Bag house (pulse jet bag filters) has been installed as the Air Pollution Control Equipment to control the particulate matter at source. ESP work on 99.9% efficiency. Therefore, only 0.1% of carbon emissions are released to the atmosphere.

## 5.3 CARBON SEQUESTRATION THROUGH TREES






Carbon sequestration generally refers to the long-term storage of carbon in plants, soils, geologic formations, and the oceans. Therefore, it is suggested to plant trees to sequester 100% carbon emissions from stationary fuel and at least 33% under all other heads. This accounts for growing trees to sequester at least **4700.24 tCO<sub>2</sub>e**.

**Green Belt Development** - Total plant area is 167 Hectare out of which 57.85 Hectare Green area covered and **133429** nos. of plants planted with 70% survival rate along with 34.64% green area till FY 2024-25. We have planted different type of species for dense plantation like as Amaltas, Arjun, Gulmohar, Casia Samiya, Karanj, Palas, Sheesham, Amrood, Amla, Banyan, Imli, Kachnar, Kadam, Pipal, Peltroforam, Sahjan, Semal, Sheesham, Nimbu, Rudraksh, Neem, Kanjee, Kaner etc.

**Green Belt Development Outside Plant Area-** Under the "Mission Haryalo Rajasthan," green belt development was carried out outside the plant area. During FY 2022-23, 10,000 saplings were planted, and in FY 2023-24, an additional 20,000 saplings were planted to enhance environmental sustainability. We have planted different type of species for dense plantation like as Amaltas, Arjun, Gulmohar, Casia Samiya, Karanj, Palas, Sheesham, Banyan, Kachnar, Kadam, Pipal, Sahjan, Semal, Sheesham, Neem, Kanjee, Kaner etc.

**Table 27. Plantation Details till (FY 2024-25)**

PLANTATION DETAILS - TILL FY 2024-25 (UPTO 31.03.2025)				
Sr.	Details - Bench Mark = 55.11 (33%)	Units	Details	Plants Species
1	Total Plant Area	(Ha.)	167.00	Amaltas, Arjun, Gulmohar, Casia Samiya, Karanj, Palas, Sheesham, Amrood, Amla, Banyan, Imli, Kachnar, Kadam, Pipal, Peltroforam, Sahjan, Semal, Sheesham, Nimbu, Rudraksh etc.
2	Total Plantation till FY	Nos.	<b>133429</b>	
3	Total Survived Plants till FY	<b>Nos.</b>	<b>93400</b>	
4	Total Survived Rate till FY	%	70.00	
5	Total Green Area Covered	<b>Ha.</b>	<b>57.85</b>	
6	Total Green Area Covered	%	<b>34.64</b>	



**Figure 9. Photographs of Green vegetation developed by M/s Mangalam Cement Ltd**

Method for Calculating Carbon Sequestration by Trees in Urban and Suburban Settings by U.S. Department of Energy Information Administration has been used in this report.

**Table 28. Carbon Sequestration by Green Belt (FY 2024-25)**

S. No.	Year of Plantation	No. of tree/plants	Average Age (Years)	Carbon Sequestration (Kg CO2e)/Annum	Carbon Sequestration (t CO2e)/Annum
1	2008-2009	20000	16	800000.00	800.00
2	2009-2010	22000	15	880000.00	880.00
3	2010-2011	16000	14	640000.00	640.00
4	2011-2012	18000	13	720000.00	720.00
5	2012-2013	10700	12	428000.00	428.00
6	2013-2014	16607	11	498210.00	498.21
7	2014-2015	10238	10	307140.00	307.14
8	2015-2016	3788	9	94700.00	94.70
9	2016-2017	4044	8	101100.00	101.10
10	2017-2018	3923	7	98075.00	98.08
11	2018-2019	2231	6	44620.00	44.62
12	2019-2020	3153	5	63060.00	63.06
13	2020-2021	470	4	7050.00	7.05
14	2021-2022	510	3	7650.00	7.65
15	2022-2023	496	2	4960.00	4.96
16	2023-2024	567	1	5670.00	5.67
17	2024-2025	702	0	0.00	0
<b>Total</b>		<b>133429</b>	<b>-</b>	<b>4700235</b>	<b>4700.24</b>

By following the green belt and existing tree at site, total **4700.24** tons of CO2e has been sequestered for the **FY 2024-25**. The further plantation should be considered on the basis of survival rate of the species and only local species should be planted form ore survival. It is also suggested to provide adequate air pollution control measures Fly-ash/process dust collection at every point and should be used within premises to reduce the carbon footprint.

#### 5.4 OTHER SUSTAINBLE MEASURE TO REDUCE THE CARBON EMISSION

Mangalam Cement Limited is committed to adopt sustainable practices as a socially and environmentally responsible company. Company, in its operations, has deployed best-in-class technology and processes which optimally utilize resources and leave minimal footprints. Further, the Company has tried to optimize the best utilization from its renewable energy sources such as its wind turbines, Waste Heat Recovery (WHR) based power plant.

##### Wind Energy

Mangalam Cement Limited has successfully commissioned 13 Wind Turbine Generator (WTG) at four villages of Jaisalmer district (Rajasthan), the details as hereunder:

**Table 29. WTG (Wind Turbine Generator) Installation by M/s Mangalam Cement Ltd.**

S. No.	Location	WTG Nos. & Capacity (MW)			Year of Commissioning
		Nos.	(KW)	(MW)	
1	Village- Chicha & Sirwa, Jaisalmer	6 X 1250 KW	7500	7.50 MW	2010
2	Village - Sadiya, Jaisalmer	1 X 600 KW	600	0.60 MW	2007
	Village - Sadiya, Jaisalmer	3 X 600 KW	1800	1.80 MW	2007
3	Village - Gorera, Jaisalmer	3 X 1250 KW	3750	3.75 MW	2008
<b>Total</b>		<b>13 Nos.</b>	<b>13650 KW</b>	<b>13.65 MW</b>	<b>--</b>

Mangalam Cement Limited operates wind turbines of an aggregate capacity of 13.65 MW at Jaisalmer, Rajasthan; reducing an equivalent of **9561.33** of tCO<sub>2</sub>e emissions during the FY 2024-25 by replacing fossil fuel-based grid power with renewable wind energy based green power.



**Figure10.Wind Mill (WTG)**

### Waste Heat Recovery Systems

The Company has commissioned 11 MW Waste Heat Recovery (WHR) based Power Plant to capture waste heat of kilns to utilize the same for power generation and resultantly save fossil fuels & reduce carbon foot-print hand on hand.




Figure11. WHR at Mangalam Cement Ltd.

Table 30.GHG Reduction from Renewal Energy Sources

Particular	Net Generation	Unit	tCO <sub>2</sub> e Reduction
Wind Mills	11660162	kWh	9561.33
Waste Heat Recovery	66336493	kWh	54395.92
Carbon Sequestration through Greenbelt	-	-	4700.24
<b>Total</b>			<b>68657.485</b>

## 6 CONCLUSION

Mangalam cement has implemented GHG Management System as per the requirements specified under ISO 14064-I: 2006, aiming at managing relevance, completeness, consistency, transparency and accuracy of GHG inventory of the organization.

FY 2023-24	FY 2024-25
<p>Total Emission at Mangalam Cement by all scopes for FY 2024-25= <b>2038551.394 tCO<sub>2</sub>e</b></p> <p>Avoided Emission= <b>4227069.184 KgCO<sub>2</sub></b> per year.</p> <p><b>Net Emission (FY2023-24) = -2188517.789 KgCO<sub>2</sub>e</b></p>	<p>Total Emission at Mangalam Cement by all scopes for FY 2024-25= <b>1923626.13 tCO<sub>2</sub>e</b></p> <p>Avoided Emission= <b>4764192.25 KgCO<sub>2</sub></b> per year.</p> <p><b>Net Emission (FY2024-25) = -2840566.12 KgCO<sub>2</sub>e</b></p>
<p>Total Emission at Mangalam Cement by all scopes for FY 2024-25= <b>2038551.394 tCO<sub>2</sub>e</b></p> <p>Avoided Emission= <b>75297.791 tCO<sub>2</sub></b> per year.</p> <p><b>Net Emission (FY2024-25) = 1963253.602 tCO<sub>2</sub>e</b></p>	<p>Total Emission at Mangalam Cement by all scopes for FY 2024-25= <b>1923626.13 tCO<sub>2</sub>e</b></p> <p>Avoided Emission= <b>68657.485 tCO<sub>2</sub></b> per year.</p> <p><b>Net Emission (FY2024-25) = 1854968.645 tCO<sub>2</sub>e</b></p>


Furthermore, it can be confirmed, that the calculation was developed according to the relevant International Standard for the quantitative analysis, monitoring and reporting of greenhouse gases and meets the requirements of the ISO14064-1 standard as well as of the GHG Protocol, which is the basis of the calculation.

### Contact Person Information

Contact Person: Sh. Pushpendra Choudhary  
 Designation: Head Environment  
 Address: Mangalam Cement Limited,  
 P.O. Aditya Nagar, Village: Morak,  
 District: Kota-326520  
 Rajasthan, INDIA  
 Phone No. +91 - 8755050039  
 Email: [env@mangalamcement.com](mailto:env@mangalamcement.com)  
[pushpendra.choudhary@mangalamcement.com](mailto:pushpendra.choudhary@mangalamcement.com)

\*\*\*\*\*

**VIBRANT TECHNO LAB PVT. LTD.**  
**(NABET/EIA/2225/IA 0104)**  
**Q-39, Shringarpura, Narayan Vihar Q, Ajmer**  
**Road, Jaipur Rajasthan 302020**  
**CONTACT NO.- 9929108691,9810205356**  
**E-MAIL: [vibranttechnolab@gmail.com](mailto:vibranttechnolab@gmail.com)**  
**[project@vibranttechnolab.com](mailto:project@vibranttechnolab.com)**



**VIBRANT**