

MANGALAM CEMENT LTD.



Regd. A/D

MCL/AGU-138/2023-2024

E-mail: rocz.lko-mef@nic.in

Dt. 20.11.2023

Deputy Director General of Forest (C)
Ministry of Environment & Forest and Climate Change
Integrated Regional Office (C Z)
Kendriya Bhawan, 5th Floor
Sector "H" Aliganj
LUCKNOW -226024 (U.P.)

Sub. Six Monthly Compliance Report for the period April-2023 to Sep-2023 for Environmental Clearance to Cement Grinding Unit Capacity 1.25, MTPA OPC and 1.99 MTPA PPC and DG based Power Plant (5.4 MW X 2) of Mangalam Cement Limited, at Plot No: K-1,CDF Complex, Anoop Shahar Road, Chherat Goan, Aligarh (Uttar Pradesh).

Ref.:- 997/Parya/SEAC/1134/2013/OSD(T) dt. 07.08.2014.

Dear Sir,

We would like to submit here with the six monthly compliance report of Environmental Clearance Issued by SEIAA, Uttar Pradesh vide letter no.997/Parya/SEAC/1134/2013/OSD (T) dt. 07.08.2014 for Cement Grinding Unit Capacity 1.25, MTPA OPC and 1.99 MTPA PPC and DG based Power Plant (5.4 MW X 2) to M/s Mangalam Cement Limited, situated at Plot No: K-1, CDF Complex, Anoop Shahar Road, Chherat Gaon, Aligarh (U.P.) along with monitoring data. Submitted for your kind information & records please.

Thanking you.

Yours faithfully
For Aligarh Grinding Unit
M/s Mangalam Cement Limited

Authorized Signatory



CC-to:

Member Secretary, Uttar Pradesh Pollution Control Board, Building. No. TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh 226010,

Regional Directorate, Lucknow; CPCB, Zonal Office (North) PICUP Bhawan Vibhuti Khand, Gomti Nagar Lucknow -226010,

: Regional officer, UP State Pollution Control Board , Regional Office J-1, Gyan Sarovar Colony, Ramghat Road, Aligarh (UP)

Aligarh Grinding Unit Central Marketing Office

K-1, CDF Complex, Anoop Shahar Road, Chherat Gaon, Aligarh - 202122 (U.P.)

Central Marketing Office 2nd Floor, Geejgarh Tower, Hawa Sadak, Jaipur-302006 (Raj.)

Regd. Office & Works P.O.-Aditya Nagar, Morak, Distt. Kota-326520 (Raj.)

Tel 07459-232812, Fax : 07459-232156, Email: marketing@mangalamcement.com

CIN : L26943RJ1976PLC001705 GSTIN : 09AABCM6602Q1Z2

Website: www.mangalamcement.com

E-mail : aligarhgrinding@mangalamcement.com

M/s Mangalam Cement Limited Clinker Grinding Unit Aligarh

ENVIRONMENT CLEARANCE COMPLIANCE REPORT

Unit MTP. (5.4)	e of the Project :- Cement Grinding Capacity 1.25 MTPA OPC and 1.99 A PPC and DG based Power Plant MW X.2)	Project Code :-
Clear	rance Letter No.: - 997/Parya/SEAC/1	134/2013/OSD (T) dt. 07.08.2014
Mont	th of Compliance Report :- April 2023	To September 2023
S.No.	EC Conditions	Compliance Report
Gene	ral Conditions	
1.	The project authorities must strictly adhere to the stipulation made by the Uttar Pradesh State Pollution Control Board and the State Government.	State Government.
2.	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA. UP.	change in existing plant, the separate permission will
3.	The gaseous emission from various process-units shall conform to the	We are following prescribed Standards.
	load/ mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The State Pollution Control Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location.	
4.	At least four ambient air quality monitoring stations should be established in the relevant directions as well as where maximum ground level concentration of PM2.5, SO2 and NOX are anticipated in consultation with the SPCB, Data on ambient air quality and stack emission shall be regularly submitted to UPPCB/ CPCB and Regional Office, of MoEF at Lucknow once in six months.	Monitoring stations has been installed at the periphery of our factory premises for the monitoring of ambient air quality. The locations of these stations decided after consultation with RO Aligarh. Ambient air quality monitoring report and Stack emission monitoring report are enclosed as Annexure – I & II and the same has been submitted to Regional office, MoEF & CC at Lucknow and UPPCB, CPCB once in six months regularly.

5.	Industrial waste water shall be	It is a zero liquid discharge based plant.
	properly collected, treated so as to	
	conform to the standards prescribed	, I
	under GSR 422 (E) dated 19th May,	
	1993 and 31st December, 1993 or as	
	amended form time to time. The	
	treated waste water shall be utilized	
32	for plantation purpose.	
6.	The overall noise levels in and around	Ambient noise level in and around the plant area is
	the plant area shall be kept well	being checked and reports are attached as Annexure -
	within the standards (85 dBA) by	III.
	providing noise control measures	III.
	including acoustic hoods, silencers,	
	1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	enclosures etc. on all sources of noise	
	generation. The ambient noise levels	
	shall conform to the standards	F
	prescribed under EPA Rules, 1989 viz	
	75 dBA (daytime) and 70 dBA (night	
	times).	
7.	Occupational health surveillance of	Occupational health checkup of the workers is being
	the workers should be done on a	done on regular basis as per the factories act & record
	regular basis and records maintained	to kept. Personal Air quality monitoring reports are
	as per the Factories Act.	attached as Annexure-VII.
8.	The company shall develop surface	Rain water harvesting structure has been developed
	water harvesting structures to	for roof top only. Surface rain water harvesting is not
	harvest the rain water for utilization	feasible in cement grinding unit. Details are enclosed
	in the lean season besides recharging	herewith in Annexure-VIII
	the ground water table.	
9.	The project proponent shall also	Earmarked capital for environmental management
	comply with all the environmental	will be used exclusively for its implementations as
	protection measures and safeguards	mentioned in EIA / EMP reports. We shall be
	recommended in the EIA/ EMP	implemented this condition as per Enterprise Social
		Commitment scheme. Details are enclosed herewith
	undertake socioeconomic	in Annexure-VI
	development activities in the	
J .	surrounding villages like community	
	development programmes,	
	educational programmes, drinking	
	water supply and health care etc.	
10	As proposed, budget shall be	We agree the condition and complying.
10.	earmarked towards capital cost and	We agree the condition and complying. Environmental expenditure incurred during the
	recurring cost/ annum for	period from April -23 to September 2023 for
1	environment pollution control	environment protection measures is given below.
	measures to implement the	Mangalam Cement Ltd
	conditions stipulated by the Ministry	Prangulari Gerrene Hiti
	of Environment and Forests as well as	
	the State Government. An	
	implementation schedule for	
14.	implementing all the conditions	Details are enclosed herewith in Annexure-IX
	stipulated herein shall be submitted	
	to the Regional Office of MoEF at	

	Lucknow. The funds so provided shall not be diverted for any other purpose.		ronmental expenditure i d from April – 2023 to Se environment protectio	eptember - 2023 for
		S. No.	Department	Total Cost (In Rs.)
		1.	Total Expenditures	4,620,185.00
12.	sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF at Lucknow, CPCB and UPPCB. The criteria pollutant levels namely: PM10, PM2.5, SO2, NOX (ambient level as well as stack emissions) for the projects shall be monitored and displayed at convenient locations near the main gate of the company in the public domain. The project proponent shall also	We are usincluding time and MOEF&C is being domain.	put the clearance letter	C compliance report our website time to send to the RC CPCB. Measured data any gate in publi
14.	submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by email) to the Regional Office of MoEF, CPCB and UPPCB. The Regional office of MoEF at Lucknow/CPCB/SPCB shall monitor the stipulated conditions. The environmental statement for each financial year ending 31st March in form-V as is mandated to be submitted by the project proponent	Environm monitored year in ha MOEF&CO	ental Conditions included as well as soft copy at Lucknow, UPPCB and on company's websivide our letter no. MCL on dt. 06.09.2023.	uding results of the and 1st Dec every to Regional office CPCB. g submitted every d same is being the Latest report

-		7
	1986 as amended subsequently, shall also be put on the websites of the company along with the status of compliance of environmental conditions and shall also be sent to the Regional office of the MoEF at Lucknow.	
, 15.	The project proponent shall inform the public that the project has been accorded Environmental Clearance by the SEIAAUP and copies of the clearance letter are available with the SPCB and may also be seen at website of the SEIAAUP at seiaaup.com. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Lucknow.	We had advertised information of Environmental clearance letter in two local newspapers in local language of the locality concerned and same copy sent to the UPPCB and the Regional office of MOEF&CC at Lucknow vide our letter no. MCL/AGU-37/2013-14/10553 dated 20.08.2014.
16.	Project authorities shall inform the Regional Office of MoEF, Lucknow as well as the SEIAA the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	We agree the condition & the data of financial closure and final approval of the project shall be informed to Regional Office as well as to the Ministry.
	Specific Conditions	
1.	Continuous Ambient Air Quality Monitoring Station to monitor the concerned parameters shall be installed in the predominant wind direction immediately after the plant is in operation.	We shall be installed continuous Ambient Air Quality Monitoring Station to monitor the concerned parameters.
. 2.	Particulate emissions shall be controlled within 50 mg/Nm3 by installing adequate air pollution control system viz. Bag filters and stacks of adequate height etc. Data on ambient air, fugitive and stack emission shall be submitted to the MoEF Regional Office at Lucknow, SPCB and CPCB regularly.	We have installed adequate air pollution control system like Bag filters and stack of adequate height. Data on ambient air, fugitive and stack emission is being regularly submitted to the Regional Office, MoEF&CC, Lucknow, UPPCB & CPCB. Copy attached as Annexure-I, II, & IV.
3.	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16 th November, 2009 should be followed.	We are strictly following National Ambient Air Quality Standard issued by Ministry of Environmental Forest & Climate Change.

Gaseous emission levels including We are following guidelines / code of practice issued secondary fugitive emission from all by the CPCB. Fugitive emission report is attached as the sources shall be controlled within Annexure-IV. the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/ code of practice issued by the CPCB should be followed. 5. The company shall install adequate We have installed Bag filters at all transfer point's, dust collection and extraction system raw material handling for control fugitive dust to control fugitive dust emissions at emissions and regularly spraying water at plant various transfer points, raw meal roads, hoppers and raw material storage areas for (unloading, handling conveying, control fugitive emission by vehicular movements. All transporting, stacking), vehicular raw material storage and belt conveyors have been movement, bagging and packing covered by GI sheets. Cement is stored in silos. Fly ash areas etc. All the raw material stock has been stored in silos and pneumatic system is piles should be covered. A closed available for fly ash handling. clinker stockpiles system shall be provided. Conveyers should be covered with GI sheets. Covered sheds for storage of raw materials and fully covered conveyers for transportation of materials shall be provided besides cement, fly ash and clinker shall be stored in silos. Pneumatic system shall be used for fly ash handling. Asphalting/ concreting of roads and Asphalting/ concreting roads and floors have been . 6. provided in the plant to improve the ambient air water spray all around the stockyard and loading/ unloading areas in the quality. cement plant shall be carried out to control fugitive emissions. Regular We are strictly complied with the ambient air quality parameters conform to the norms prescribed by the after sprinkling shall be carried out in critical areas prone to air pollutions Central Pollution Control Board in this regard. and having high levels of PM such as haul road, loading and unloading points, transfer points and other vulnerable areas. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. All raw materials have been stored in covered yard Efforts shall be made to reduce . 7. and Silo. Fly ash is being transported from other impact of the transport of the raw places in the closed containers. Water spray system is materials and end products on the being available to control vehicular emissions. surrounding environment including All the raw agricultural land. materials including fly ash should be

transported in the closed containers only and should not be overloaded.

Vehicular emissions regularly monitored.

should be

	8.	Total ground water requirement for the cement plant shall not exceed	We are not exceeding water consumption with consented quantity. Permission for ground water
		170/day and necessary permission	withdrawal from SGWD has been taken. It is a zero
		for the drawl of water shall be	liquid discharge based plant.
		obtained from the Competent	inquita and an
		Authority. All the treated wastewater	
		should be recycled and reused in the	
		process and / or for dust suppression	
		and green belt development and	į.
		other plant related activities etc. No	
		process wastewater shall be	
		discharged outside the factory	
		premises and "zero" discharge should	
		be adopted.	
	. 9.	Rain water harvesting measures shall	We are using rain water harvesting system in
		be adopted. The company must also	artificial ground water recharge.
		harvest the rain water from the roof	
		tops and storm water drains to	,
		recharge the ground water and use	
_		the same water for the various	
		activities of the project to conserve	*
		fresh water.	
	10.	All the bag filter dust, raw meal dust,	We are following guideline given by Pollution Control
		clinker dust and cement dust from	Board. All bag filters dust have been totally recycled
		pollution devices should be recycled	and reused in the plant process.
		and reused in the process used for	
		cement manufacturing. Spent oil and	
		batteries should be sold to authorized	
		recyclers/re-processors only.	ar the grant of the second of
	. 11.	Green belt shall be developed in at	We are developing 33 % green belt area in & around
		least 33% of project area in and	of our cement plant, as per the CPCB guidelines.
		around the cement plant as per the	List of trees planted within premises are attached as
		CPCB guidelines to mitigate the	Annexure-V.
		effects of air emissions in	
		consultation with local DFO. Layout	
		plan showing greenbelt should be	
		submitted within three month. Green	
		belt shall be distributed uniformly all	
		around the main plant particularly in	,
		the predominant wind direction.	Yes a large state of the state
	12.	The company shall provide housing	We agreed the condition. Now the plant is in
		for construction labour within the	operation phase. All the construction work has been
		site with all necessary infrastructure	completed.
		and facilities such as fuel for cooking,	
.		mobile, toilets, safe drinking water,	
	98)	medical health care, crèche etc. The	
		housing may be in the form of	
		temporary structures and to be	*
		removed after the completion of the	
	12	project. All the recommendations made in the	We are following all the recommendations made in
1	13.	All the recommendations made in the	we are following all the recommendations made in

		Chapter on Code and D. 1111	
		Chapter on Corporate Responsibility	1 do porace nesponsibility
		for Environment Protection (CREP)	Environment Protection (CREP) for the coment
	*	for the cement plants shall be	plants.
		implemented.	
	14.	Environmental Corporate	We agree the condition; we shall be following ECR
		Responsibility (ECR) plan along with	o shan be following L(,)
		budgetary provision amounting to	plan. CSR expenditure is attached as Annexure-VI
		20% of total profit shall be and its	
		2% of total profit shall be submitted	,
		(with in the month) on need base	
		assessment study in the study area.	
1		Income generating measures which	
		can help in upliftment of weaker	•
		section of society consistent with the	*
		traditional skills of the people	
		identified. The programme can	
į		1 0	
		include activities such as old age	
1		homes, rain water harvesting	
1		provisions in nearby areas,	
		development of fodder farm, fruit	7 8 8
		bearing orchards, vocational training	
		etc. In addition, vocational training	
		for individuals shall be imparted so	
		that poor section of society can take	
		up self-employment and jobs.	
		Separate budget for community	90 T T 2 T
		development activities development	
-		development activities and income	
		generating programmers shall be	
-		specified.	
1	15.	Post project monitoring for air, water	We are following CPCB guidelines.
		(surface+ ground), stack noise of D.G.	
ŀ		sets, STP to be carried out as CPCB	
		Guidelines. Walls of appropriate	a d
		heights shall be provided in the raw	
		material and the product handling	
		sections.	
1	10		
	16.	Corporate Responsibility for	We shall be following all the recommendations made
		Environmental Protection (CREP)	in the Chapter on Corporate Responsibility for
		guidelines for cement industries	Environment Protection (CREP) for the cement
L		should be followed.	plants.
	17.	All storm water drain and conveyor	We agree the condition, we shall be covered all storm
		belts should be covered. Walls of	water drain and conveyor belts. We have provided
		appropriate heights shall be provided	appropriate heights of wells in the
		in the raw material and the product	appropriate heights of walls in the raw material and
			the product handling sections.
	10	handling sections.	
	18.	Any litigation pending in the Courts of	We agree the condition.
		Law it shall be blinding on project	
		proponent.	
	19.	Parking facility should be provided	We have provided parking facility in the project
۲.,		with in the project premises.	premises.
	20.		A
			We shall follow guideline of CPCB.
-		per di do norma. 3070 Evergreen	Plantation in the premises is being done as per

		¥ 1
	Tree (that remains green for most part of the year and sheds leave slowly throughout the year having height more than 2.0 m, with a well distinguished trunk) should be part of the green belt. Green belt should be developed in a strip of 10 meters with in the boundary of its premises and	guidelines.
	in the boundary of its premises and along both sides of the internal roads.	je i i i i i i i i i i i i i i i i i i i
21.	The minimum height of plantation of	We shall follow guideline of CPCB.
	sampling should be 3.6 m at the time of occupancy.	
22.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.	We agree the condition.
23.	A comprehensive EIA report shall be prepared and submitted based on six month data immediately after the plant is in operation.	We agree the condition.
24.	Walls of appropriate heights shall be provided in the raw material and the product handling sections.	We have provided appropriate heights of walls in the raw material and the product handling sections.

Wangalam Cement Ltd. Algarh

Annexure-I

nm³)	Avg.	19.94
Particulates Matter Concentration (mg/nm³)	July-23 to Sep-23	20.12
Partic	Apr -23 to Jun -23	19.76
	(Mtrs.)	0.95
90 90 91 90 10	(Mtrs.)	30.00
Stack	Attached	Bag house
	Details of Stack	Cement Mill Stack
H	No.	Н

					Mangalam Cement Ltd. Aligarh	Come	nt Ita	Aligarh				Anne	Annexure-II
Am	Ambient Air Quality Monitoring Results	Monitori	ng Results	,	× =								ż
						- X		=					
SS	Location Parameters \$\dagger\$	Ne	Near Canteen	j-3	Near P	Near Packing Plant	jablad hong pand gumb	Near C	Near CDF Building -I		Near C	Near CDF Building -II	pend med med MG
		Apr-23 to Jun-23	July -23 to Sep-23	Avg.	Apr-23 to Jun -23	July -23 to Sep -23	Avg.	Apr-23 to Jun-22	July-23 to Sep-23	Avg.	Apr-23 to Jun-23	July-23 to Sep-23	Avg.
P-7	PM10 (μg/m3)	76.82	75.56	76.19	72.26	69.25	70.75	70.44	72.44	71.44	76.16	73.14	74.65
2	PM2.5 (μg/m3)	39.57	36.95	38.26	37.29	33.26	35.27	32.77	36.82	34.77	36.71	35.42	36.06
w	So2 (μg/m3)	19.84	09.85	14.84	16.65	08.10	12.37	18.93	08.74	13.83	15.85	09.43	12.64
4	NOx (µg/m3)	36.17	19.57	27.87	33.55	17.42	25.48	32.56	18.61	25.58	27.10	18.20	22.65
Ω	CO (Mg/m3)	0.95	0.89	0.92	1.00	0.59	0.79	1.02	0.82	0.92	1.09	0.62	0.85
	Annual company and any company of the company of th												

Annexure-III Mangalam Cement Ltd. Aligarh Results of Noise Ambient Air Noise Results (dB)A Sr. Location Apr-23 to Jun-23 July-23 to Sep-23 No. Day Avg. Night Avg. Day Night Day Night Near 53.3 1 42.9 54.1 43.7 53.74 Canteen 43.3 Near 62.4 53.2 2 Packing 60.8 50.9 61.6 52.05 Plant Near GDF 55.4 3 45.7 56.9 46.2 Building-I 56.15 45.95 Near CDF 59.6 49.5 4 58.6 48.1 59.1 48.8 Building-II

	Mangala	ım Cement Ltd. Ali	garh	Annexure-IV
	Results	s of Fugitive Emiss	ion	8 x
S.No.	Location		SPM ($\mu g/m^3$)	
2 2 2		Apr-23 to Jun-23	July -23 to Sep-23	Avg.
1	Cement Mill Area	279.68	265.32	272.5
2	Packing Plant	306.69	298.52	302.60
3	Main Gate	200.23	195.45	197.84
4	Gypsum Shed	240.50	225.26	232.88
5	Fly Ash Silo	281.29	264.12	272.70
6	Clinker Silo	260.51	237.89	249.2

•		Mangalam	Cement Ltd.	Aligarh		Annexure-V
Mont	h Wise Tree	Plantation	,			
						Area (hector)
Sr. No.	Month	Plant Names	Numbers	Survival Rate	Location	Plantation Area
1	Apr-23 to Sep- 23	Arjun , Papdi, Jamun, Sisam, Sayhjan,	1700	90 %	Plant	5,0

MANGALAM CEMENT LIMITED

	CSR Expenditure for the period from Ap	r-23 to Sep -23
S.No.	Particulars of CSR Activities	AMOUNT (in Rs.)
1.	Total CSR Expenditure	190,000.00

Health surveillance report (01.04.2023-30.09.2023)

Health activities conducted by O.H.C.during this period are as follows.

Periodical health examination & general medical & heath examination of workers & staff was done to detect occupational & age related health problems, which are as follows.....

- 1. Periodical health examination of 43 staff & 149 workers was done.
- 1 (one) staff & 2 (two) workers were found to be suffering from hypertension.
 They were refer to physician for treatment of hypertension.
- 3. 6 (six) staff & 2(two) workers were found to be suffering from Diabetes.

 They were referred to physician for treatment of Diabetes.
- 1 (one) staff & 5(five) workers were obese.
 They were advised to change his food habits and do regular exercise to reduce
 Weight. They were counselled regarding obesity related disease.
- Total O.P.D. patient 751.
 Follow up action of disease/affected worker was done & remedial measure Taken.

O.H.C.

Sol .

Mangalam Cement Ltd. Aligarh

Details of Water Harvesting

Sr. No.	Location			Roof Area (m²)	
1.	CCR Building -1				
2.	CCR Building -2			1125	*
3.	Administration Building			138	
4.	Canteen Building -1		4 :	180	10
5.	Canteen Building -2				7

Annexure-IX Mangalam Cement Ltd .Aligarh Environmental expenditure incurred during the period from Apr-23 to Sep-23 for environment protection measures. S. No. Department Total Cost (In Rs.) 1. Total Expenditures 4,620,185.00