



BK BIRLA GROUP OF COMPANIES

MANGALAM CEMENT LTD.



MANGALAM CEMENT LTD.

Regd. A/D

MCL/Env. Audit-117(II)/2022-2023/4012

10.09.2022

Sr. Environment Engineer (CPP)
Rajasthan Pollution Control Board,
4, Institutional Area,
Jhalana Doongari,
Jaipur, (Rajasthan)

Dear Sir,

Sub.:- Environmental Statement for the year 2021-2022

With reference to above subject, we are enclosing herewith an Environmental Statement Report of Unit-II of M/s Mangalam Cement Ltd., Morak for the period from April-2021 to March-2022.

This is for your kind reference please. Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully

For Mangalam Cement Ltd. (Unit-II)

P. R. Chaudhary
Sr. Joint President (O) & FM

Cc to: - The Regional Officer
Rajasthan Pollution Control Board
Plot No. Spl. 2A, ParyavaranMarg
Road No. 6, Indraprasthalndl. Area
Kota - 324005

Regd. Office & Works : P.O. Aditya Nagar-326520, Morak, Distt. Kota (Raj.) CIN : L26943RJ1976PLC001705, Telefax : 07459 - 232156
Website : www.mangalamcement.com, E-mail : email@mangalamcement.com
Kota Office : Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001(Rajasthan)
Mob : 9351468064 / 9351468055 / 9351468445, E-mail : mclka@kappa.net.in
Delhi Office : 153, Leela Building (GF), Okhla Indl. Estate, Phase-III, New Delhi - 110020
Tel. No. : 011- 43539132, 43539133, 43539137 Fax : 011- 23421768
E-mail : delhi.purchase@mangalamcement.com, delhi.marketing@mangalamcement.com
Jaipur Office : 2nd Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)
Tel. : 0141 - 2218933, 2218931, E-mail : jaipur.marketing@mangalamcement.com

FORM-V
ENVIRONMENTAL STATEMENT
(See rule 14)

Environmental Statement for the financial year ending with 31st March 2022

PART-A

1.	Name & address of the owner/ occupier of the industry/ operation or process	Shri. K.C.Jain (Director) Mangalam Cement Ltd. (Unit-II) Aditya Nagar, Village : Morak Distt: Kota (Raj.) Pin code : 326520
2.	Industry Category Primary – (STC Code) Secondary – (STC Code)	Red Category
3.	Production capacity	Cement : 2.30 MTPA Clinker : 1.32 MTPA
4.	Year of establishment	1993
5.	Date of last environmental statement submitted	07.09.2021

PART –B

Water and Raw Material Consumption:

I. Water consumption in m³/d

Process: A (As plant is based on Dry process technology)

Cooling: 382.65 M³/day

Domestic: 256.50 M³/Day, which is common for Unit – I, II, III & CPP – I & II and colonies.

Name of Products	Process water consumption per unit of products	
	During Previous financial Year (2020-2021)	During the current financial Year (2021-2022)
1. Cement	0.205	0.150
2. Clinker	0.153	0.119

II. Raw material consumption

Name of raw materials*	Name of product	Consumption of raw material per unit of output	
		During Previous financial Year (2019-2020)	During Current financial year (2020-2021)
1. Morak lime stone	Cement	1.24	1.237
2. High grade lime stone		0.17	0.153
3. Fly ash		0.32	0.325
4. Gypsum		0.06	0.07
5. Blue dust/ Red Ochre/ Laterite		0.07	0.0891
6. Coal		0.020	0.073
7. Pet Coke		0.087	0.031
8. Waste Stone slurry		0.05	0.05
9. Bio Mass		0.0015	0
10. Carbon Black		0.00054	0.00017
11. Plastic Waste		0.00022	0

*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

iii) Power Consumption (KWH/T of Cement):-

During Previous Financial Year (2020-2021)	During Current Financial Year (2021-2022)
75.63 unit / of cement	77.15 unit / of cement

iv) Total Production (MT):-

Production	During Previous Financial Year (2020-2021)	During Current Financial Year (2021-2022)
Clinker	1142292	1175094
Cement	853815	929216.97

PART-C

Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)

Pollutants	Parameter	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants in discharged (mass/volume)	Percentage of variation from prescribed standards with reasons.
a) Water	As the plant is being operated on dry process technology, total process water recycled, no liquid effluent is generated from the cement plant.			
b) Kiln Main Stack	PM	0.136 Ton / day	17.34 mg/Nm ³	No any deviation
	SO ₂	0.136 Ton / day	17.30 mg/Nm ³	No any deviation
	NO _x	5.201 Ton / day	659.60 mg/Nm ³	No any deviation
c) Clinker Cooler Stack	PM	0.092 Ton / day	18.59 mg/Nm ³	No any deviation
d) Coal Mill Stack	PM	0.0265 Ton/ day	15.44 mg/Nm ³	No any deviation
e) Cement Mill	PM	0.0064 Ton/ day	18.28 mg/Nm ³	No any deviation

PART-D

HAZARDOUS WASTES

(As specified under Hazardous Wastes (Management, Handling & Transboundary Movement Rules, 2016).

Hazardous Wastes	Total Quantity (Kg)			
	During previous financial year (2020-2021)		During Current financial year (2021-2022)	
1. From Process (Cement Manufacturing is based on "Dry Process" no Hazardous waste is generated form the process except used oil which is drained from Machinery / Equipments)	We have Authorization for Hazardous waste Management & Handling for Unit – II,		We have Authorization for Hazardous waste Management & Handling for Unit – II,	
	Total Quantity Generated from April 2020 to March 2021 (Ltrs.)	5600	Total Quantity Generated from April 2021 to March 2022 (Ltrs.)	8600
	Old stock (Ltrs.)	NIL	Old stock (Ltrs.)	NIL
	Total Used Oil (Ltrs.)	5600	Total Used Oil (Ltrs.)	8600
	Sold-out to registered recycler (Ltrs.)	5600	Sold-out to registered recycler (Ltrs.)	8600
	Balance Quantity (Ltrs.)	NIL	Balance Quantity (Ltrs.)	NIL
Chemical Gypsum	NIL		NIL	
Waste Mix Liquid & Solid	NIL		NIL	
Plastic Waste	255.46 MT		NIL	
Agro waste	1709.08 MT		NIL	
Tyre Chip	NIL		NIL	
Iron Sludge	178.73 MT		NIL	
2. From pollution control facilities	NA		NA	

PART-E

SOLID WASTE

Solid Wastes	Total Quantity (Kg)	
	During previous financial year (2020-2021)	During Current financial year (2021-2022)
1. From Process	NIL	NIL
2. From pollution control facilities	Dust Collected in the ESP's, bag house and bag filters are recycled to the system	
3. i) Quantity recycled or reutilised within the unit.	100 %	100 %
ii) Solid	NIL	NIL
iii) Disposed	NIL	NIL

PART – F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Battery Waste:-

As specified under Batteries (Management and Handling) Amendment Rules, 2010. We have purchased following new batteries of different categories is common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines-

Number of new batteries of categories purchased from the manufacturer / importer / dealer or any other agency.		During 1 st April 2021 to 31 st March 2022.
Common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines		
Category	i) No. Of Batteries	ii) Approximate weight (In metric Tonnes)
i) Automotive		
a) Four Wheeler	70	2.287
ii) Industrial		
a) UPS	731	8.899
Total	801	11.186

Number of used batteries of categories mentioned in Sl. No. 3 and Tonnage of scrap sent manufacturer / dealer / importer / registered recycler / or any other agency to whom the used batteries scrap was sent.		During 1 st April 2021 to 31 st March 2022.
Common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines		
Category	iii) No. Of Batteries	iv) Approximate weight (In metric Tonnes)
i) Automotive	0	
a) Four Wheeler		
ii) Industrial	235	4.560 MT
a) UPS		
Total	235	4.560 MT

Used battery scrap was sent to CPCB authorized recycler

Hazardous waste:

Cement manufacturing is based on "Dry Process". No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipments. The used oil & lead acid batteries are sold to CPCB authorized recyclers.

Bio-Medical Waste:

Bio-Medical waste generated is common for Cement Plant, Power Plant and Mines during Period of January 2021 to December 2021 under the Bio-medical Waste Management Rules 2016 & its amendments are as follows.

Year	Bio-Medical Waste Quantity (Kg) as per Colour Coding			
	Red	Blue	Yellow	White
1 st Jan. 2021 to 31 st Dec. 2021	1.133	1.518	2.649	0.370

E- Waste:-

E- Waste disposal is common for Cement Plant, Power Plant and Mines during financial year 2020-2021 and 2021-2022 under the E-Waste (Management) Rules 2016 & its amendments are as follows.

	Total Quantity Disposed	
	During Previous Financial Year (2020-2021)	During current Financial Year (2021-2022)
E-waste disposed	NIL	1240 kg

E-waste was sent to CPCB authorized recycler.

PART-G**Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.**

M/s Mangalam Cement Limited is being operated on dry process technology, which is cost effective and environmentally clean technology. The advantage of dry process is also in fuel economy. The stack emissions from the plant are controlled by equipment like ESPs & Bag Houses. Bag filters installed at various material transfer points to clean the process and arrest the fugitive emissions. The particulate matter collected in the pollution control equipment is recycled in process and neutralizing the cost of operation of pollution control equipment and hence no cost impact on the production cost.

PART – H**Additional measures/investment proposal for environmental protection including abatement of pollution.**

Green belt development and tree plantation is our ongoing process. In the year 2020-2021 we have planted 510 No's of native species and up to March 2022, 131664 trees have been planted in premises of Unit – I, II, III, CPP – I, CPP – II and colonies.

PART -I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution.

1. We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
2. Monitoring of stack emission and ambient air and water quality is being done regularly.
3. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
4. Civil Department is taking care of Housekeeping, water supply & operation of STPs.
5. Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation.

We are enclosing herewith following documents:-

Annexure – 1:- Stack Emission Monitoring Test Reports

Annexure – 2:- Ambient Air Quality (PM10, PM2.5, NOx and SO2)

M/s Mangalam Cement Ltd.							
Unit-II							
Stack Monitoring Report							
(All values are in Mg/Nm³)							
<u>Period: 2021-2022</u>							
S.No.	Month	Kiln-II Stack			Cooler-II	Cement Mill-II	Vertical Coal Mill-II
		PM	SO ₂	NO _x			
Prescribed Standards		30	100	800	30	30	30
1	Apr-21	19.15	18.60	640.90	19.92	17.40	18.30
2	May-21	18.10	13.50	602.70	21.20	18.30	15.80
3	Jun-21	17.20	15.10	703.90	20.60	19.20	17.80
4	Jul-21	17.90	13.20	680.40	19.80	18.10	17.15
5	Aug-21	23.65	16.10	620.40	18.40	18.76	16.83
6	Sep-21	NR	NR	NR	NR	17.00	NR
7	Oct-21	12.40	36.90	716.10	15.00	18.20	15.40
8	Nov-21	12.20	36.50	555.20	15.20	18.10	13.00
9	Dec-21	13.00	12.90	706.10	18.00	17.20	13.10
10	Jan-22	18.35	3.10	675.48	18.70	19.42	15.95
11	Feb-22	18.30	16.10	686.00	19.50	18.65	14.55
12	Mar-22	20.50	8.60	668.50	18.20	19.00	11.92
Average		17.34	17.33	659.61	18.59	18.28	15.44
Min		12.20	3.10	555.20	15.00	17.00	11.92
Max		23.65	36.90	716.10	21.20	19.42	18.30

MANGALAM CEMENT LIMITED, MORAK, DIST: KOTA
 AMBIENT AIR QUALITY (All values in µg/m³)
 (Year : 2021-22)

Location Month	Near Railway Gate				Near Work Shop				Near Rack Loading Area				Near Security gate							
	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO	PM 10	PM 2.5	SO2	NOx	CO
Limits	100	60	80	80	4000	100	60	80	80	4000	100	60	80	80	4000	100	60	80	80	4000
Apr-21	61.4	31.4	6.9	14.0	396.0	54.6	27.6	6.9	13.6	444.6	61.8	32.1	7.4	11.2	532.1	56.6	27.6	8.2	15.9	561.3
May-21	58.3	31.6	6.7	14.0	465.8	51.7	26.4	6.7	14.4	404.8	48.7	26.0	4.8	11.4	515.8	48.9	25.3	4.3	13.7	562.7
Jun-21	62.4	33.3	5.8	13.4	479.3	53.4	28.9	6.3	14.3	465.4	55.2	28.7	6.4	14.2	481.4	49.3	25.6	6.3	14.4	484.9
Jul-21	54.3	30.5	5.4	12.7	425.2	48.9	27.3	5.4	12.9	432.1	47.6	25.6	5.3	13.2	451.7	44.9	22.5	5.9	13.9	434.9
Aug-21	53.3	29.6	5.6	13.3	372.4	49.2	25.7	5.7	13.6	369.6	51.6	26.1	5.9	13.0	312.6	46.1	22.6	5.6	13.7	315.4
Sep-21	48.6	24.7	5.2	11.9	361.2	50.7	26.6	5.1	13.8	379.3	47.6	23.1	5.2	11.4	379.8	52.5	28.0	5.8	14.9	355.7
Oct-21	51.9	26.4	4.4	12.0	414.2	53.6	28.7	4.5	14.7	422.0	50.2	23.8	4.6	11.0	418.0	55.9	29.9	7.3	15.6	436.1
Nov-21	59.9	30.0	3.8	11.3	390.8	66.5	32.7	4.6	15.3	398.6	55.9	30.3	4.2	11.2	381.4	66.2	36.5	7.3	17.2	468.9
Dec-21	59.8	30.6	3.6	11.5	375.1	65.6	32.5	4.4	14.8	406.4	59.1	31.4	4.1	11.8	398.6	66.0	36.5	7.6	16.9	437.7
Jan-22	56.4	29.2	3.3	11.0	367.3	60.7	32.3	3.9	13.8	351.7	54.7	29.3	4.4	10.8	367.3	62.6	34.8	6.8	15.5	422.0
Feb-22	63.4	28.8	3.3	11.3	359.5	66.8	32.6	3.7	13.8	359.5	58.2	30.2	3.8	11.3	367.3	69.4	37.0	6.5	17.4	390.8
Mar-22	65.9	31.8	3.8	11.3	390.8	66.5	34.9	3.9	13.3	414.2	61.9	32.9	4.5	11.7	429.8	70.3	40.5	7.8	16.9	375.1
Average	58.0	29.8	4.8	12.3	399.8	57.4	29.7	5.1	14.0	404.0	54.4	28.3	5.1	11.8	419.7	57.4	30.6	6.6	15.5	437.1
Minimum	48.6	24.7	3.3	11.0	359.5	48.9	25.7	3.7	12.9	351.7	47.6	23.1	3.8	10.8	312.6	44.9	22.5	4.3	13.7	315.4
Maximum	65.9	33.3	6.9	14.0	479.3	66.8	34.9	6.9	15.3	465.4	61.9	32.9	7.4	14.2	532.1	70.3	40.5	8.2	17.4	562.7

