

MANGALAM CEMENT LTD.



Regd. A/D

MCL/Env. Audit-117(II)/2022-2023/ 4014

10.09.2022

Sr. Environment Engineer (CPP)
Rajasthan Pollution Control Board,
4, Institutional Area,
Jhalana Doongari,
Jaipur, (Rajasthan)

Dear Sir,

Sub.:- Environmental Statement for the year 2021-2022

With reference to above subject, we are enclosing herewith an Environmental Statement Report of CPP-I of M/s Mangalam Cement Ltd., Morak for the period from April-2021 to March-2022.

This is for your kind reference please. Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully

For Mangalam Cement Ltd. (CPP-I)

P. R. Chaudhary

Sr. Joint President (O) & FM

Cc to: -

The Regional Officer

Rajasthan Pollution Control Board Plot No. Spl. 2A, ParyavaranMarg Road No. 6, Indraprasthalndl. Area

Kota - 324005

Regd. Office & Works:

: P.O. Aditya Nagar-326520, Morak, Distt. Kota (Raj.) CIN: L26943RJ1976PLC001705, Telefax: 07459 - 232156

Website: www.mangalamcement.com, E-mail: email@mangalamcement.com

Kota Office

Shop No. 20, 80 Feet Road, Opp. Sukhdham Colony, (Near SBI Bank) Kota - 324001 (Rajasthan)

Mob: 9351468064 / 9351468055 / 9351468445, E-mail: mclkta@kappa.net.in

Delhi Office

153, Leela Building (GF), Okhla Indl. Estate, Phase-Ill, New Delhi - 110020

Tel. No.: 011-43539132, 43539133, 43539137 Fax: 011-23421768

 $\hbox{E-mail: delhi.purchase@mangalamcement.com, delhi.marketing@mangalamcement.com}$

Jaipur Office

2nd Floor, Geejgarh Tower, Hawa-Sarak, Jaipur - 302 006 (Rajasthan)

Tel.: 0141 - 2218933, 2218931, E-mail: jaipur.marketing@mangalamcement.com

FORM-V

ENVIRONMENTAL STATEMENT

(See rule 14)

Environmental Statement for the financial year ending with 31st March 2022

PART-A

1.	Name & address of the owner/	Shri. K.C.Jain (Director)
	occupier of the industry/ operation	M/s Mangalam Cement ltd.
	or process	Captive Power Plant (CPP-I)
		Aditya Nagar, Village : Morak
		Distt: Kota (Raj.)
	measured to medical participation	Pin code : 326520
2.	Industry Category	Red Category
	Primary – (STC Code)	
	Secondary – (STC Code)	
3.	Production capacity	Power: 17.5 MW
4.	Year of establishment	2007
5.	Date of last environmental statement submitted	07.09.2021

PART-B

Water and Raw Material Consumption:

i. Water consumption in M^3/d

Process: \quad 204.35 M³/day

204.35 M^3 /day which is common for CPP – I & II

Cooling: \

Domestic: 256.50 M³/Day, which is common for Unit – I, II, III, CPP- I, CPP – II and colonies

Name of Products	Process water consumption per unit of products		
	During the previous	During the current financial	
	financial year (2020-2021)	Year (2021-2022)	
1. Power (CPP I & II)	0.0005 KL/KWh	0.0006 KL/KWh	

li.Raw material consumption

Name of raw materials*	Name of product	Consumption of raw material per unit of Output		
	(705) (740)	During previous financial year (2020-2021)	During Current financial year (2021-2022)	
1. Coal	Power (CPP-I)	0.92 Kg/Unit	0.999 Kg/Unit	
2. Bio-Mass	Power (CPP-I)	0.0219 Kg/Unit	0.0230 Kg/Unit	
3. Water	Power (CPP-I & II)	0.0005 M ³ / Unit	0.0006 M ³ / Unit	
4. Waste Stone Slurry	Power (CPP-I)	0.17 Kg/Unit	0.217 Kg/Unit	

^{*}Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

iii) Power Consumption (KWH/KWH):-

During Previous Financial Year	During Current Financial Year
0.098	0.106

iv) Total Production (KWH):-

Production	During Previous Financial Year	During Current Financial Year	
Power Generation	81890000	59186000	

PART-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

Pollutants	Parameter	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants in discharged (mass/volume)	Percentage of variation from prescribed standards with reasons.
a) Water	the year 20	21-2022, 5445 KL waste	harge in our power plant water generated from po plant for horticulture pur	& cement plant. During ower plant (CPP-I & I
	Neutralization	on pit.		
b) CPP-I	PM	0.096 Ton / day	36.71 mg/Nm ³	No any Deviation
	SO2	1.171 Ton / day	453 mg/Nm ³	No any Deviation
	NOx	0.478 Ton / day	180.85 mg/Nm ³	No any Deviation

PART-D

HAZARDOUS WASTES

(As specified under Hazardous Wastes (Management, Handling & Transboundary Movement Rules, 2016).

Hazardous Wastes	Total Quantity (Kg)				
on and it she seems.	During previous financial year (2020-2021)		During Current financial year (2021- 2022)		
 From Process (Cement Manufacturing is based on "Dry 	We have Authorization for Hawaste Management & Hand Unit – I CPP – I & II, D.G. set.		We have Authorization for Hawaste Management & Hand Unit – I CPP – I & II, D.G. set.		
Process" no Hazardous waste is generated form the	Total Quantity Generated from April 2020 to March 2021 (Ltrs.)	10400	Total Quantity Generated from April 2021 to March 2022 (Ltrs.)	15400	
process except	Old stock (Ltrs.)	NIL	Old stock (Ltrs.)	NIL	
used oil which is	Total Used Oil (Ltrs.)	10400	Total Used Oil (Ltrs.)	15400	
drained from /	Sold-out to registered recycler (Ltrs.)	10400	Sold-out to registered recycler (Ltrs.)	15400	
Equipments)	Balance Quantity (Ltrs.)	NIL	Balance Quantity (Ltrs.)	NIL	
2. From pollution control facilities	NA	da ten des Hipatisal k	NA		

SOLID WASTES:

Solid Wastes	Total Quantity –CPP-I & II (Ton)		
	During previous financial year (2020-2021)	During Current financial year (2021-2022)	
1. From Process	Bed Ash: 17530	Bed Ash: 37390	
2.From pollution control facilities	Fly Ash: 27823	Fly Ash: 38349	
2. i) Quantity recycled or reutilised within the unit.			
ii) Solid	NIL	NIL	
iii) Disposed	NIL	NIL	

PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Battery Wastes:-

As specified under Batteries (Management and Handling) Amendment Rules, 2010. We have purchased following new batteries of different categories is common for Cement Plant Unit I, II, III and Captive Power Plant Unit I & II and Mines-

Number of new batteries of commanufacturer / importer / deale	During 1 st April 2021 to 31 st March 2022.	
Common for Cement Plant Unit	I, II, III and Captive Power Plant	Unit I & II and Mines
Category	i) No. Of Batteries	ii) Approximate weight (In metric Tonnes)
i) Automotive		
a) Four Wheeler	70	2.287
ii) Industrial		
a) UPS	731	8.899
Total	801	11.186

and Ton	of used batteries of cat nage of scrap sent man ed recycler / or any oth	March 2022.	
batterie	s scrap was sent.		
Commo	n for Cement Plant Unit	I, II, III and Captive Power Plan	t Unit I & II and Mines
13.5	Category	iii) No. Of Batteries	iv) Approximate weight (In metric Tonnes)
i)	Automotive	0	
a) Four Wheeler			Total resources and the control of t
ii)	Industrial	235	4.560 MT
	a) UPS		
	Total	235	4.560 MT

Used battery scrap was sent to CPCB aut6horized recycler

Hazardous wastes

No Hazardous waste is generated from the process except used oil which is drained from Machineries / Equipments. The used oil & lead acid batteries are sold to CPCB authorized recyclers.

Bio-Medical Wastes:

Bio-Medical waste generated is common for Cement Plant, Power Plant and Mines during Period of January 2021 to December 2021 under the Bio-medical Waste Management Rules 2016 & its amendments are as follows.

Year	Bio-Medical Waste Quantity (Kg) as per Colour Coding			
	Red	Blue	Yellow	White
1 st Jan. 2021 to 31 st Dec. 2021	1.133	1.518	2.649	0.370

E- Wastes:-

E- Waste disposal is common for Cement Plant, Power Plant and Mines during financial year 2020–2021 and 2021-2022 under the E-Waste (Management) Rules 2016 & its amendments are as follows.

	Total Quant	Total Quantity Disposed		
	During Previous Financial Year (2020-2021)	During Previous Financial Year (2021-2022) 1240.00 kg		
E-waste disposed	NIL			

E-waste was sent to CPCB authorized recycler.

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

Captive Power Plant is being operated on environmentally clean technology. The stack emissions from the plant are controlled by ESP's. Bag Filters are installed at various material transfer points to clean the process and arrest the fugitive emissions. The boiler Ash collected in the pollution control equipment is used in the process of existing cement plants, thus it can be said that the utilization of raw material is being done at their cost. Since the system is operated on total recycle, there is no effect on the cost of production.

PART - H

Additional measures/investment proposal for environmental protection including abatement of pollution.

Green belt development and tree plantation is our on-going process. In the year 2020-2021 we have planted 510 No's of native species and up to March 2022, 131664 trees have been planted in premises of Unit - I, II, III, CPP - I, CPP - II and colonies.

PART-I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution.

- 1. We have full-fledged Environment Department with three separate cells, for monitoring, maintenance of pollution control equipment and Green Belt development.
- 2. Monitoring of stack emission and ambient air and water quality is being done regularly.
- 3. Maintenance department is doing regular checking and scheduled maintenance of all the pollution control devices.
- 4. Civil Department is taking care of Housekeeping, water supply and operation of STPs.
- 5. Horticulture Department is taking care of tree plantation and green belt development. Every year we are doing tree plantation.

We are enclosing herewith following documents:-

Annexure – 1:- Stack Emission Monitoring Test Reports

Annexure – 2:- Ambient Air Quality (PM10, PM2.5, NOx and SO2)

Annexure – 3:- Analysis Report of Treated Effluent Waste Water.

M/s Mangalam Cement Ltd. (CPP-I)

Stack Monitoring Report (All values are in Mg/Nm3)

Period: 2021-2022

S.No.	Month	Main ESP Stack (CPP-I)					
Prescribe	d Standards	PM	SO2	NOx			
	g/NM3)	50	600	450			
1	Apr-21	31.50	492.70	165.10			
2	May-21		NR				
3	Jun-21	34.80	401.50	180.90			
4	Jul-21	33.90	470.20	160.20			
5	Aug-21		NR				
6	Sep-21	34.20	440.00	156.50			
7	Oct-21	32.20	407.90	157.10			
8	Nov-21	38.50	479.20	171.15			
9	Dec-21	39.00	481.20	194.20			
10	Jan-22	38.90	451.20	197.80			
11	Feb-22	42.50	454.80	222.00			
12	Mar-22	41.57	451.30	203.50			
A	verage	36.71	453.00	180.85			
	Min	31.50	401.50	156.50			
	Max	42.50	492.70	222.00			

N.R:- Not Running

MANGALAM CEMENT LIMITED, MORAK, DIST: KOTA AMBIENT AIR QUALITY (All values in μg/m3)

(Year: 2021-22)

																		A CONTRACTOR OF THE PARTY OF TH		
		Near	Railwa	Near Railway Gate	-	2	Near		Work Shop		Ne	Near Rack Loading	k Loa	ding A	Area		Near S	Security gate	ty gate	
Month	PM 10	PM 2.5	802	NOX	9	PM 10	PM 2.5	802	NOx	00	PM 10	PM 2.5	802	NOX	8	PM 10	PM 2.5	S02	NOx	00
Limits	100	09	80	80	4000	100	09	80	80	4000	100	09	80	80	4000	100	09	80	80	4000
Apr-21	61.4	31.4	6.9	14.0	396.0	54.6	27.6	6.9	13.6	444.6	61.8	32.1	7.4	11.2	532.1	56.6	27.6	8.2	15.9	561.3
May-21	58.3	31.6	6.7	14.0	465.8	51.7	26.4	6.7	14.4	404.8	48.7	26.0	8.4	11.4	515.8	48.9	25.3	4.3	13.7	562.7
Jun-21	62.4	33.3	5.8	13.4	479.3	53.4	28.9	6.3	14.3	465.4	55.2	28.7	6.4	14.2	481.4	49.3	25.6	6.3	14.4	484.9
Jul-21	54.3	30.5	5.4	12.7	425.2	48.9	27.3	5.4	12.9	432.1	47.6	25.6	5.3	13.2	451.7	44.9	22.5	5.9	13.9	434.9
Aug-21	53.3	29.6	5.6	13.3	372.4	49.2	25.7	5.7	13.6	369.6	51.6	26.1	5.9	13.0	312.6	46.1	22.6	5.6	13.7	315.4
Sep-21	48.6	24.7	5.2	11.9	361.2	50.7	26.6	5.1	13.8	379.3	47.6	23.1	5.2	11.4	379.8	52.5	28.0	5.8	14.9	355.7
Oct-21	51.9	26.4	4.4	12.0	414.2	53.6	28.7	4.5	14.7	422.0	50.2	23.8	4.6	11.0	418.0	55.9	29.9	7.3	15.6	436.1
Nov-21	59.9	30.0	3.8	11.3	390.8	66.5	32.7	4.6	15.3	398.6	55.9	30.3	4.2	11.2	381.4	66.2	36.5	7.3	17.2	468.9
Dec-21	59.8	30.6	3.6	11.5	375.1	65.6	32.5	4.4	14.8	406.4	59.1	31.4	4.1	11.8	398.6	0.99	36.5	7.6	16.9	437.7
Jan-22	56.4	29.2	3.3	11.0	367.3	60.7	32.3	3.9	13.8	351.7	54.7	29.3	4.4	10.8	367.3	62.6	34.8	6.8	15.5	422.0
Feb-22	63.4	28.8	3.3	11.3	359.5	8.99	32.6	3.7	13.8	359.5	58.2	30.2	3.8	11.3	367.3	69.4	37.0	6.5	17.4	390.8
Mar-22	62.9	31.8	8.8	11.3	390.8	66.5	34.9	3.9	13.3	414.2	61.9	32.9	4.5	11.7	429.8	70.3	40.5	7.8	16.9	375.1
Average	58.0	29.8	4.8	12.3	399.8	57.4	29.7	5.1	14.0	404.0	54.4	28.3	5.1	11.8	419.7	57.4	30.6	9.9	15.5	437.1
Minimum	48.6	24.7	3.3	11.0	359.5	48.9	25.7	3.7	12.9	351.7	47.6	23.1	3.8	10.8	312.6	44.9	22.5	4.3	13.7	315.4
Maximum	62.9	33.3	6.9	14.0	479.3	8.99	34.9	6.9	15.3	465.4	61.9	32.9	7.4	14.2	532.1	70.3	40.5	8.2	17.4	562.7
																		90		

MANGALAM CEMENT LIMITED, MORAK, DIST: KOTA AMBIENT NOISE MONITORING REPORT

Year, 2021-22

	Measured Noise Level (in dBA)										
Date	Near Rail	way Gate	Near W	ork shop	Near Rack Lo	oading Area	Near Sec	urity gate			
	Day	Night	Day	Night	Day	Night	Day	Night			
Limits	75.0	70.0	75.0	70.0	75.0	70.0	75.0	70.0			
Apr-21	69.0	64.2	66.8	62.3	68.8	63.5	68.7	64.2			
May-21	67.2	62.1	66.2	60.8	68.9	63.1	68.5	63.4			
Jun-21	67.4	61.6	64.8	59.3	67.2	61.6	66.9	60.8			
Jul-21	64.7	60.1	65.5	60.3	63.6	59.3	67.2	61.4			
Aug-21	65.2	58.3	67.6	61.1	65.8	59.6	67.8	61.8			
Sep-21	64.8	58.5	68.1	61.1	64.1	58.8	69.3	62.0			
Oct-21	66.7	58.7	68.5	61.2	65.2	58.3	70.2	60.9			
Nov-21	66.6	58.9	70.3	60.4	64.5	58.2	71.3	62.8			
Dec-21	66.2	58.0	65.7	58.6	656	58.1	70.4	61.3			
Jan-22	65.9	56.8	66.3	56.1	65.6	57.1	69.9	59.8			
Feb-22	65.3	56.3	67.7	56.0	63.0	56.9	69.5	59.0			
Mar-22	67.1	56.3	67.5	56.3	64.1	56.3	69.4	58.9			
Average	66.3	59.2	67.1	59.5	65.5	59.2	69.1	61.4			
Minimum	64.7	56.3	64.8	56.0	63.0	56.3	66.9	58.9			
Maximum	69.0	64.2	70.3	62.3	68.9	63.5	71.3	64.2			

M/S Mangalam Cement Itd - Morak

		Iron Zinc	(1.0 (1.0 Mg/L)	B.D.L B.D.L	
		<u>n</u>		B.E	
		Copper	(1.0 Mg/l	B.D.L	
	¥	Chromium (Total)	(0.2 Mg/L) (1.0 Mg/L)	B.D.L	
Neutralization Pit Outlet (Trade Effluent): (2021-2022)	ers	Phosphate	(5.0 Mg/L)	B.D.L	
Trade Effluent	Parameters	Free Available chlorine	(10 Mg/L) (0.5 Mg/L)	B.D.L	
Pit Outlet (Oil and Grease	(10 Mg/L)	2.4	
Neutralization		TSS	(250 Mg/L) (30 Mg/L) (100 Mg/L)	40.1	
		BOD (3 days at 27'c)	(30 Mg/L)	16.0	
		COD	(250 Mg/L)	75.1	
		H	(6.5 to 8.5)	7.92	
		Sr. Month	Permissible Limits	Average Result (April-2021 to March-2022)	

B.D.L: Below detectable limit